



US00D929617S

(12) **United States Design Patent** (10) **Patent No.:** **US D929,617 S**
Hoofard et al. (45) **Date of Patent:** **** Aug. 31, 2021**

(54) **LIGHT SOURCES ARRANGED IN A PATTERN**

(71) Applicant: **ASSA ABLOY Entrance Systems AB**, Landskrona (SE)

(72) Inventors: **Richard K. Hoofard**, Dallas, TX (US); **Daryl Day**, Frisco, TX (US)

(73) Assignee: **ASSA ABLOY Entrance Systems AB**, Landskrona (SE)

(**) Term: **15 Years**

(21) Appl. No.: **29/676,274**

(22) Filed: **Jan. 9, 2019**

(51) **LOC (13) Cl.** **26-04**

(52) **U.S. Cl.**
USPC **D26/1**

(58) **Field of Classification Search**
USPC D26/1-10
CPC H01R 5/00; H01R 13/514; H01R 13/46; H01R 31/048; H01R 31/02; H01J 5/00; H01J 5/16; H01J 1/02; H01J 15/00; H01J 5/48; H01J 5/50; H01J 19/54; F21V 5/00; F21K 9/00; F21K 13/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,047,748	A	9/1991	Trickle	
5,168,267	A	12/1992	Trickle	
D562,473	S *	2/2008	Matsui	D26/1
D570,506	S *	6/2008	Uemoto	D26/1
7,750,890	B2	7/2010	Fitzgibbon et al.	
D634,863	S *	3/2011	Leung	D26/1
7,956,718	B2	6/2011	Murphy et al.	
D667,145	S *	9/2012	Bierhuizen	D26/1
8,345,010	B2	1/2013	Fitzgibbon et al.	
8,410,895	B2	4/2013	Murphy et al.	

8,497,761	B2	7/2013	McNeill et al.	
8,976,006	B2	3/2015	Krupke et al.	
D747,008	S *	1/2016	Kim	D26/1
9,230,419	B2	1/2016	Beggs et al.	
9,564,072	B2	2/2017	Senfleben et al.	
9,633,537	B2	4/2017	Beggs et al.	
9,771,225	B2	9/2017	Stone et al.	
9,776,511	B2	10/2017	Brooks et al.	
9,777,529	B2	10/2017	McNeill et al.	
9,926,148	B2	3/2018	Hochstein et al.	
10,032,380	B2	7/2018	Mushynski et al.	
10,053,904	B2	8/2018	McNeill et al.	
10,096,187	B2	10/2018	Deneen et al.	
2016/0104364	A1	4/2016	Brooks et al.	
2017/0044817	A1	2/2017	McNeill et al.	

* cited by examiner

Primary Examiner — Marcus A Jackson

(74) *Attorney, Agent, or Firm* — Perkins Coie LLP


(57) **CLAIM**

The ornamental design for light sources arranged in a pattern, as shown and described for at least one of the first or second embodiments.

DESCRIPTION

FIG. 1 is a front perspective view of light sources arranged in a pattern, showing a first embodiment of our new design; FIG. 2 is a front view of the light sources arranged in the pattern according to the first embodiment; FIG. 3 is a back view of the light sources arranged in the pattern according to the first embodiment; and, FIG. 4 is a top view of the light sources arranged in the pattern according to the first embodiment. Bottom, left-side, and right-side views of the first embodiment are each the same as the top view in FIG. 4. The portions of the images shown with broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4