



US00D929700S

(12) **United States Design Patent** (10) **Patent No.:** **US D929,700 S**
Dzodzo (45) **Date of Patent:** **** Sep. 7, 2021**

(54) **ADJUSTABLE BABY SLEEPING BAG**

DESCRIPTION

- (71) Applicant: **Jojo Group LLC**, Avon, OH (US)
- (72) Inventor: **Mirjana Dzodzo**, Rocky River, OH (US)
- (73) Assignee: **JOJO GROUP LLC**, Avon, OH (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/690,899**
- (22) Filed: **May 13, 2019**
- (51) **LOC (13) Cl.** **02-01**
- (52) **U.S. Cl.**
USPC **D2/719**
- (58) **Field of Classification Search**
USPC D2/719, 720, 718, 728, 744, 745, 823,
D2/824, 829, 847; D6/603, 608
CPC A41B 13/06; A41B 13/065; A41B 13/00;
A41B 13/005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D282,596 S *	2/1986	Bangert	D2/719
D296,378 S *	6/1988	Coates	D2/719
5,533,209 A *	7/1996	Davis	A41D 10/00 2/158

(Continued)

FOREIGN PATENT DOCUMENTS

CN	203028768 B1	7/2013
CN	204273964 B1	4/2015


Primary Examiner — Michelle E. Wilson
Assistant Examiner — Clese Moore, Jr.
 (74) *Attorney, Agent, or Firm* — Pete Adams Law, PLLC

(57) **CLAIM**

The ornamental design for an adjustable baby sleeping bag, as shown and described.

FIG. 1 is a front view of a first embodiment of an adjustable baby sleeping bag;
 FIG. 2 is a front view of the first embodiment, illustrating detachable cuffs with snap fasteners;
 FIG. 3 is a front view of a second embodiment of FIG. 1, illustrating detachable cuffs with zipper fasteners, the only difference being the type of fastener, it being understood that all other surfaces are the same as those of the first embodiment;
 FIG. 4 is a front view of a third embodiment of FIG. 1, illustrating hook and loop fasteners, the only difference being the type of fastener, it being understood that all other surfaces are the same as those of the first embodiment;
 FIG. 5 is a front view of the first embodiment, illustrated in a partially open configuration;
 FIG. 6 is a front view of the first embodiment, illustrated in a further open configuration;
 FIG. 7 is a rear view of the first embodiment;
 FIG. 8 is a left side view of the first embodiment;
 FIG. 9 is a right side view of the first embodiment;
 FIG. 10 is a top view of the first embodiment;
 FIG. 11 is a bottom view of the first embodiment;
 FIG. 12 is a perspective sectional view of the first embodiment, illustrated with snaps fastened;
 FIG. 13 is a perspective sectional view of the first embodiment, illustrated with snaps unfastened;
 FIG. 14 is a perspective view of the first embodiment, illustrated with the cuffs detached; and,
 FIG. 15 is a perspective view of the first embodiment, illustrated with the cuffs attached.
 The broken lines showing an infant in FIG. 14 and FIG. 15 depict environmental subject matter that forms no part of the claimed design.
 FIGS. 2, 3, and 4 illustrate differences in fasteners in three embodiments. Such embodiments involve a single inventive concept.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 4




Fig. 3




Fig. 2




Fig. 6




Fig. 5




Fig. 7

Fig. 8 Fig. 9




Fig. 10




Fig. 11






Fig. 13




Fig. 12

Fig. 15




Fig. 14

