



US00D929864S

(12) **United States Design Patent** (10) **Patent No.:** **US D929,864 S**  
**Steen** (45) **Date of Patent:** **\*\* Sep. 7, 2021**

(54) **CONTAINER**

*Primary Examiner* — Dana Meyrow

(71) Applicant: **Steen Products, Inc.**, Fort Mill, SC  
(US)

(74) *Attorney, Agent, or Firm* — Shumaker, Loop & Kendrick, LLP

(72) Inventor: **Robby Wayne Steen**, Fort Mill, SC  
(US)

(57) **CLAIM**

(73) Assignee: **STEEN PRODUCTS, INC.**, Fort Mill, SC (US)

The ornamental design for a container, as shown in the drawings.

(\*\*) Term: **15 Years**

**DESCRIPTION**

(21) Appl. No.: **29/747,407**

(22) Filed: **Aug. 21, 2020**

(51) **LOC (13) Cl.** ..... **09-01**

(52) **U.S. Cl.**  
USPC ..... **D9/525; D9/442; D9/523; D9/528;**  
**D23/211.2**

(58) **Field of Classification Search**  
USPC ..... D9/434–436, 442, 453–454, 516,  
D9/522–523, 525–528, 530, 543, 571,  
D9/575, 715, 719; D23/211.1, 211.2  
CPC ..... B65D 1/00; B65D 1/02; B65D 1/0223;  
B65D 23/00; B65D 23/10; B65D 23/102;  
B65D 23/104; B65D 23/106; B65D  
2501/00; B65D 2501/0009; B65D  
2501/0081

See application file for complete search history.

FIG. 1 is an upper perspective view of the container in a closed position;  
FIG. 2 is a lower perspective view of the container in a closed position;  
FIG. 3 is a front elevation of the container in a closed position;  
FIG. 4 is a rear elevation of the container in a closed position;  
FIG. 5 is a top plan view of the container in a closed position;  
FIG. 6 is a bottom plan view of the container in a closed position;  
FIG. 7 is a side elevation of the container in a closed position;  
FIG. 8 is an upper perspective view of the container in an open, use position;  
FIG. 9 is a lower perspective view of the container in an open, use position;  
FIG. 10 is a front elevation of the container in an open, use position;  
FIG. 11 is a rear elevation of the container in an open, use position;  
FIG. 12 is a side elevation of the container in an open, use position;  
FIG. 13 is a top plan view of the container in an open, use position; and,  
FIG. 14 is a bottom plan view of the container in an open, use position.


(56) **References Cited**

U.S. PATENT DOCUMENTS

4,901,878 A \* 2/1990 Humphries ..... B65D 1/14  
215/383  
D307,547 S \* 5/1990 Humphries ..... D9/525  
D414,115 S \* 9/1999 Goettner ..... D9/526  
D696,127 S \* 12/2013 Juna ..... D9/526  
D762,120 S \* 7/2016 Valentine ..... D9/525  
D762,477 S \* 8/2016 Valentine ..... D9/525  
D790,970 S \* 7/2017 Bos ..... D9/526  
D790,971 S \* 7/2017 Bos ..... D9/526  
D813,679 S \* 3/2018 Bos ..... D9/526

(Continued)

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

10,124,930	B2	11/2018	Sessions	
D835,991	S	* 12/2018	Veldhuis .....	D9/523
D857,508	S	* 8/2019	Uetsuki .....	D9/526
D888,197	S	* 6/2020	McDonnell .....	D23/213
10,822,147	B2	11/2020	Bongiovanni	

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14