



US00D929864S

(12) **United States Design Patent** (10) **Patent No.:** **US D929,864 S**
Steen (45) **Date of Patent:** **** Sep. 7, 2021**

(54) **CONTAINER**

Primary Examiner — Dana Meyrow

(71) Applicant: **Steen Products, Inc.**, Fort Mill, SC
(US)

(74) *Attorney, Agent, or Firm* — Shumaker, Loop & Kendrick, LLP

(72) Inventor: **Robby Wayne Steen**, Fort Mill, SC
(US)

(57) **CLAIM**

(73) Assignee: **STEEN PRODUCTS, INC.**, Fort Mill, SC (US)

The ornamental design for a container, as shown in the drawings.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/747,407**

(22) Filed: **Aug. 21, 2020**

(51) **LOC (13) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/525; D9/442; D9/523; D9/528;**
D23/211.2

(58) **Field of Classification Search**
USPC D9/434–436, 442, 453–454, 516,
D9/522–523, 525–528, 530, 543, 571,
D9/575, 715, 719; D23/211.1, 211.2
CPC B65D 1/00; B65D 1/02; B65D 1/0223;
B65D 23/00; B65D 23/10; B65D 23/102;
B65D 23/104; B65D 23/106; B65D
2501/00; B65D 2501/0009; B65D
2501/0081

See application file for complete search history.

FIG. 1 is an upper perspective view of the container in a closed position;
FIG. 2 is a lower perspective view of the container in a closed position;
FIG. 3 is a front elevation of the container in a closed position;
FIG. 4 is a rear elevation of the container in a closed position;
FIG. 5 is a top plan view of the container in a closed position;
FIG. 6 is a bottom plan view of the container in a closed position;
FIG. 7 is a side elevation of the container in a closed position;
FIG. 8 is an upper perspective view of the container in an open, use position;
FIG. 9 is a lower perspective view of the container in an open, use position;
FIG. 10 is a front elevation of the container in an open, use position;
FIG. 11 is a rear elevation of the container in an open, use position;
FIG. 12 is a side elevation of the container in an open, use position;
FIG. 13 is a top plan view of the container in an open, use position; and,
FIG. 14 is a bottom plan view of the container in an open, use position.


(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,901,878 A * 2/1990 Humphries B65D 1/14
215/383
- D307,547 S * 5/1990 Humphries D9/525
- D414,115 S * 9/1999 Goettner D9/526
- D696,127 S * 12/2013 Juna D9/526
- D762,120 S * 7/2016 Valentine D9/525
- D762,477 S * 8/2016 Valentine D9/525
- D790,970 S * 7/2017 Bos D9/526
- D790,971 S * 7/2017 Bos D9/526
- D813,679 S * 3/2018 Bos D9/526

(Continued)

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

10,124,930	B2	11/2018	Sessions	
D835,991	S	* 12/2018	Veldhuis	D9/523
D857,508	S	* 8/2019	Uetsuki	D9/526
D888,197	S	* 6/2020	McDonnell	D23/213
10,822,147	B2	11/2020	Bongiovanni	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14