



US00D929988S

(12) **United States Design Patent** (10) **Patent No.:** **US D929,988 S**  
**Carlson** (45) **Date of Patent:** **\*\* Sep. 7, 2021**

(54) **GRAPHICAL USER INTERFACE DEVICE**

(71) Applicant: **Cepheid**, Sunnyvale, CA (US)  
(72) Inventor: **Richard Carlson**, Sunnyvale, CA (US)  
(73) Assignee: **Cepheid**, Sunnyvale, CA (US)  
(\*\*) Term: **15 Years**

(21) Appl. No.: **29/688,963**  
(22) Filed: **Apr. 25, 2019**  
(51) **LOC (13) Cl.** ..... **14-02**  
(52) **U.S. Cl.**  
USPC ..... **D14/336**  
(58) **Field of Classification Search**  
USPC ..... D14/336, 337, 341, 375, 376, 377, 127,  
D14/128, 129, 371, 372, 373, 374, 126  
CPC ..... G06F 1/1601; G06F 1/1605; G06F 1/162  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D442,951 S *	5/2001	Hill	.....	D14/336
D448,372 S *	9/2001	Kim	.....	D14/172
D533,859 S *	12/2006	Nishii	.....	D14/132
D563,405 S *	3/2008	Taniho	.....	D14/336
D564,473 S *	3/2008	Nemoto	.....	D14/129
D570,345 S *	6/2008	Lee	.....	D14/336
D660,837 S *	5/2012	Libman	.....	D14/336
D661,699 S *	6/2012	Chiu	.....	D14/371
D680,108 S *	4/2013	Kumagai	.....	D14/336
D702,658 S *	4/2014	Kim	.....	D14/126
D741,853 S *	10/2015	Barron	.....	D14/336
D755,783 S *	5/2016	Shi	.....	D14/336
D860,987 S *	9/2019	Allgaier	.....	D14/336

**FOREIGN PATENT DOCUMENTS**

RU 00099888 \* 9/2016

**OTHER PUBLICATIONS**

YouTube. Link: [https://www.youtube.com/watch?v=hPF6h8u3\\_lw](https://www.youtube.com/watch?v=hPF6h8u3_lw).  
Sep. 25, 2017. Rite-Hite Door's Graphic User Interface (GUI).  
(Year: 2017).\*

(Continued)

*Primary Examiner* — Lauren D McVey

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP


(57) **CLAIM**

The ornamental design for a graphical user interface device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a first embodiment of a graphical user interface device showing our new design; FIG. 2 is a bottom perspective view thereof; FIG. 3 is a front elevation view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a left side elevation view thereof; FIG. 6 is a right side elevation view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a top perspective view of a second embodiment of a graphical user interface device showing our new design; FIG. 10 is a bottom perspective view thereof; FIG. 11 is a front elevation view thereof; FIG. 12 is a rear elevation view thereof; FIG. 13 is a left side elevation view thereof; FIG. 14 is a right side elevation view thereof; FIG. 15 is a top plan view thereof; and, FIG. 16 is a bottom plan view thereof. The broken lines immediately adjacent to the shaded areas depict the bounds of the claimed design, while all other broken lines are directed to environment. The broken lines form no part of the claimed design.

**1 Claim, 16 Drawing Sheets**



(56)

**References Cited**

OTHER PUBLICATIONS

Shield Fire, Safety & Security Ltd. Link: <http://www.shieldglobal.com/product/fire-detection-and-notification/fire-detection-and-notification-system/omega-series/graphical-user-interface-for-fire-detection-equipment/>. Visited Oct. 30, 2020. Graphical User Interface for Fire Detection Equipment. (Year: 2020).\*

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16