



US00D930189S

(12) **United States Design Patent** (10) **Patent No.:** **US D930,189 S**
Ustach et al. (45) **Date of Patent:** **** Sep. 7, 2021**

(54) **BOLLARD**

(56) **References Cited**

(71) Applicant: **McCue Corporation**, Peabody, MA (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Thomas Ustach**, Revere, MA (US);
Fernando Fraga, Waltham, MA (US);
Amanda Gene Meltzer, Boston, MA (US)

3,881,697 A	5/1975	Glaesener	
4,290,585 A	9/1981	Glaesener	
D268,084 S	3/1983	Haggard	
D316,459 S *	4/1991	Kira	D26/104
5,090,348 A	2/1992	Hugron	
5,426,267 A	6/1995	Underhill et al.	

(Continued)

(73) Assignee: **McCue Corporation**, Peabody, MA (US)

FOREIGN PATENT DOCUMENTS

(**) Term: **15 Years**

CN	304495193	2/2018
CN	304554829	3/2018

(Continued)

(21) Appl. No.: **29/774,215**

OTHER PUBLICATIONS

(22) Filed: **Mar. 15, 2021**

International Search Report and Written Opinion dated Jan. 13, 2020 for International Patent Application No. PCT/US2019/042194, 16 pages.

Related U.S. Application Data

(63) Continuation of application No. 17/258,886, filed as application No. PCT/US2019/042194 on Jul. 17, 2019.

Primary Examiner — Samantha Q Lawrence

(51) **LOC (13) Cl.** **25-01**

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(52) **U.S. Cl.**
USPC **D25/126**

(57) **CLAIM**

(58) **Field of Classification Search**

The ornamental design for a bollard, as shown and described.

USPC D25/43, 125, 126, 127, 128, 129, 130, D25/131, 132, 133, 134, 135, 136; D10/109.1, 113.1, 113.2, 113.3; D26/1-4, 67, 68, 119
CPC E01F 13/026; E01F 13/044; E01F 13/046; E01F 13/048; E01F 13/12; E01F 15/00; E01F 8/0017; E01F 8/0023; E01F 8/0029; E01F 9/627; E01F 9/629; E01F 9/638; E01F 9/685; E01F 15/146; E02D 27/42; E02D 29/0266; E04G 25/04; F21V 33/0076; F21W 2111/02; Y10T 403/32516; Y10T 403/7015; Y10T 70/50
See application file for complete search history.

DESCRIPTION

FIG. 1 is a front, top perspective view of a bollard showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right-side elevational view thereof;
FIG. 5 is a left-side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines shown in FIGS. 1-7 illustrate portions of the bollard that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D400,278 S * 10/1998 Binsukor D26/67
 D426,012 S * 5/2000 Giese D26/68
 D444,899 S * 7/2001 Bossy D26/68
 D477,682 S * 7/2003 Wang D26/67
 7,722,285 B2 * 5/2010 Schram E05B 53/00
 404/6
 D639,457 S 6/2011 Naaman et al.
 D667,332 S * 9/2012 Skalka D10/113.2
 D821,009 S * 6/2018 Holmes D26/59
 D821,612 S * 6/2018 Lankford D25/135
 D829,363 S * 9/2018 Lan D26/119
 2010/0172692 A1 7/2010 McCue et al.
 2015/0050084 A1 2/2015 Berto
 2016/0053449 A1 2/2016 Kemper et al.
 2017/0101750 A1 4/2017 Connell et al.
 2017/0241088 A1 8/2017 Smith

2017/0314286 A1* 11/2017 Bartels E02D 29/1427
 2019/0276998 A1 9/2019 Caval
 2021/0207333 A1* 7/2021 Ustach E01F 15/003

FOREIGN PATENT DOCUMENTS

CN 306087288 10/2020
 JP D1552853 6/2016
 JP D1555332 8/2016
 JP D1555427 8/2016
 KR 10-0804094 B1 2/2008
 KR 10-0804095 B1 2/2008
 KR 300851791.0000 4/2016
 KR 300844022.0000 3/2018
 WO D032086-0002 2/1995
 WO D032086-0005 2/1995
 WO D032086-0004 3/2020
 WO D208483-0004 3/2020

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7