

US00D930201S

(12) **United States Design Patent** (10) **Patent No.:** **US D930,201 S**
Shang et al. (45) **Date of Patent:** **** Sep. 7, 2021**

(54) **RECHARGEABLE LED SLIM LIGHT**

(71) Applicant: **AEC LIGHTING SOLUTIONS CO., LTD**, Shanghai (CN)

(72) Inventors: **Binhui Shang**, Shanghai (CN); **Xulong Lei**, Shanghai (CN)

(73) Assignee: **AEC LIGHTING SOLUTIONS CO., LTD**, Shanghai (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/695,456**

(22) Filed: **Jun. 19, 2019**

(30) **Foreign Application Priority Data**

Dec. 20, 2018 (CN) 201830741393.0

(51) **LOC (13) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/37**

(58) **Field of Classification Search**
USPC D26/33-39, 41, 44, 51, 52, 56, 60, 61, D26/63, 65, 66
CPC F21S 9/00; F21S 9/02; F21S 9/022; F21S 9/027; F21S 6/006; F21V 7/0075; F21V 9/0083; F21V 13/045; F21V 14/025; F21V 21/085; F21V 21/0885; F21V 21/0925; F21V 21/0965; F21V 21/406; F21V 27/005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D306,212 S * 2/1990 Holterscheidt D26/44
D425,642 S * 5/2000 Zeller D26/44
7,186,001 B1 * 3/2007 Parsons A44B 15/00 362/116
D607,873 S * 1/2010 Lee D14/203.7
D608,038 S * 1/2010 Chan D26/60

D643,401 S * 8/2011 Chen D14/203.7
D670,016 S * 10/2012 Sprengers D26/63
D699,378 S * 2/2014 DiLuciano D26/37
D725,374 S * 3/2015 Oksanen A44B 15/00 D3/209
D779,092 S * 2/2017 Xu D26/37
D819,244 S * 5/2018 Wojan D26/37
D829,354 S * 9/2018 Cacciabeve D26/37
D867,178 S * 11/2019 Deng D10/70
D877,947 S * 3/2020 Lei 26/37

FOREIGN PATENT DOCUMENTS

CN 109538989 A * 3/2019 F21Y 2115/10
CN 305156345 * 5/2019
JP D1652288 * 2/2020
KR 2018113874 A * 10/2018 F21L 4/027

* cited by examiner

Primary Examiner — Eric L Goodman

Assistant Examiner — Sarah L Smith

(74) *Attorney, Agent, or Firm* — Berg Hill Greenleaf Ruscitti LLP

(57) **CLAIM**


The ornamental design for a rechargeable LED slim light, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the rechargeable LED slim light showing our new design;
FIG. 2 is bottom perspective view;
FIG. 3 is bottom plan view;
FIG. 4 is a top plan view;
FIG. 5 is a right side elevation view of FIG. 1;
FIG. 6 is a right side elevation view of FIG. 2;
FIG. 7 is a rear elevation view of FIG. 1; and,
FIG. 8 is a front elevation view of FIG. 1.

The broken line showing of rechargeable LED slim light is for the purpose of illustrating portions of the article and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8