



US00D930340S

(12) **United States Design Patent**
Patt et al.

(10) **Patent No.:** **US D930,340 S**

(45) **Date of Patent:** **** Sep. 14, 2021**

(54) **SHOE SOLE**

(71) Applicant: **Cole Haan LLC**, Greenland, NH (US)

(72) Inventors: **Scott Patt**, Greenland, NH (US);
Jonathan Fontaine, Greenland, NH
(US); **Edwin Teca**, Greenland, NH (US)

(73) Assignee: **COLE HAAN LLC**, Greenland, NH
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/716,532**

(22) Filed: **Dec. 10, 2019**

(51) **LOC (13) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/953**; D2/951; D2/957; D2/959;
D2/960

(58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946-962, 977; 36/3 B, 22 R, 24.5,
36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D329,742 S * 9/1992 Byrne D2/953
D391,747 S * 3/1998 Avar D2/953
D394,343 S * 5/1998 Marshall D2/951

D407,892 S * 4/1999 Gaudio D2/960
D412,050 S * 7/1999 Chassaing D2/953
D484,674 S * 1/2004 Issler D2/953
D494,345 S * 8/2004 Werman D2/923
D498,574 S * 11/2004 Issler D2/947
D498,903 S * 11/2004 Issler D2/947
D580,139 S * 11/2008 McClaskie D2/951
D585,187 S * 1/2009 Jarvis D2/951
D605,385 S * 12/2009 Andersen A43B 13/223
D2/960
D638,616 S * 5/2011 Gibson D2/959
D676,224 S * 2/2013 Marshall D2/953
D788,426 S * 6/2017 Hardman D2/959

(Continued)

Primary Examiner — T Chase Nelson

(74) *Attorney, Agent, or Firm* — Thompson Coburn LLP


(57) **CLAIM**

The ornamental design for a shoe sole, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a shoe sole showing our new design;
FIG. 2 is a second perspective view thereof;
FIG. 3 is a third perspective view thereof;
FIG. 4 is a fourth perspective view thereof;
FIG. 5 is a fifth perspective view thereof;
FIG. 6 is a sixth perspective view thereof;
FIG. 7 is a front view thereof;
FIG. 8 is a rear view thereof;
FIG. 9 is a left side view thereof;
FIG. 10 is a right side view thereof;
FIG. 11 is a top view thereof; and,
FIG. 12 is a bottom view thereof.
The dash-dot-dash broken lines immediately adjacent the photographic areas represent the bounds of the claimed design while all other broken lines are directed to environment. The broken lines form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D792,689	S *	7/2017	Mokos	D2/953
D799,803	S *	10/2017	Nethongkome	D2/953
D850,083	S *	6/2019	Jenkins	D2/959
D851,885	S *	6/2019	Sebastian	D2/960
D854,291	S *	7/2019	Nethongkome	D2/953
D863,739	S *	10/2019	Ellis	D2/916
D881,544	S *	4/2020	Sebastian	D2/960
D889,093	S *	7/2020	Verfl	D2/954
D889,786	S *	7/2020	Penka	D2/947
D889,799	S *	7/2020	O'Connor	A43B 13/223
				D2/960
D899,052	S *	10/2020	Henrichot	D2/957
D900,451	S *	11/2020	Jury	D2/960
D903,266	S *	12/2020	Fontaine	D2/960
D913,648	S *	3/2021	Dean	D2/907
D913,650	S *	3/2021	Ortega	D2/908
D913,668	S *	3/2021	Boys	D2/957
D913,669	S *	3/2021	Matthews	D2/958
2020/0146397	A1 *	5/2020	Coupe	G06T 19/00

* cited by examiner



FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12