

US00D930357S

(12) **United States Design Patent** (10) **Patent No.:** **US D930,357 S**
Sakai (45) **Date of Patent:** **** Sep. 14, 2021**

(54) **CASE FOR TOY BEADS**

85/22; B65D 85/28; A63F 2003/00747;
A63F 2003/00757; A63F 2003/00791;
A63F 9/06

(71) Applicant: **EPOCH COMPANY LTD**, Tokyo (JP)

See application file for complete search history.

(72) Inventor: **Ryo Sakai**, Tokyo (JP)

(73) Assignee: **EPOCH COMPANY LTD**, Tokyo (JP)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

D145,491 S * 8/1946 Stack, Jr. D28/78
D275,079 S * 8/1984 Sun D11/137
D275,080 S * 8/1984 Sun D11/103

(21) Appl. No.: **29/652,299**

(Continued)

(22) Filed: **Jul. 13, 2020**

Related U.S. Application Data

(62) Division of application No. 29/684,531, filed on Mar. 21, 2019.

Primary Examiner — Lilyana Bekic

Assistant Examiner — Mary Shannon Malley

(74) *Attorney, Agent, or Firm* — Fitzgerald IP Law; John K Fitzgerald, Esq.

(30) **Foreign Application Priority Data**

Sep. 25, 2018 (JP) 2018-020820
Nov. 27, 2018 (JP) 2018-025729

(57) **CLAIM**

The ornamental design for a case for toy beads, as shown and described.

(51) **LOC (13) Cl.** **03-01**

(52) **U.S. Cl.**

USPC **D3/271.1**

(58) **Field of Classification Search**

USPC D3/200, 201, 203.1, 203.2, 204, 205,
D3/273–274, 276, 283, 284, 294–298,
D3/302, 315, 901, 903, 271.1; D9/414,
D9/418, 420, 422–426, 428, 430, 432,
D9/503, 504, 669; D7/300.2, 505, 641,
D7/701, 703; D27/172, 183, 184, 186,
D27/187, 189, 190, 191; D28/9, 73, 76,
D28/78, 82, 91; D6/659, 663, 667,
D6/671.1, 669; 206/6.1, 703, 705;
D11/108; D21/627

CPC A45C 11/05; A45C 11/16; A45C 11/34;
A45C 11/36; A45C 13/005; A45D 33/00;
A45D 33/003; A45D 33/006; A45D
33/24; B65D 1/22; B65D 2585/08; B65D
85/07; B65D 85/08; B65D 85/20; B65D

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a case for toy beads;

FIG. 2 is a rear, bottom, left side perspective view of the case for toy beads of FIG. 1;

FIG. 3 is a front view of the case for toy beads of FIG. 1;

FIG. 4 is a rear view of the case for toy beads of FIG. 1;

FIG. 5 is a top view of the case for toy beads of FIG. 1;

FIG. 6 is a bottom view of the case for toy beads of FIG. 1;


FIG. 7 is a right side view of the case for toy beads of FIG. 1;

FIG. 8 is a left side view of the case for toy beads of FIG. 1; and,

FIG. 9 is a perspective view of the case for toy beads of FIG. 1 showing a front portion and a rear portion of the case opened 180 degrees.

The broken lines illustrate portions of the case for toy beads that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D321,788 S	*	11/1991	Chen		D3/295
D431,187 S	*	9/2000	Davis		D11/131
D438,788 S	*	3/2001	Rigel		D9/669
D525,429 S	*	7/2006	Lalwani		D3/271.1
D593,323 S	*	6/2009	Kaspor		D21/627
D875,545 S	*	2/2020	Bagramyan		D9/669
D915,772 S	*	4/2021	Sakai		D3/313
2020/0094131 A1	*	3/2020	Sakai		B44C 3/12

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

