



US00D930414S

(12) **United States Design Patent** (10) **Patent No.:** **US D930,414 S**
Yang et al. (45) **Date of Patent:** **** Sep. 14, 2021**

(54) **PRODUCT RETAINER**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)
(72) Inventors: **Sheng Yang**, Mountain View, CA (US);
Olivia M. Ching, Mountain View, CA (US); **Chien Tsun Chen**, Taipei (TW);
Eric Weijia Wang, Newark, CA (US); **Allison Inouye**, San Francisco, CA (US);
Kristy Judy Hsu, San Jose, CA (US); **Po Huang**, San Jose, CA (US);
Jean-Marc Gady, Los Altos, CA (US); **Peter Russell-Clarke**, San Francisco, CA (US);
Daniele De Iuliis, San Francisco, CA (US); **Jeremy Bataillou**, San Francisco, CA (US);
Shota Aoyagi, San Francisco, CA (US); **Jody Akana**, San Francisco, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/758,623**

(22) Filed: **Nov. 17, 2020**

Related U.S. Application Data

(63) Continuation of application No. 29/743,203, filed on Jul. 20, 2020, now Pat. No. Des. 904,091, which is a continuation of application No. 29/695,817, filed on Jun. 21, 2019, now Pat. No. Des. 893,926.

(51) **LOC (13) Cl.** **06-06**

(52) **U.S. Cl.**
USPC **D6/682.3**

(58) **Field of Classification Search**
USPC D6/672, 673, 512-513, 553, 680.2, 682, D6/682.3; D14/457; D8/354
CPC A47B 2097/005; A47B 2097/006; A47F 5/0006; A47F 7/0246; A47F 5/04; A47F 5/12; F16M 11/04; F16M 13/00; F16M 13/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D348,159 S	6/1994	Krippelz et al.
D407,408 S	3/1999	Hoff
D637,593 S	5/2011	Zanetti
D655,282 S	3/2012	Richter
D670,691 S	11/2012	Novak
D696,259 S	12/2013	Howarth et al.
D737,081 S	8/2015	Schwalbach et al.
D740,060 S	10/2015	Akana et al.
D765,064 S	8/2016	Wengreen
D804,811 S	12/2017	Davis
9,972,178 B2 *	5/2018	Richardson G06Q 30/0185

(Continued)

Primary Examiner — Kelley A Donnelly

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.


(57) **CLAIM**

The ornamental design for a product retainer, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a product retainer showing the claimed design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The dashed broken lines in the figures show portions of the product retainer that form no part of the claimed design.
The jagged dot-dash broken lines in the figures indicate that no particular length is claimed.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D868,054 S 11/2019 Kim et al.
D870,095 S 12/2019 Hu
D873,260 S 1/2020 Dang et al.
D879,519 S * 3/2020 Schwalbach D6/682.3
D884,711 S 5/2020 Zhang et al.
D893,926 S 8/2020 Yang et al.
10,808,430 B2 * 10/2020 Lucas E05B 73/0082
D904,090 S * 12/2020 Yang D6/682.3
D904,091 S * 12/2020 Yang D6/682.3
2011/0187531 A1 8/2011 Oehl et al.
2012/0280810 A1 11/2012 Wheeler
2014/0106608 A1 4/2014 Howarth et al.
2014/0138419 A1 * 5/2014 Minn F16B 2/065
224/567
2018/0279809 A1 * 10/2018 Regan A47F 5/13
2020/0378415 A1 * 12/2020 Dammermann ... F16M 11/2092

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7