

US00D930896S

(12) **United States Design Patent** (10) **Patent No.:** **US D930,896 S**
Fornarelli (45) **Date of Patent:** **** Sep. 14, 2021**

(54) **VAPORIZATION DEVICE**

(71) Applicant: **14TH ROUND INC.**, Los Angeles, CA
(US)

(72) Inventor: **Thomas Fornarelli**, Chicago, IL (US)

(73) Assignee: **14TH ROUND INC.**, Los Angeles, CA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/687,597**

(22) Filed: **Apr. 14, 2019**

(51) **LOC (13) Cl.** **27-02**

(52) **U.S. Cl.** **D27/162**
USPC

(58) **Field of Classification Search**
USPC D27/100, 101, 139, 141, 148, 157,
D27/161–171, 183, 185–194; D13/108,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D262,320 S * 12/1981 Mono 128/203.12
D271,049 S * 10/1983 Du Cret 401/202
(Continued)

FOREIGN PATENT DOCUMENTS

CN 304489998 * 2/2018
CN 304653121 * 5/2018
(Continued)

OTHER PUBLICATIONS

Blackberry Cream Indica 510 Thread Starter Kit by Foray, no date
available [online][retrieved Mar. 25, 2021], Available from Internet,
URL: <https://www.eweedpro.ca/cannabis/product?p=1508&pc=1031>.*

Primary Examiner — Dana K Weiland

Assistant Examiner — Mary Claire Ramirez

(74) *Attorney, Agent, or Firm* — Flener IP & Business
Law; Zareefa B. Flener; Ayhan E. Mertogul

(57) **CLAIM**

The ornamental design for a vaporization device, as shown
and described.

DESCRIPTION

FIG. 1 is a side perspective view of a vaporization device
showing a first embodiment of the new design;

FIG. 2 is a top (and identical bottom) view of the design of
FIG. 1;

FIG. 3 is a left side (and identical right side) view of the
design of FIG. 1;

FIG. 4 is a front view of the design of FIG. 1;

FIG. 5 is a rear view of the design of FIG. 1;

FIG. 6 is an exploded side perspective view of the mouth-
piece component, the cartridge component, and the battery
component of the first embodiment of the vaporization
device;

FIG. 7 is a side perspective view of the mouthpiece com-
ponent of the first embodiment of the vaporization device;

FIG. 8 is a top view of the mouthpiece component of the first
embodiment of the vaporization device;

FIG. 9 is a bottom view of the mouthpiece component of the
first embodiment of the vaporization device;

FIG. 10 is a left side view of the mouthpiece component of
the first embodiment of the vaporization device;

FIG. 11 is a right side view of the mouthpiece component of
the first embodiment of the vaporization device;

FIG. 12 is a front view of the mouthpiece component of the
first embodiment of the vaporization device;

FIG. 13 is a rear view of the mouthpiece component of the
first embodiment of the vaporization device;

FIG. 14 is a front view of the mouthpiece component of a
second embodiment of the vaporization device, the only
difference with the first embodiment being the racetrack-
shaped aperture of the mouthpiece component, it being
understood that all other surfaces of the second embodiment
are the same as those of the first embodiment;

(Continued)




FIG. 15 is a rear view of the mouthpiece component of the second embodiment of the vaporization device, the only difference with the first embodiment being the racetrack-shaped aperture of the mouthpiece component, it being understood that all other surfaces of the second embodiment are the same as those of the first embodiment;

FIG. 16 is a side perspective view of the cartridge component of the first embodiment of the vaporization device;

FIG. 17 is a left side (and identical right side, top, and bottom) view of the cartridge component of the first embodiment of the vaporization device;

FIG. 18 is a front view of the cartridge component of the first embodiment of the vaporization device;

FIG. 19 is a rear view of the cartridge component of the first embodiment of the vaporization device;

FIG. 20 is a side perspective view of the battery component of the first embodiment of the vaporization device;

FIG. 21 is a left side (and identical right side, top, and bottom) view of the battery component of the first embodiment of the vaporization device;

FIG. 22 is a front view of the battery component of the first embodiment of the vaporization device;

FIG. 23 is a rear view of the battery component of the first embodiment of the vaporization device; and,

FIG. 24 is a rear view of the battery component of a third embodiment of the vaporization device, the only difference with the first embodiment being the racetrack-shaped port of the battery component, it being understood that all other surfaces are the same as those of the first embodiment.

The broken lines in the drawings depict portions of the vaporization device that form no part of the claim.

The vaporization device is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 8 Drawing Sheets

(58) Field of Classification Search

USPC D13/144, 103, 119, 146, 168, 218;
D23/360, 364–366; D24/110, 110.5, 129,
D24/113, 112; D19/925–929, 161–166,
D19/173, 66, 115, 123, 177, 923,
D19/194–196; D28/85, 4, 7, 88, 73–76;
D3/201, 11, 13, 17, 273, 300, 202;

D14/411, 480.5, 480.1, 480.3, 483, 484.1,
D14/137, 250, 251, 480.7, 203.1, 203.3,
D14/203.7, 218, 254, 433–435, 435.1;
D9/686, 529; D8/107; D10/119.1, 119.3,
D10/119.2, 57; D17/13

CPC A24F 40/00; A24F 40/40; A24F 40/42;
A24F 40/05; A24F 40/46; A24F 47/002;
A24F 47/008; A24D 1/14; A24D 1/042;
A24D 1/02; G06F 3/03545; A61M 15/06

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D292,672	S	*	11/1987	Duell		D28/7
D293,034	S	*	12/1987	duCret		D28/7
D303,631	S	*	9/1989	Demarest		D9/529
D793,255	S	*	8/2017	Berthier		D10/57
D799,112	S	*	10/2017	Qiu		D27/101
9,980,522	B1	*	5/2018	Heidi		A24F 40/49
D823,534	S	*	7/2018	Chen		D27/162
D853,635	S	*	7/2019	Chen		D27/194
D857,290	S	*	8/2019	Crowe		D27/162
D865,279	S	*	10/2019	Pino		D27/172
D878,564	S	*	3/2020	Clawson		D24/113
D884,706	S	*	5/2020	Verschoor		D14/433
D904,681	S	*	12/2020	Kim		D27/162
D904,683	S	*	12/2020	Kim		D27/162
D905,330	S	*	12/2020	Kim		D27/162
D909,666	S	*	2/2021	Fornarelli		D27/162
2014/0041655	A1	*	2/2014	Barron		A24F 40/46 128/202.21
2018/0103684	A1	*	4/2018	Liu		A24F 7/02
2018/0343923	A1	*	12/2018	Chen		H05B 3/03
2018/0360126	A1	*	12/2018	Chen		A24F 40/485
2019/0022345	A1	*	1/2019	Kotch		A24F 40/42
2019/0261690	A1	*	8/2019	Lin		H02J 7/00
2019/0357595	A1	*	11/2019	Liu		F16J 15/324
2019/0373951	A1	*	12/2019	Wu		A24F 40/60
2020/0085101	A1	*	3/2020	Wu		A24F 47/008
2020/0237007	A1	*	7/2020	Qiu		A24F 40/90
2020/0323272	A1	*	10/2020	Zhu		A24F 40/42
2020/0352228	A1	*	11/2020	Chen		A61M 15/0021

FOREIGN PATENT DOCUMENTS

CN	304859771	*	10/2018
CN	304895441	*	11/2018
CN	306164695	*	11/2020

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24