




US00D931107S

(12) **United States Design Patent** (10) **Patent No.:** **US D931,107 S**  
**Berlepsch et al.** (45) **Date of Patent:** **\*\* Sep. 21, 2021**

- (54) **BOTTLE** 2,426,058 A 8/1947 Scogland  
D185,027 S 4/1959 McCord  
(71) Applicant: **The Procter & Gamble Company,** 3,672,950 A 6/1972 Murphy  
Cincinnati, OH (US) 3,684,641 A 8/1972 Murphy  
3,760,968 A 9/1973 Amberg  
(72) Inventors: **Joseph Allen Berlepsch,** Hamilton, OH 3,923,178 A 12/1975 Welker, III  
(US); **Douglas Michael McGahan,** 240,563 S 7/1976 Whitehead  
Bethel, OH (US); **Raymond Charles** 244,198 S 5/1977 Kamensky  
**Bell,** Cincinnati, OH (US); **Kris G.** 245,314 S \* 8/1977 Mitchell ..... D9/538  
**Maloney,** Winchester, OH (US) 245,315 S \* 8/1977 Mitchell ..... D9/529  
D247,371 S 2/1978 Whitehead  
4,079,739 A 3/1978 Whitehead  
4,151,250 A 4/1979 Barry  
4,708,255 A 11/1987 Thompson  
D301,288 S 5/1989 Etro  
5,060,827 A 10/1991 Segati  
5,100,017 A 3/1992 Ishinabe  
D333,433 S 2/1993 Segati  
5,201,438 A 4/1993 Norwood  
D337,264 S \* 7/1993 Paglina ..... D9/441  
D337,267 S 7/1993 Paglina  
D338,157 S 8/1993 Desgrippes  
D352,906 S 11/1994 Gobe  
D353,773 S 12/1994 Desgrippes  
5,429,630 A 7/1995 Beal et al.  
5,499,730 A 3/1996 Harbour  
D394,813 S \* 6/1998 Homsy ..... D9/545  
D395,826 S 7/1998 Hygaard  
D411,457 S 6/1999 Ruda  
D411,740 S 6/1999 Kim  
5,909,820 A 6/1999 Yeh  
D417,396 S 12/1999 Gobe  
D423,360 S \* 4/2000 Hirato ..... D9/504  
D424,441 S 5/2000 Santagiuliana  
D440,493 S 4/2001 Santagiuliana  
6,227,392 B1 5/2001 Balzeau  
D448,677 S 10/2001 Krich  
6,417,120 B1 7/2002 Mitchler et al.  
6,458,447 B1 10/2002 Cabell et al.  
D490,320 S \* 5/2004 Guislain ..... D9/542  
6,755,314 B2 6/2004 Cooper  
D506,673 S 6/2005 Grant  
D515,935 S \* 2/2006 Lin ..... D9/558  
RE39,044 E 3/2006 Ross  
D534,427 S 1/2007 Crawford  
D535,879 S 1/2007 Crawford  
7,172,087 B1 2/2007 Axe  
7,185,827 B2 \* 3/2007 Quintard ..... A61L 9/12  
239/55  
D544,363 S 6/2007 Hendricks  
D546,684 S 7/2007 Crawford  
D548,076 S \* 8/2007 Matsumura ..... D9/435  
D550,559 S \* 9/2007 Meeker ..... D9/528
- (73) Assignee: **The Procter & Gamble Company,** Cincinnati, OH (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/639,128**
- (22) Filed: **Mar. 5, 2018**
- (30) **Foreign Application Priority Data**  
Sep. 8, 2017 (WO) ..... 4664601
- (51) **LOC (13) Cl.** ..... **09-01**
- (52) **U.S. Cl.**  
USPC ..... **D9/528; D9/530; D9/538**
- (58) **Field of Classification Search**  
USPC ..... D9/441, 451, 516, 529, 530, 542, 544,  
D9/545, 549, 550, 553, 558, 663, 689,  
D9/523, 528, 538; D28/76, 77, 82, 91.1  
CPC ..... B65D 11/04; B65D 11/10; B65D 25/42;  
B65D 2501/0081; B65D 2501/42; B65D  
25/0081  
See application file for complete search history.
- (56) **References Cited**  
**U.S. PATENT DOCUMENTS**  
D29,723 S 11/1898 Lowe  
D38,211 S 8/1906 French  
D40,194 S 7/1909 Bright  
D96,459 S 8/1935 Forstmann  
D103,858 S 3/1937 Minoff  
D104,353 S 5/1937 Minoff  
D116,385 S 8/1939 Sigoda





# US D931,107 S

Page 2

D550,560	S	*	9/2007	Bates	.....	D9/528
D555,482	S	*	11/2007	Bates	.....	D9/528
D558,052	S		12/2007	Harper		
D562,141	S	*	2/2008	Bates	.....	D9/528
D565,414	S	*	4/2008	Bates	.....	D9/528
D571,217	S	*	6/2008	Bates	.....	D9/528
D586,226	S		2/2009	Lloyd		
7,556,164	B2		7/2009	Tanaka		
D598,284	S	*	8/2009	Floyd	.....	D9/451
D599,213	S		9/2009	Desico		
D603,713	S		11/2009	James		
D603,714	S		11/2009	James		
D607,735	S		1/2010	Kuzma		
D612,239	S		3/2010	Marotti		
D614,039	S	*	4/2010	Arnell	.....	D9/538
D621,267	S	*	8/2010	Arnell	.....	D9/516
D621,270	S	*	8/2010	Arnell	.....	D9/538
D622,613	S		8/2010	Baron		
D626,422	S		11/2010	Lloyd		
D638,295	S		5/2011	Heidel		
D643,736	S		8/2011	Lagerqvist		
D644,114	S		8/2011	Williams		
D653,118	S		1/2012	Asano		
D657,674	S		4/2012	Biesecker		
D660,165	S	*	5/2012	Fuller	.....	D9/528
D661,593	S	*	6/2012	Heidel	.....	D9/516
D663,126	S		7/2012	Lapinid, Jr. et al.		
D666,499	S	*	9/2012	Fuller	.....	D9/528
D682,694	S		5/2013	Van Den Hoonraad		
D687,714	S		8/2013	De Wilde		
8,511,472	B2		8/2013	Dupuis		
D689,368	S	*	9/2013	Kim	.....	D9/451
8,574,962	B2		11/2013	Nakata		
8,608,002	B2	*	12/2013	Hennebelle	.....	B65D 41/0485 215/354
D703,051	S		4/2014	Riley		
D704,061	S		5/2014	Yip		
D704,556	S		5/2014	Van Den Hoonraad		
D719,033	S	*	12/2014	Kaddari	.....	D9/538
D719,830	S	*	12/2014	Uchida	.....	D9/503
9,017,703	B2		4/2015	Arthur		
D732,966	S		6/2015	Davis		
D736,624	S	*	8/2015	Berlepsch	.....	D9/451
D746,681	S		1/2016	Jasso Gomez		
D768,482	S		10/2016	Berlepsch		
D777,579	S		1/2017	Jasso Gomez		
D792,226	S	*	7/2017	Desjardins	.....	D9/528
D794,462	S	*	8/2017	Gerhards	.....	D9/528
D799,976	S	*	10/2017	Maier	.....	D9/550
D808,267	S	*	1/2018	Jasso Gomez	.....	D9/451
D814,931	S	*	4/2018	Alima	.....	D9/504
D817,178	S	*	5/2018	Jeong	.....	D9/558
D818,366	S	*	5/2018	Gerhards	.....	D9/528
D865,526	S		11/2019	Berlepsch		
D884,479	S	*	5/2020	Hall	.....	D9/528
2003/0010744	A1		1/2003	Ma		
2004/0031771	A1		2/2004	Cooper		
2005/0230401	A1		10/2005	Hanson		
2006/0065566	A1		3/2006	Steih		
2007/0102393	A1		5/2007	Colin		
2007/0252382	A1		11/2007	Baum		
2007/0254145	A1		11/2007	Sawin et al.		
2008/0110853	A1		5/2008	Toms		
2008/0314862	A1		12/2008	Matsuoka		
2009/0065468	A1		3/2009	Hata		
2010/0252477	A1		10/2010	Yamamoto		
2010/0297335	A1		11/2010	Mellin et al.		
2011/0266248	A1		11/2011	Popiel		
2012/0228312	A1		9/2012	Sutherland		
2013/0200036	A1		8/2013	Delage		
2013/0261579	A1		10/2013	Hwang et al.		
2014/0217054	A1		8/2014	Kisela		
2015/0353221	A1		12/2015	Berlepsch et al.		
2015/0353222	A1		12/2015	Berlepsch		
2015/0353225	A1		12/2015	Takieddine		
2017/0029994	A1		2/2017	Ashraf et al.		

## FOREIGN PATENT DOCUMENTS

DE	102012200831	A8	10/2013
FR	1367512	A	5/1963
GB	2103277	A	2/1983
GB	2345480	A	7/2000
JP	2013112390	A	6/2013
JP	2014084142	A	5/2014
WO	2015187760	A1	12/2015

## OTHER PUBLICATIONS

A sparkling New look for Harrogate Spring Water, Design Week on Twitter, Feb. 14, 2019, 1 Page.  
 All Office Actions, U.S. Appl. No. 14/729,629.  
 All Office Actions, U.S. Appl. No. 29/493,225.  
 All Office Actions, U.S. Appl. No. 29/493,688.  
 All Office Actions, U.S. Appl. No. 29/566,858.  
 All Office Actions, U.S. Appl. No. 14/298,172.  
 All Office Actions, U.S. Appl. No. 14/729,649.  
 All Office Actions, U.S. Appl. No. 29/566,845.  
 Banks, "Thomson Brand Partners refreshes Harrogate Spring Water", retrieved from [www.web.archive.org](http://www.web.archive.org), May 28, 2014, 6 Pages.  
 Isklar, Packaging Design Archive retrieved from [www.packagingdesignarchive.org](http://www.packagingdesignarchive.org), Sep. 4, 2012, p. 1.  
 ParfumDreams, [http://www.parfumdreams.de/Hugo-Boss/Hugo-Herrenduefte/Hugo-Red/Eau-De-Toilette-Spray/index\\_41172.aspx](http://www.parfumdreams.de/Hugo-Boss/Hugo-Herrenduefte/Hugo-Red/Eau-De-Toilette-Spray/index_41172.aspx), Jun. 5, 2014, 3 pages.  
 Still images from a full screen Slideshow retrieved from [www.webarchive.org/web/20140515002920/http://www.harrogatespring.com/](http://www.webarchive.org/web/20140515002920/http://www.harrogatespring.com/). 3 Pages.  
 Third Party Opposition filed for European Patent Application Ser. No. 15729315.0, dated Feb. 26, 2019, 23 pages.

\* cited by examiner

*Primary Examiner* — W. A. Teddy Falloway  
 (74) *Attorney, Agent, or Firm* — Gregory S. Darley-Emerson

(57)

## CLAIM

The ornamental design for a bottle, as shown and described above.

## DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a bottle showing our new design;  
 FIG. 2 is a front elevation view thereof;  
 FIG. 3 is a rear elevation view thereof;  
 FIG. 4 is a right side elevation view thereof;  
 FIG. 5 is a left side elevation view thereof;  
 FIG. 6 is a top plan view thereof;  
 FIG. 7 is a bottom plan view thereof;  
 FIG. 8 is a perspective view of a second embodiment of a bottle showing our design;  
 FIG. 9 is a front elevation view thereof;  
 FIG. 10 is a rear elevation view thereof;  
 FIG. 11 is a right side elevation view thereof;  
 FIG. 12 is a left side elevation view thereof;  
 FIG. 13 is a top plan view thereof;  
 FIG. 14 is a bottom plan view thereof;  
 FIG. 15 is a perspective view of a third embodiment of a bottle showing our design;  
 FIG. 16 is a front elevation view thereof;  
 FIG. 17 is a rear elevation view thereof;  
 FIG. 18 is a right side elevation view thereof;  
 FIG. 19 is a left side elevation view thereof;  
 FIG. 20 is a top plan view thereof;

FIG. 21 is a bottom plan view thereof;  
FIG. 22 is a perspective view of a fourth embodiment of a bottle showing our design;  
FIG. 23 is a front elevation view thereof;  
FIG. 24 is a rear elevation view thereof;  
FIG. 25 is a right side elevation view thereof;  
FIG. 26 is a left side elevation view thereof;  
FIG. 27 is a top plan view thereof;  
FIG. 28 is a bottom plan view thereof;  
FIG. 29 is a perspective view of a fifth embodiment of a bottle showing our design;  
FIG. 30 is a front elevation view thereof;  
FIG. 31 is a rear elevation view thereof;  
FIG. 32 is a right side elevation view thereof;  
FIG. 33 is a left side elevation view thereof;  
FIG. 34 is a top plan view thereof;  
FIG. 35 is a bottom plan view thereof;  
FIG. 36 is a perspective view of a sixth embodiment of a bottle showing our design;  
FIG. 37 is a front elevation view thereof;  
FIG. 38 is a rear elevation view thereof;  
FIG. 39 is a right side elevation view thereof;  
FIG. 40 is a left side elevation view thereof;  
FIG. 41 is a top plan view thereof;  
FIG. 42 is a bottom plan view thereof;  
FIG. 43 is a perspective view of a seventh embodiment of a bottle showing our design;  
FIG. 44 is a front elevation view thereof;  
FIG. 45 is a rear elevation view thereof;  
FIG. 46 is a right side elevation view thereof;  
FIG. 47 is a left side elevation view thereof;

FIG. 48 is a top plan view thereof;  
FIG. 49 is a bottom plan view thereof;  
FIG. 50 is a perspective view of an eighth embodiment of a bottle showing our design;  
FIG. 51 is a front elevation view thereof;  
FIG. 52 is a rear elevation view thereof;  
FIG. 53 is a right side elevation view thereof;  
FIG. 54 is a left side elevation view thereof;  
FIG. 55 is a top plan view thereof;  
FIG. 56 is a bottom plan view thereof;  
FIG. 57 is a perspective view of a ninth embodiment of a bottle showing our design;  
FIG. 58 is a front elevation view thereof;  
FIG. 59 is a rear elevation view thereof;  
FIG. 60 is a right side elevation view thereof;  
FIG. 61 is a left side elevation view thereof;  
FIG. 62 is a top plan view thereof;  
FIG. 63 is a bottom plan view thereof;  
FIG. 64 is a perspective view of a tenth embodiment of a bottle showing our design;  
FIG. 65 is a front elevation view thereof;  
FIG. 66 is a rear elevation view thereof;  
FIG. 67 is a right side elevation view thereof;  
FIG. 68 is a left side elevation view thereof;  
FIG. 69 is a top plan view thereof; and,  
FIG. 70 is a bottom plan view thereof.  
The broken lines showing a cap illustrate environmental structure. All other broken lines illustrate portions of the bottle. The broken lines form no part of the claimed design.

**1 Claim, 70 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5






Fig. 6




Fig. 7




Fig. 8




Fig. 9






Fig. 10




Fig. 11




Fig. 12




Fig. 13






Fig. 14




Fig. 15




Fig. 16




Fig. 17






Fig. 18




Fig. 19




Fig. 20




Fig. 21






Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27






Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33






Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39






Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45






Fig. 46




Fig. 47




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52






Fig. 53




Fig. 54




Fig. 55




Fig. 56




Fig. 57




Fig. 58




Fig. 59






Fig. 60




Fig. 61




Fig. 62




Fig. 63




Fig. 64




Fig. 65






Fig. 66






Fig. 67




Fig. 68




Fig. 69




Fig. 70