



US00D931248S

(12) **United States Design Patent** (10) **Patent No.:** **US D931,248 S**
Seo (45) **Date of Patent:** **** *Sep. 21, 2021**

(54) **ELECTRONIC DEVICE**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventor: **Jaehun Seo**, Suwon-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**,
Suwon-si (KR)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/701,565**

(22) Filed: **Aug. 13, 2019**

(30) **Foreign Application Priority Data**
Feb. 22, 2019 (KR) 30-2019-0008064

(51) **LOC (13) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/138 G**


(58) **Field of Classification Search**
USPC D14/138 G, 138 AD, 138 AB, 248, 341,
D14/371, 374, 138 R, 138 AA, 138 AC,
D14/138 C
CPC H04M 1/0202; H04M 1/0235; H04M
1/0237; H04M 1/0239; H04M 1/0266;
H04M 1/0268; H04M 1/027; H04M
1/0295; H04M 1/02; H04M 1/0279;
H04M 1/0283
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D613,722 S * 4/2010 Kaneta D14/138 G
D654,464 S * 2/2012 Han D14/138 G
D665,762 S * 8/2012 Fujimura D14/138 G
D695,255 S * 12/2013 Kim D14/138 G
D722,038 S * 2/2015 Cheng D14/138 G
D723,492 S * 3/2015 Kim D14/138 G

D746,247 S * 12/2015 Cha D14/138 G
D756,951 S * 5/2016 Kim D14/138 G
D765,068 S * 8/2016 Min D14/248
D783,565 S * 4/2017 Kim D14/138 G
D784,281 S * 4/2017 Ryu D14/138 G
D796,469 S * 9/2017 Jin D14/138 G
D800,710 S * 10/2017 Ryu D14/248
D802,553 S * 11/2017 Berneth D14/138 G
D828,322 S * 9/2018 Ryu D14/138 G
D829,677 S * 10/2018 Kim D14/138 G
D830,987 S * 10/2018 Choe D14/138 G
D837,176 S * 1/2019 Choi D14/138 G
D846,539 S * 4/2019 Choe D14/248
D848,390 S * 5/2019 Cha D14/138 G
D849,707 S * 5/2019 Choi D14/138 G
D849,708 S * 5/2019 Park D14/138 G
D852,769 S * 7/2019 Li D14/138 G
D858,475 S * 9/2019 Wang D14/138 G
D859,382 S * 9/2019 Yi D14/248
D859,383 S * 9/2019 Yi D14/248
D861,630 S * 10/2019 Chiang D14/138 G
D863,307 S * 10/2019 Yi D14/432
D863,308 S * 10/2019 Yi D14/432
D864,140 S * 10/2019 Lin D14/138 G
D866,496 S * 11/2019 Kim D14/138 G
D876,415 S * 2/2020 Yi D14/248
D886,754 S * 6/2020 Ha D14/138 G
D890,112 S * 7/2020 Park D14/138 G
D890,152 S * 7/2020 Yi D14/248
D890,712 S * 7/2020 Liu D14/138 G
D891,386 S * 7/2020 Liu D14/138 G
D894,858 S * 9/2020 Park D14/138 G
D894,859 S * 9/2020 Park D14/138 G
D896,198 S * 9/2020 Nalbandian D14/138 G
D897,303 S * 9/2020 Gong D14/138 G
D897,980 S * 10/2020 Wu D14/138 G
D897,981 S * 10/2020 Kim D14/138 G
D900,779 S * 11/2020 Gu D14/138 G
D901,421 S * 11/2020 Hu D14/138 G
D903,617 S * 12/2020 Yi D14/138 G
D903,644 S * 12/2020 Kim D14/248
D904,380 S * 12/2020 Seo D14/248
D910,586 S * 2/2021 Seo D14/138 G
D911,996 S * 3/2021 Seo D14/138 G
D911,997 S * 3/2021 Seo D14/138 G
D911,998 S * 3/2021 Seo D14/138 G
D911,999 S * 3/2021 Seo D14/138 G
D912,000 S * 3/2021 Seo D14/138 G
D912,001 S * 3/2021 Seo D14/138 G
D912,002 S * 3/2021 Seo D14/138 G
D912,003 S * 3/2021 Seo D14/138 G
D916,672 S * 4/2021 Seo D14/138 G
D916,673 S * 4/2021 Seo D14/138 G



D916,674 S *	4/2021	Seo	D14/138 G
D916,675 S *	4/2021	Seo	D14/138 G
D916,676 S *	4/2021	Seo	D14/138 G
D916,677 S *	4/2021	Seo	D14/138 G
2011/0186345 A1 *	8/2011	Pakula	G06F 1/1656 174/520
2012/0175506 A1 *	7/2012	Wittenberg	H03K 17/9631 250/216
2018/0180866 A1 *	6/2018	Kaminaga	H04M 1/04
2019/0293976 A1 *	9/2019	Cheng	G06F 1/1626

FOREIGN PATENT DOCUMENTS

CN 306236557 * 12/2020

OTHER PUBLICATIONS

Samsung Galaxy M40, announced Jun. 2019, [online], [retrieved on Oct. 5, 2020]. Retrieved from Internet, <URL: <http://www.gsmarena.com>>.*

Samsung Galaxy A11, announced Mar. 13, 2020, [online], [retrieved on Oct. 5, 2020]. Retrieved from Internet, <URL: <http://www.gsmarena.com>>.*

Samsung Galaxy M11, announced Mar. 30, 2020, [online], [retrieved on Oct. 5, 2020]. Retrieved from Internet, <URL: <http://www.gsmarena.com>>.*

Samsung Galaxy A60, announced Apr. 2019, [online], [retrieved on Oct. 16, 2020]. Retrieved from Internet, <URL: <http://www.gsmarena.com>>.*

Samsung Galaxy S10e, announced Feb. 20, 2019, [online], [retrieved on Oct. 16, 2020]. Retrieved from Internet, <URL: <http://www.gsmarena.com>>.*

Samsung Galaxy S10+, announced Feb. 20, 2019, [online], [retrieved on Oct. 16, 2020]. Retrieved from Internet, <URL: <http://www.gsmarena.com>>.*

Samsung Galaxy S10 5G, announced Feb. 2019, [online], [retrieved on Oct. 16, 2020]. Retrieved from Internet, <URL: <http://www.gsmarena.com>>.*

* cited by examiner

Primary Examiner — Bridget L Eland
(74) *Attorney, Agent, or Firm* — McAndrews Held & Malloy, Ltd.

(57) **CLAIM**

The ornamental design for an electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of an electronic device showing my new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a left-side view thereof;
 FIG. 5 is a right-side view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof;
 FIG. 8 is a rear perspective view thereof;
 FIG. 9 is a front perspective view of a second embodiment of an electronic device showing my new design;
 FIG. 10 is a front view thereof;
 FIG. 11 is a rear view thereof;
 FIG. 12 is a left-side view thereof;
 FIG. 13 is a right-side view thereof;
 FIG. 14 is a top view thereof;
 FIG. 15 is a bottom view thereof;
 FIG. 16 is a rear perspective view thereof;

FIG. 17 is a front perspective view of a third embodiment of an electronic device showing my new design;
 FIG. 18 is a front view thereof;
 FIG. 19 is a rear view thereof;
 FIG. 20 is a left-side view thereof;
 FIG. 21 is a right-side view thereof;
 FIG. 22 is a top view thereof;
 FIG. 23 is a bottom view thereof;
 FIG. 24 is a rear perspective view thereof;
 FIG. 25 is a front perspective view of a fourth embodiment of an electronic device showing my new design;
 FIG. 26 is a front view thereof;
 FIG. 27 is a rear view thereof;
 FIG. 28 is a left-side view thereof;
 FIG. 29 is a right-side view thereof;
 FIG. 30 is a top view thereof;
 FIG. 31 is a bottom view thereof;
 FIG. 32 is a rear perspective view thereof;
 FIG. 33 is a front perspective view of a fifth embodiment of an electronic device showing my new design;
 FIG. 34 is a front view thereof;
 FIG. 35 is a rear view thereof;
 FIG. 36 is a left-side view thereof;
 FIG. 37 is a right-side view thereof;
 FIG. 38 is a top view thereof;
 FIG. 39 is a bottom view thereof;
 FIG. 40 is a rear perspective view thereof;
 FIG. 41 is a front perspective view of a sixth embodiment of an electronic device showing my new design;
 FIG. 42 is a front view thereof;
 FIG. 43 is a rear view thereof;
 FIG. 44 is a left-side view thereof;
 FIG. 45 is a right-side view thereof;
 FIG. 46 is a top view thereof;
 FIG. 47 is a bottom view thereof;
 FIG. 48 is a rear perspective view thereof;
 FIG. 49 is a front perspective view of a seventh embodiment of an electronic device showing my new design;
 FIG. 50 is a front view thereof;
 FIG. 51 is a rear view thereof;
 FIG. 52 is a left-side view thereof;
 FIG. 53 is a right-side view thereof;
 FIG. 54 is a top view thereof;
 FIG. 55 is a bottom view thereof;
 FIG. 56 is a rear perspective view thereof;
 FIG. 57 is a front perspective view of an eighth embodiment of an electronic device showing my new design;
 FIG. 58 is a front view thereof;
 FIG. 59 is a rear view thereof;
 FIG. 60 is a left-side view thereof;
 FIG. 61 is a right-side view thereof;
 FIG. 62 is a top view thereof;
 FIG. 63 is a bottom view thereof;
 FIG. 64 is a rear perspective view thereof;
 FIG. 65 is a front perspective view of a ninth embodiment of an electronic device showing my new design;
 FIG. 66 is a front view thereof;
 FIG. 67 is a rear view thereof;
 FIG. 68 is a left-side view thereof;
 FIG. 69 is a right-side view thereof;
 FIG. 70 is a top view thereof;
 FIG. 71 is a bottom view thereof;
 FIG. 72 is a rear perspective view thereof;
 FIG. 73 is a front perspective view of a tenth embodiment of an electronic device showing my new design;

FIG. 74 is a front view thereof;
FIG. 75 is a rear view thereof;
FIG. 76 is a left-side view thereof;
FIG. 77 is a right-side view thereof;
FIG. 78 is a top view thereof;
FIG. 79 is a bottom view thereof;
FIG. 80 is a rear perspective view thereof;
FIG. 81 is a front perspective view of an eleventh embodiment of an electronic device showing my new design;
FIG. 82 is a front view thereof;
FIG. 83 is a rear view thereof;
FIG. 84 is a left-side view thereof;
FIG. 85 is a right-side view thereof;
FIG. 86 is a top view thereof;
FIG. 87 is a bottom view thereof;
FIG. 88 is a rear perspective view thereof;
FIG. 89 is a front perspective view of a twelfth embodiment of an electronic device showing my new design;
FIG. 90 is a front view thereof;
FIG. 91 is a rear view thereof;
FIG. 92 is a left-side view thereof;
FIG. 93 is a right-side view thereof;
FIG. 94 is a top view thereof;
FIG. 95 is a bottom view thereof; and,
FIG. 96 is a rear perspective view thereof.
The evenly-dashed broken lines in the drawings illustrate portions of the electronic device that form no part of the claimed design.

1 Claim, 72 Drawing Sheets

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18




FIG.19




FIG.20



FIG.21




FIG.22




FIG.23




FIG.24




FIG.25




FIG.26




FIG.27




FIG.28




FIG.29




FIG.30




FIG.31




FIG.32




FIG.33




FIG.34




FIG.35




FIG.36




FIG.37




FIG.38




FIG.39




FIG.40




FIG.41




FIG.42




FIG.43




FIG.44




FIG.45




FIG.46




FIG.47




FIG.48




FIG.49




FIG.50




FIG.51




FIG.52




FIG.53




FIG.54




FIG.55




FIG.56




FIG.57




FIG.58




FIG.59




FIG.60



FIG.61




FIG.62




FIG.63




FIG.64




FIG.65




FIG.66




FIG.67




FIG.68



FIG.69




FIG.70




FIG.71




FIG.72




FIG.73




FIG.74




FIG.75




FIG.76




FIG.77




FIG.78




FIG.79




FIG.80




FIG.81




FIG.82




FIG.83




FIG.84




FIG.85




FIG.86




FIG.87




FIG.88




FIG.89




FIG.90




FIG.91




FIG.92



FIG.93




FIG.94




FIG.95




FIG.96

