



US00D931380S

(12) **United States Design Patent**
Petty

(10) **Patent No.:** **US D931,380 S**

(45) **Date of Patent:** **** Sep. 21, 2021**

(54) **CHANNEL HOLE PATTERN**

DESCRIPTION

- (71) Applicant: **ROBOTZONE, LLC**, Winfield, KS (US)
- (72) Inventor: **Brian T. Petty**, Winfield, KS (US)
- (73) Assignee: **Robotzone, LLC**, Winfield, KS (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/658,626**
- (22) Filed: **Aug. 1, 2018**
- (51) **LOC (13) Cl.** **21-01**
- (52) **U.S. Cl.**
USPC **D21/491; D21/501**
- (58) **Field of Classification Search**
USPC **D21/484-504; D25/155; D6/511; D15/139, 199**

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,166,688 A * 1/1916 Hornby E04B 1/1903
403/218
- D48,675 S * 3/1916 Gilbert D21/486

(Continued)

OTHER PUBLICATIONS

Actobotics Product Feature: Connecting Channel, uploaded by ServoCity on youtube Jun. 18, 2014 [online], [site visited Sep. 13, 2020]. Available from Internet: <URL:https://www.youtube.com/watch?v=UjJ8yy6-kBM> (Year: 2014).*

(Continued)


Primary Examiner — Cynthia M. Chin
 (74) *Attorney, Agent, or Firm* — Wesley Malherek; Kelly, Holt & Christenson, PLLC

(57) **CLAIM**

The ornamental design for a channel hole pattern, as shown and described.

FIG. 1 is a perspective view of a first embodiment of the channel hole pattern.
 FIG. 2 is a bottom view of a first embodiment of the channel hole pattern.
 FIG. 3 is a first end view of a first embodiment of the channel hole pattern.
 FIG. 4 is a first side view of a first embodiment of the channel hole pattern.
 FIG. 5 is a second side view of a first embodiment of the channel hole pattern.
 FIG. 6 is a top view of a first embodiment of the channel hole pattern.
 FIG. 7 is a second end view of a first embodiment of the channel hole pattern.
 FIG. 8 is a perspective view of a second embodiment of the channel hole pattern.
 FIG. 9 is a bottom view of a second embodiment of the channel hole pattern.
 FIG. 10 is a first end view of a second embodiment of the channel hole pattern.
 FIG. 11 is a first side view of a second embodiment of the channel hole pattern.
 FIG. 12 is a second side view of a second embodiment of the channel hole pattern.
 FIG. 13 is a top view of a second embodiment of the channel hole pattern.
 FIG. 14 is a second end view of a second embodiment of the channel hole pattern.
 FIG. 15 is a perspective view of a third embodiment of the channel hole pattern.
 FIG. 16 is a bottom view of a third embodiment of the channel hole pattern.
 FIG. 17 is a first end view of a third embodiment of the channel hole pattern.
 FIG. 18 is a first side view of a third embodiment of the channel hole pattern.
 FIG. 19 is a second side view of a third embodiment of the channel hole pattern.
 FIG. 20 is a top view of a third embodiment of the channel hole pattern; and,
 FIG. 21 is a second end view of a third embodiment of the channel hole pattern.

(Continued)



The broken lines of FIGS. 1-21 are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 21 Drawing Sheets

(58) Field of Classification Search

CPC A63H 33/00; A63H 33/04; A63H 33/042;
A63H 33/06; A63H 33/065; A63H
33/088; A63H 33/12

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D48,859	S	*	4/1916	Gilbert	D21/486
D48,860	S	*	4/1916	Gilbert	D21/486
D51,277	S	*	9/1917	Gilbert	D21/486
D51,552	S	*	12/1917	Gilbert	D21/486
D76,792	S	*	11/1928	Gilbert	D21/486
1,760,638	A	*	5/1930	Gilbert	A63H 33/12 446/113
1,789,896	A	*	1/1931	Gilbert	A63H 33/042 446/103
1,792,976	A	*	2/1931	Gilbert	A63H 33/042 446/112
1,938,818	A	*	12/1933	Erickson	A47K 3/008 4/595
2,082,138	A	*	6/1937	Badel	A63H 33/12 446/113
2,116,301	A	*	5/1938	Champlin	A63H 33/06 446/108
2,733,786	A	*	2/1956	Drake	A47B 96/1408 52/633
2,793,403	A	*	5/1957	Livingston	E04F 13/042 52/366

2,889,016	A	*	6/1959	Warren	F16B 5/02 52/98
D244,307	S	*	5/1977	Maddestra	D21/486
D291,315	S	*	8/1987	Belford	D8/349
4,957,251	A	*	9/1990	Hubbard	F16L 3/22 248/68.1
D388,136	S	*	12/1997	Lecocq	D21/502
D479,930	S	*	9/2003	Cook	D6/706
D506,572	S	*	6/2005	Tufts, Jr.	D27/161
D584,941	S	*	1/2009	Broehl	D8/377
D603,910	S	*	11/2009	Uttley	D21/484
7,934,971	B2	*	5/2011	Mimlitch, III	A63H 33/042 446/107
7,963,486	B2	*	6/2011	Wilson	H04Q 1/062 248/49
8,696,399	B2	*	4/2014	Mimlitch	A63H 33/108 446/85
D722,657	S	*	2/2015	Petty	D21/486
8,998,154	B2	*	4/2015	Lupsa	H02G 3/12 248/200.1
9,044,690	B2	*	6/2015	Uttley	A63H 33/102
9,169,948	B2	*	10/2015	Buttars	E03C 1/021
D770,573	S	*	11/2016	Petty	D21/486
9,550,130	B2	*	1/2017	Petty	A63H 33/042
10,122,157	B1	*	11/2018	Gintz	F16L 3/223
D869,567	S	*	12/2019	Holman	D21/484
10,561,958	B2	*	2/2020	Purwar	A63H 33/12
10,598,264	B2	*	3/2020	Zheng	A63H 33/12
10,683,949	B1	*	6/2020	Mock	F16L 3/04
2001/0022231	A1	*	9/2001	Dyer	H02G 3/0437 174/504
2009/0247045	A1	*	10/2009	Petty	A63H 33/107 446/484

OTHER PUBLICATIONS

<http://modernroboticsinc.com/gobilda>, accessed on May 20, 2017, 2 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21