



US00D931449S

(12) **United States Design Patent** (10) **Patent No.:** **US D931,449 S**  
**Tanabe** (45) **Date of Patent:** **\*\* Sep. 21, 2021**

(54) **EYELID OPENER**

(71) Applicant: **Hiroataka Tanabe**, Nagoya (JP)

(72) Inventor: **Hiroataka Tanabe**, Nagoya (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **35/508,773**

(22) Filed: **Jul. 23, 2019**

(80) **Hague Agreement Data**

Int. Filing Date: **Jul. 23, 2019**

Int. Reg. No.: **DM/206179**

Int. Reg. Date: **Jul. 23, 2019**

Int. Reg. Pub. Date: **Mar. 6, 2020**

(30) **Foreign Application Priority Data**

Feb. 4, 2019 (JP) ..... 2019-002176

(51) **LOC (13) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/135**

(58) **Field of Classification Search**

USPC ..... D24/127, 130, 133, 135, 140, 143, 148

CPC ..... A61B 17/0231; A61B 2017/00398; A61B 3/10; A61B 5/01; A61B 5/6821; A61B 17/02; A61B 17/0206; A61F 9/0026

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D612,494 S *	3/2010	Ott	.....	D24/135
D612,495 S *	3/2010	Ott	.....	D24/135
D631,157 S *	1/2011	Terry	.....	D24/135
D639,942 S *	6/2011	Terry	.....	D24/135
D642,679 S *	8/2011	Raven, III	.....	D24/135
D740,416 S *	10/2015	Dolmetsch	.....	D24/143
D752,218 S	3/2016	Murthy		
D797,930 S *	9/2017	Khaw	.....	D24/135
D810,848 S *	2/2018	Claesson	.....	D21/692
D813,386 S *	3/2018	Khaw	.....	D24/135
D828,552 S *	9/2018	Eippert	.....	D24/135

(Continued)

**FOREIGN PATENT DOCUMENTS**

JP 3102573 U 7/2004

**OTHER PUBLICATIONS**

AMIRNA 1 pcs Eye Speculum Speculums Ophthalmic Surgical Eye Instrument Opener Eyelid <https://www.amazon.ca/AMIRNA-Speculum-Speculums-Ophthalmic-Instrument/dp/B07X2J8QFD> Oct. 16, 2019 (Year: 2019).\*

(Continued)

*Primary Examiner* — Samantha Q Lawrence

(57) **CLAIM**



The ornamental design for an eyelid opener, as shown and described.

**DESCRIPTION**

Figure 1.1 is a front elevational view of an eyelid opener; Figure 1.2 is a back elevational view thereof; Figure 1.3 is a top plan view thereof; Figure 1.4 is a bottom plan view thereof; Figure 1.5 is a left side elevational view thereof; Figure 1.6 is a right side elevational view thereof; Figure 1.7 is a first perspective view thereof; Figure 1.8 is a second perspective view thereof; Figure 1.9 is a front elevational view of the eyelid opener of Figure 1.1 shown in a first condition of use; and Figure 1.10 is a front elevational view of the eyelid opener of Figure 1.1 shown in a second condition of use.

The present disclosure relates to an eyelid opener used for mechanically (forcibly) opening upper and lower eyelids in situations such as ophthalmic surgery or administration of a drug into an eye. In use, a medical doctor or the like turns a screw in a state where eyelid pressing parts are engaged with the upper and lower eyelids to adjust a distance between the eyelid pressing parts as shown in Figures 1.9 and 1.10.

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS


D868,248 S \* 11/2019 Snyder ..... D24/135  
D877,329 S \* 3/2020 Sumaily ..... D24/135  
2011/0077468 A1\* 3/2011 Finger ..... A61B 1/32  
600/236  
2015/0305732 A1\* 10/2015 Dahl ..... A61B 17/02  
600/214  
2017/0079528 A1\* 3/2017 Farley ..... A61B 3/13

OTHER PUBLICATIONS


Public Document No. HJ2307052900 of Japan Patent Office Design  
Division published Feb. 13, 2012, 3 pages.

\* cited by examiner

1.1




1.2







1.3




1.4



1.5




1.6







1.7



1.8



1.9



1.10

