



US00D931794S

(12) **United States Design Patent** (10) **Patent No.:** **US D931,794 S**
Sano (45) **Date of Patent:** **** Sep. 28, 2021**

(54) **TIRE**
(71) Applicant: **Toyo Tire Corporation**, Itami (JP)
(72) Inventor: **Shingo Sano**, Itami (JP)
(73) Assignee: **Toyo Tire Corporation**, Itami (JP)
(**) Term: **15 Years**

D683,695 S * 6/2013 Takeshima D12/605
D695,211 S * 12/2013 Yasunaga D12/605
D708,120 S * 7/2014 Iwabuchi D12/605
D709,821 S * 7/2014 Fujita D12/605
D740,220 S * 10/2015 Nakamura D12/605
D778,816 S * 2/2017 Tokizaki D12/605
D791,694 S * 7/2017 Sato D12/605
D829,162 S * 9/2018 Sano D12/605
D838,665 S * 1/2019 Kujime D12/605
D854,495 S * 7/2019 Mishima D12/605

(Continued)

(21) Appl. No.: **29/739,134**

(22) Filed: **Jun. 23, 2020**

(30) **Foreign Application Priority Data**

Dec. 26, 2019 (JP) 2019-028954

(51) **LOC (13) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/604, 605
CPC B60C 13/00; B60C 1/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D540,739 S * 4/2007 Maxwell D12/605
D541,211 S * 4/2007 Shondel D12/605
D597,025 S * 7/2009 Fujita D12/605
D626,502 S * 11/2010 Nakamura D12/605
D632,641 S * 2/2011 Sato D12/605
D647,044 S * 10/2011 Takemoto D12/605
D668,210 S * 10/2012 Sato D12/605
D669,845 S * 10/2012 Iwabuchi D12/605
D670,643 S * 11/2012 Kuwano D12/605
D670,644 S * 11/2012 Miyazaki D12/605
D671,066 S * 11/2012 Morito D12/605
D674,744 S * 1/2013 Miyazaki D12/605
D674,745 S * 1/2013 Miyazaki D12/605
D678,832 S * 3/2013 Fontaine D12/605

FOREIGN PATENT DOCUMENTS

JP 1498649 S 6/2014
JP 1580841 S 7/2017

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tire showing the claimed design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top plan view thereof, the bottom plan view being the same;


FIG. 5 is a left side view thereof, the right side view being the same;

FIG. 6 is an enlarged view of the portion between 6-6 and 6'-6' in FIG. 2; and,

FIG. 7 is an enlarged cross-sectional view taken along line 7-7 in FIG. 6.

In the drawings, the broken lines show portions of the tire that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D859,303 S * 9/2019 Taniguchi D12/605
D864,106 S * 10/2019 Tanaka D12/605

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7