

US00D931865S

(12) **United States Design Patent** (10) **Patent No.:** **US D931,865 S**
Meyer (45) **Date of Patent:** **** Sep. 28, 2021**

(54) **DISPLAY MOUNT**

(56) **References Cited**

(71) Applicant: **CKnapp Sales, Inc.**, Goodfield, IL (US)
(72) Inventor: **Brandon Meyer**, Normal, IL (US)
(73) Assignee: **CKnapp Sales, Inc.**, Goodfield, IL (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/662,708**
(22) Filed: **Sep. 7, 2018**
(51) **LOC (13) Cl.** **14-02**
(52) **U.S. Cl.**
USPC **D14/451**
(58) **Field of Classification Search**
USPC D14/371-382, 125-129, 336, 337, D14/447-452, 492, 335, 376-382, 239, D14/457, 439-441, 432, 251-253; D8/349, 354, 363, 367, 372, 373, 376, D8/380, 382; D21/333; D12/415; D3/10, 218; 348/180, 184, 325, 739, 348/825; 248/323, 278.1, 286.1
CPC G06F 3/0412; G06F 3/016; G06F 3/0488; G06F 3/011; G06F 3/038; G06F 3/03543; G06F 3/0338; G06F 3/0202; G06F 3/0219; G06F 3/0213; G06F 1/1616; G06F 3/023; G06F 3/04883; G02F 1/13338; G02F 1/1313; G02F 1/1333; G02F 1/135; G02F 1/132; G02F 1/133308; G02F 1/134309; G02F 1/13718; G09G 3/3648; G06K 15/1252; G03F 7/70291; G02B 27/0172; G02B 5/30; G02B 2027/0118; G02B 27/0101; F16M 13/02; F16M 13/00; F16M 11/10; F16M 11/04; F16M 2200/08; F16M 11/2021; B41J 2/465; A47B 21/0314; A47B 88/044; A47B 2021/0335; H02G 3/126; F16B 47/00; F16B 47/006; A47G 1/17; A47K 2201/00

U.S. PATENT DOCUMENTS

D554,042	S	*	10/2007	Richter	D12/415
D563,399	S	*	3/2008	Wohlford	D14/239
D568,326	S	*	5/2008	Muday	D14/452
D576,633	S	*	9/2008	Muday	D14/452
D584,734	S	*	1/2009	Chu	D14/452
D588,141	S	*	3/2009	Heggland	D14/434
D591,756	S	*	5/2009	Wohlford	D14/452
9,074,721	B2	*	7/2015	Lau	H05K 5/0204
D773,292	S	*	12/2016	Ziaylek	D8/373
D837,223	S	*	1/2019	Wu	D14/451
10,323,791	B1	*	6/2019	Liu	F16B 2/065
2004/0251388	A1	*	12/2004	Williams	F16M 11/2014 248/274.1
2007/0139870	A1	*	6/2007	Lin	F16M 13/022 361/679.22

* cited by examiner

Primary Examiner — Katie Jane Stofko
(74) *Attorney, Agent, or Firm* — Hanley Flight and Zimmerman, LLC

(57) **CLAIM**


The ornamental design for a display mount, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a display mount; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left side elevation view thereof; and, FIG. 7 is a right side elevation view thereof. The features shown in broken lines form no part of the claimed design. The dash-dot boundary line also forms no part of the claimed design.

See application file for complete search history.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7