

US00D932111S

(12) **United States Design Patent** (10) **Patent No.:** **US D932,111 S**
Teeters (45) **Date of Patent:** **** Sep. 28, 2021**

(54) **SPINNER DEVICE FOR USE WITH
POULTRY HOUSE FEED AND DRINK LINES**

(71) Applicant: **Dandy Products, LLC**, Statesville, NC
(US)

(72) Inventor: **Kenneth W. Teeters**, Mooresville, NC
(US)

(73) Assignee: **Dandy Products, LLC**, Statesville, NC
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/642,287**

(22) Filed: **Mar. 28, 2018**

(51) **LOC (13) Cl.** **30-03**

(52) **U.S. Cl.**
USPC **D30/131; D30/124; D30/121**

(58) **Field of Classification Search**
USPC D30/121, 122, 124, 126–129, 132, 133,
D30/199; 119/52.4, 53, 51.01, 61.3, 56.1,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,325,976 A 8/1943 Phillips
D787,751 S * 5/2017 Bosco D30/121
(Continued)

OTHER PUBLICATIONS

Photograph of Roxell spinner taken Nov. 13, 2017.

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — Ashley Law Firm P.C.;
Stephen S. Ashley, Jr.

(57) **CLAIM**

I claim the ornamental design for a spinner device for use with poultry house feed and drink lines, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a spinner device according to the invention;

FIG. 2 is a top plan view of the spinner device of FIG. 1; FIG. 3 is a left and right end view of the spinner device of FIG. 1, showing the spinner device in the same orientation as in FIG. 2;

FIG. 4 is a bottom plan view of the spinner device of FIG. 1;

FIG. 5 is another left and right end view of the spinner device of FIG. 1, showing the spinner device in the same orientation as in FIG. 4;

FIG. 6 is a left and right side view of the spinner device of FIG. 1;

FIG. 7 is a perspective view of a spinner device according to another embodiment of the invention;

FIG. 8 is a top plan view of the spinner device of FIG. 7; FIG. 9 is a left and right end view of the spinner device of FIG. 7, showing the spinner device in the same orientation as in FIG. 8;

FIG. 10 is a bottom plan view of the spinner device of FIG. 7;

FIG. 11 is another left and right end view of the spinner device of FIG. 7, showing the spinner device in the same orientation as in FIG. 10;

FIG. 12 is a right and left side view of the spinner device of FIG. 7;

FIG. 13 is a perspective view of a spinner device according to another embodiment of the invention;


FIG. 14 is a top plan view of the spinner device of FIG. 13; FIG. 15 is a left and right end view of the spinner device of FIG. 13, showing the spinner device in the same orientation as in FIG. 14;

FIG. 16 is a bottom plan view of the spinner device of FIG. 13;

FIG. 17 is another left and right end view of the spinner device of FIG. 13, showing the spinner device in the same orientation as in FIG. 16; and,

FIG. 18 is a left and right side view of the spinner device of FIG. 13.

1 Claim, 12 Drawing Sheets



(58) **Field of Classification Search**

USPC 119/58, 59, 70, 57.4, 55, 57.1, 57.2, 54,
 119/57.92, 72, 57.7, 52.1, 74;
 D22/122–123; 43/121, 124, 126, 131,
 43/132.1, 133, 138, 114, 107
 CPC A01K 39/0125; A01K 39/00; A01K 39/01;
 A01K 39/0113; A01K 39/012; A01K
 39/014; A01K 39/02; A01K 39/0206;
 A01M 1/023; A01M 1/026; A01M 1/04;
 A01M 1/08; A01M 1/10; A01M 1/00;
 A01M 1/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D787,752 S *	5/2017	Delman	D30/131
D816,916 S *	5/2018	Septien Prieto	D30/121
D853,681 S *	7/2019	Colquhoun	D1/122
2014/0224180 A1 *	8/2014	Willis	A01K 39/02
			119/72
2021/0092940 A1 *	4/2021	Kuo	A01K 39/01

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18