



US00D932305S

(12) **United States Design Patent**
Vlahakis-Hanks et al.

(10) **Patent No.:** **US D932,305 S**

(45) **Date of Patent:** **** Oct. 5, 2021**

(54) **CONTAINER**

(71) Applicant: **Venus Laboratories, Inc.**, Cypress, CA (US)

(72) Inventors: **Kelly Vlahakis-Hanks**, Cypress, CA (US); **Rick Maddox**, Corona, CA (US); **Firas Jamal**, Huntington Beach, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/631,917**

(22) Filed: **Jan. 3, 2018**

(51) **LOC (13) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/528; D9/531**

(58) **Field of Classification Search**
USPC D9/516, 520, 523, 524, 528, 530, 531, D9/533-536, 542, 543, 547, 563-565, D9/569, 552, 566, 570-575
CPC ... B65D 1/0223; B29C 49/06; B05B 11/3057; B29L 2031/7158
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D454,069 S *	3/2002	Guislain	D9/528
D474,114 S *	5/2003	Vlahakis	D9/531
D581,277 S *	11/2008	Horstman	D9/528
D655,175 S *	3/2012	Young	D9/516
8,893,908 B2 *	11/2014	Treece	B65D 1/0261 215/373
D726,015 S *	4/2015	Gomez	D9/531
D726,016 S *	4/2015	Janney	D9/531
D726,017 S *	4/2015	Janney	D9/531
D792,225 S *	7/2017	Tjahjadi	D9/531
D792,226 S *	7/2017	Desjardins	D9/528
D792,773 S *	7/2017	Dunster	D9/516
D883,791 S *	5/2020	Sterling	D9/528
D883,792 S *	5/2020	Sterling	D9/528

D884,479 S *	5/2020	Hall	D9/528
D891,256 S *	7/2020	Gerhards	D9/528
D891,260 S *	7/2020	Clark	D9/528
D900,610 S *	11/2020	Sterling	D9/528
D901,302 S *	11/2020	Sterling	D9/528
D904,195 S *	12/2020	Kuhar	B65D 1/0261 D9/528
D904,196 S *	12/2020	Janeczek	D9/531
D905,556 S *	12/2020	Vlahakis-Hanks	D9/528

(Continued)

Primary Examiner — Brett Miller

Assistant Examiner — Rani J Abdallah

(74) *Attorney, Agent, or Firm* — Camuti Law Group;
Nathan Camuti


(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 shows a perspective view of one container in accordance with one implementation of the present the invention; FIG. 2 shows another perspective view of the container of FIG. 1; FIG. 3 shows a front view of the container of FIG. 1; FIG. 4 shows a rear view of the container of FIG. 1; FIG. 5 shows a left-side view of the container of FIG. 1; FIG. 6 shows a right-side view of the container of FIG. 1; FIG. 7 shows a top view of the container of FIG. 1; FIG. 8 shows a bottom view of the container of FIG. 1; FIG. 9 shows a perspective view of a container in accordance with another implementation of the present the invention; FIG. 10 shows a front view of the container of FIG. 9; FIG. 11 shows a left-side view of the container of FIG. 9; FIG. 12 shows a top view of the container of FIG. 9; and, FIG. 13 shows a bottom view of the container of FIG. 9. The broken lines form no part of the claimed design.

1 Claim, 13 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D909,875	S *	2/2021	Chen	D9/528
D911,851	S *	3/2021	Janeczek	D9/531
D912,516	S *	3/2021	Sterling	D9/528
D913,794	S *	3/2021	Vlahakis-Hanks	D9/528
D915,893	S *	4/2021	Hegarty	D9/528
D916,594	S *	4/2021	Kang	D9/528
D918,046	S *	5/2021	Vlahakis-Hanks	D9/528
D919,436	S *	5/2021	Currie	D9/528
D920,120	S *	5/2021	Dunster	D9/516
2008/0217200	A1 *	9/2008	Eiten	B65D 21/0202 206/504
2012/0241405	A1 *	9/2012	Lobbestael	B29D 22/003 215/10

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10



FIG. 11




FIG. 12




FIG. 13