



US00D932512S

(12) **United States Design Patent** (10) **Patent No.:** **US D932,512 S**  
**Kikkawa et al.** (45) **Date of Patent:** **\*\* Oct. 5, 2021**

(54) **ELECTRONIC DEVICE WITH ANIMATED GRAPHICAL USER INTERFACE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **CANON KABUSHIKI KAISHA**,  
Tokyo (JP)

EP 2196893 A2 \* 6/2010 ..... G06F 3/0488  
JP HC2000783300 S 6/2008  
(Continued)

(72) Inventors: **Takeshi Kikkawa**, Tokyo (JP);  
**Katsuhito Yoshio**, Tokyo (JP)

OTHER PUBLICATIONS

(\*\*) Term: **15 Years**

Wu, Junlan, Chinese design No. 303959275, published at Orbit, publication date Dec. 7, 2016. Site visited Jun. 3, 2021. Available from Internet. (Year: 2016).\*

(21) Appl. No.: **35/509,651**

(Continued)

(22) Filed: **Dec. 17, 2019**

*Primary Examiner* — Kathleen L Jones

(80) **Hague Agreement Data**

Int. Filing Date: **Dec. 17, 2019**  
Int. Reg. No.: **DM/205809**  
Int. Reg. Date: **Dec. 17, 2019**  
Int. Reg. Pub. Date: **Jun. 19, 2020**

(57) **CLAIM**

The ornamental design for an electronic device with animated graphical user interface, as shown and described.

(30) **Foreign Application Priority Data**

Jul. 5, 2019 (JP) ..... 2019-015199

**DESCRIPTION**

(51) **LOC (13) Cl.** ..... **14-04**

(52) **U.S. Cl.**  
USPC ..... **D14/487**

(58) **Field of Classification Search**  
USPC ..... D14/485–495  
CPC ..... G06Q 10/063114; H04N 1/00477; G11B  
27/34; G06F 3/04847; G06F 1/1692  
See application file for complete search history.

- 1. Electronic device with animated graphical user interface
- 1.1 : First front view
- 1.2 : Second front view in changed state
- 1.3 : Third front view in changed state
- 1.4 : Enlarged view of Fig. 1.1, provided for clarity of illustration
- 1.5 : Enlarged view of Fig. 1.2, provided for clarity of illustration
- 1.6 : Enlarged view of Fig. 1.3, provided for clarity of illustration

(56) **References Cited**


U.S. PATENT DOCUMENTS

D437,859 S \* 2/2001 Alvarez ..... D14/489  
6,922,816 B1 \* 7/2005 Amin ..... G06F 3/04847  
715/732  
D659,705 S \* 5/2012 Van Slembrouck ..... D14/487  
D664,153 S \* 7/2012 Van Slembrouck ..... D14/489  
D666,625 S \* 9/2012 Gilmore ..... D14/485  
D678,899 S \* 3/2013 Gleasman ..... D14/487

The evenly spaced broken lines show an electronic device and the unevenly spaced broken lines define the bounds of the claimed design; all broken lines form no part of the claimed design. The appearance of the transitional image sequentially transitions between the images shown in reproductions 1.1-1.3; the process or period in which one image transitions to another image forms no part of the claimed design.

(Continued)

**1 Claim, 6 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D737,320 S \* 8/2015 McCormick ..... D14/489  
 D739,417 S \* 9/2015 Laverack ..... D14/485  
 D750,098 S \* 2/2016 Song ..... D14/485  
 D762,702 S \* 8/2016 Hoang ..... D14/487  
 D763,885 S \* 8/2016 Liu ..... D14/486  
 D787,547 S \* 5/2017 Basargin ..... D14/488  
 D800,762 S \* 10/2017 Aoshima ..... D14/487  
 D852,815 S \* 7/2019 Gavenman ..... D14/485  
 D855,634 S \* 8/2019 Kim ..... D14/485  
 D859,430 S \* 9/2019 Naimark ..... D14/485  
 D875,108 S \* 2/2020 Chitalia ..... D14/485  
 D875,118 S \* 2/2020 Kim ..... D14/486  
 D892,848 S \* 8/2020 McCollum ..... D14/487  
 D896,826 S \* 9/2020 Abel ..... D14/486  
 D900,859 S \* 11/2020 Satterlie ..... D14/487  
 D905,083 S \* 12/2020 Birolo ..... D14/486  
 D907,659 S \* 1/2021 Everette ..... D14/488  
 D910,651 S \* 2/2021 Braica ..... D14/485  
 D916,111 S \* 4/2021 Zhao ..... D14/486  
 D917,526 S \* 4/2021 Birolo ..... D14/486  
 D918,934 S \* 5/2021 Anderson ..... D14/485  
 D919,653 S \* 5/2021 Everette ..... D14/488  
 D924,921 S \* 7/2021 Bowey ..... D14/488  
 2004/0070619 A1\* 4/2004 Yoshio ..... H04N 1/6011  
 715/764  
 2010/0077353 A1\* 3/2010 Moon ..... G06F 3/0482  
 715/832

2010/0083116 A1\* 4/2010 Akifusa ..... G06F 3/0488  
 715/727  
 2012/0131500 A1\* 5/2012 Fujisawa ..... G06F 3/04817  
 715/800  
 2014/0099074 A1\* 4/2014 Kano ..... H04N 21/4312  
 386/241  
 2014/0333528 A1\* 11/2014 Murata ..... G06F 3/04855  
 345/156  
 2018/0293243 A1\* 10/2018 Weber ..... G06F 16/4393  
 2018/0316962 A1\* 11/2018 Prakash ..... H04N 21/47217  
 2020/0007752 A1\* 1/2020 Yoshida ..... H04N 5/232933  
 2020/0380449 A1\* 12/2020 Choi ..... G06Q 10/063114

FOREIGN PATENT DOCUMENTS


JP HC2100721400 S 8/2009  
 JP HC25020006 S 2/2014  
 JP HH26432492 S 8/2014

OTHER PUBLICATIONS


Cui, Enxi et al., Chinese design No. 303959345, published at Orbit, publication date Dec. 7, 2016. Site visited Jun. 3, 2021. Available from Internet. (Year: 2016).\*  
 Japanese Office Action issued in corresponding Japanese Application No. 2019-015199 dated Mar. 24, 2020.

\* cited by examiner


1.1




1.2




1.3



1.4



1.5



1.6

