



US00D932635S

(12) **United States Design Patent**
Ghaffari

(10) **Patent No.:** **US D932,635 S**

(45) **Date of Patent:** **** Oct. 5, 2021**

(54) **REMOVABLE BATTER PROTECTION DEVICE**

(71) Applicant: **Michael Ghaffari**, Mount Juliet, TN (US)

(72) Inventor: **Michael Ghaffari**, Mount Juliet, TN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/730,664**

(22) Filed: **Apr. 7, 2020**

(51) **LOC (13) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/190; D29/100**

(58) **Field of Classification Search**
USPC D29/100-101.5; D2/627, 702; D24/188, D24/190, 206; D21/805
CPC A41D 13/00; A41D 13/0012; A41D 13/0015; A41D 13/0568; A41D 13/0525; A61F 5/00; A61F 5/02; A61F 5/28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,552,135	A *	11/1985	Racz	A61F 5/028
					128/DIG. 20
5,195,948	A *	3/1993	Hill	A61F 5/028
					602/19
5,450,858	A *	9/1995	Zablotsky	A61F 5/012
					128/876
D375,186	S *	11/1996	Kim	D13/183
D403,422	S *	12/1998	Affholter	D24/188
5,928,275	A *	7/1999	Yates	A61F 7/034
					607/112
D447,603	S *	9/2001	Slautterback	D29/101.3
6,419,652	B1 *	7/2002	Slautterback	A61F 5/028
					128/96.1
6,520,893	B2 *	2/2003	Bray	A63B 23/0211
					482/111

D498,036	S *	11/2004	Newman	D2/627
D499,846	S *	12/2004	Cesko	D29/101.3
7,077,794	B1 *	7/2006	Bray	A41D 13/0525
					482/111
D550,847	S *	9/2007	Kixmiller	D24/190

(Continued)

OTHER PUBLICATIONS

PitchGuard Launched to Give Little League Players Newfound Confidence (on-line), dated Sep. 29, 2020. Retrieved from Internet Jun. 22, 2021, URL: <https://www.prunderground.com/pitchguard-launched-to-give-little-league-players-newfound-confidence-at-the-plate/00205238/> (5 pages) (Year: 2020).*

Primary Examiner — Kimberly Barnes

(74) *Attorney, Agent, or Firm* — Patentfile, LLC; Bradley C. Fach

(57) **CLAIM**


The ornamental design for a removable batter protection device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a removable batter protection device showing my new design being worn by a baseball or softball batter;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left elevation view thereof;
FIG. 5 is a right elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

The broken lines in FIG. 1 depicting a batter represent environmental subject matter that forms no part of the claimed design. The broken lines in the drawings depicting padding, lines of stitching, and the hook and loop attachment areas represent portions of the removable batter protection device that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,364,558 B2 * 4/2008 Weaver, II A61F 5/028
297/230.1
D598,556 S * 8/2009 Chen D24/190
D695,902 S * 12/2013 Daniels D24/206
D831,221 S * 10/2018 Smith D24/190
D881,515 S * 4/2020 Mei D2/702
D884,199 S * 5/2020 Mei D24/190
D916,298 S * 4/2021 Langberg D24/190
D917,054 S * 4/2021 Woo D24/190
D920,523 S * 5/2021 Lin D24/190
2006/0122547 A1 * 6/2006 Stewart, III A61F 5/028
602/19
2009/0253560 A1 * 10/2009 Cook A63B 21/4007
482/105
2019/0285387 A1 * 9/2019 Ballesteros Casas ... F41H 5/013
2019/0343673 A1 * 11/2019 Wolanske A61F 5/028

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7