



US00D932788S

(12) **United States Design Patent** (10) **Patent No.:** **US D932,788 S**  
**Brombacher et al.** (45) **Date of Patent:** **\*\* Oct. 12, 2021**

(54) **VEHICLE SEAT**

(71) Applicant: **GRAMMER AG**, Amberg (DE)

(72) Inventors: **Sandra Brombacher**, Donaueschingen (DE); **Richard Ott**, Kuemmersbruck (DE); **Manuela Schuster**, Stuttgart (DE); **Romain Friot**, Pforzheim (DE); **Simon Goetz**, Brumath (FR); **Steve Emter**, Stuttgart (DE); **Sebastian Ide**, Waldbronn (DE); **Femke Piening**, Stuttgart (DE)

(73) Assignee: **GRAMMER AG**, Ursensollen (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/716,838**

(22) Filed: **Dec. 12, 2019**

(30) **Foreign Application Priority Data**

Jun. 17, 2019 (EM) ..... 006583118-0005

(51) **LOC (13) Cl.** ..... **06-01**

(52) **U.S. Cl.**  
USPC ..... **D6/356**

(58) **Field of Classification Search**  
USPC ..... D6/334-336, 356, 364, 367, 368, 374,  
D6/379, 716, 716.1, 716.2, 716.3, 716.4,  
D6/716.5  
CPC ..... B60N 2/00; B60N 2/20; B60N 2/2222;  
B60N 2/64; B60N 2/643; B60N 2/58;  
B60N 2/646; B60N 2/68; B60N 2/682;  
B60N 2/686; B60N 2/80; B60N 2/803;  
B60N 2/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D426,392 S *	6/2000	Ott	.....	D6/356
D428,719 S *	8/2000	Fick	.....	D6/356
D480,570 S *	10/2003	Gryp	.....	D6/356
D534,731 S *	1/2007	Fretschner	.....	D6/356
D536,545 S *	2/2007	Young	.....	D6/356
D547,077 S *	7/2007	Cantrill	.....	D6/356
D612,163 S *	3/2010	Wagener	.....	D6/356
D726,426 S *	4/2015	Carter	.....	D6/356
D738,127 S *	9/2015	Nishida	.....	D6/356
D819,991 S *	6/2018	Ott	.....	D6/356
D858,127 S *	9/2019	Carter	.....	D6/356
D884,373 S *	5/2020	Carter	.....	D6/356

\* cited by examiner

*Primary Examiner* — Mimosa De

(74) *Attorney, Agent, or Firm* — Von Rohrscheidt Patents

(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

**DESCRIPTION**

FIG. 1 illustrates a front view of the vehicle seat showing the new design.  
FIG. 2 illustrates a back view of the vehicle seat in FIG. 1.  
FIG. 3 illustrates a left view of the vehicle seat in FIG. 1,  
FIG. 4 illustrates a right view of the vehicle seat in FIG. 1.  
FIG. 5 illustrates a top view of the vehicle seat in FIG. 1; and,  
FIG. 6 illustrates a bottom view of the vehicle seat in FIG. 1.

**1 Claim, 6 Drawing Sheets**






FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5




FIG. 6