



US00D932870S

(12) **United States Design Patent**
Honda

(10) **Patent No.:** **US D932,870 S**

(45) **Date of Patent:** **** Oct. 12, 2021**

(54) **ROTARY DAMPER FOR HINGES**

(71) Applicant: **Tok, Inc.**, Tokyo (JP)

(72) Inventor: **Wataru Honda**, Tokyo (JP)

(73) Assignee: **Tok, Inc.**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **35/509,974**

(22) Filed: **Dec. 6, 2019**

(80) **Hague Agreement Data**

Int. Filing Date: **Dec. 6, 2019**

Int. Reg. No.: **DM/209462**

Int. Reg. Date: **Dec. 6, 2019**

Int. Reg. Pub. Date: **Aug. 7, 2020**

(51) **LOC (13) Cl.** **08-06**

(52) **U.S. Cl.**
USPC **D8/326**; D15/148

(58) **Field of Classification Search**
USPC D8/323, 326; D15/138, 148, 149
CPC A47K 13/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|----------------|--------|-----------|-------|------------|
| D354,902 S * | 1/1995 | Harris | | D8/323 |
| 6,213,881 B1 * | 4/2001 | Sasa | | F16F 9/145 |
| | | | | 16/50 |
| 6,390,255 B2 * | 5/2002 | Kobori | | F16F 9/145 |
| | | | | 188/290 |
| D489,028 S * | 4/2004 | Nishiyama | | D12/180 |
| 6,725,984 B2 * | 4/2004 | Orita | | E05F 5/10 |
| | | | | 188/290 |
| 6,729,448 B2 * | 5/2004 | Takahashi | | E05F 5/003 |
| | | | | 188/290 |
| 7,111,712 B2 * | 9/2006 | Orita | | F16F 9/145 |
| | | | | 188/290 |
| D535,547 S * | 1/2007 | Lim | | D8/326 |

| | | | | |
|-------------------|---------|-----------|-------|-----------|
| D584,315 S * | 1/2009 | Yamaguchi | | D14/483 |
| D776,669 S * | 1/2017 | Mihara | | D14/483 |
| D777,170 S * | 1/2017 | Mihara | | D14/483 |
| D798,354 S * | 9/2017 | Kitada | | D15/148 |
| D798,927 S * | 10/2017 | Yamada | | D15/148 |
| 2020/0200230 A1 * | 6/2020 | Honda | | F16F 9/12 |

FOREIGN PATENT DOCUMENTS

| | | | | |
|----|------------------|---|---------|------------------|
| GB | 8209462000-1000 | * | 12/2019 | |
| WO | WO-2009013712 A2 | * | 1/2009 | A47K 13/12 |

* cited by examiner

Primary Examiner — Deanna L Pratt

(74) *Attorney, Agent, or Firm* — Flynn Thiel, P.C.

(57) **CLAIM**

The ornamental design for a rotary damper for hinges, as shown and described.

DESCRIPTION

1. Rotary damper for hinges

1.1 : Perspective

1.2 : Front

1.3 : Left


1.4 : Right

1.5 : Top


1.6 : Sectional view taken along line "A-A" in 1.4

The design is a rotary damper that contains a shaft inside a housing; the design is characterized by an outer periphery of the end portion of the housing that has the triangular-shaped grooves allowing the product to be easily attached to a toilet unit, etc.; the back view is omitted because the back view is identical with the front view; the bottom view is omitted because the bottom view is identical with the top view; fig. 1.6 is a sectional view taken along line "A-A" of fig. 1.4 by cutting off the product without the shaft; thin lines in the representation represent contours only and do not illustrate an ornamentation or decoration on the surface of the product.

1 Claim, 6 Drawing Sheets




1.1




1.2




1.3



1.4



1.5



1.6

