



US00D932988S

(12) **United States Design Patent** (10) **Patent No.:** **US D932,988 S**
Kossi et al. (45) **Date of Patent:** **** Oct. 12, 2021**

(54) **TIRE TREAD**
(71) Applicant: **Black Donuts Engineering Oy**,
Pirkkala (FI)
(72) Inventors: **Henri Sakari Kossi**, Nokia (FI);
Mikko Valtteri Sironen, Tampere (FI)
(73) Assignee: **BLACK DONUTS ENGINEERING**
OY, Pirkkala (FI)
(**) Term: **15 Years**

D786,773 S 5/2017 Raatikainen et al.
D787,425 S 5/2017 Kossi et al.
D790,439 S 6/2017 Raatikainen et al.
D792,835 S 7/2017 Raatikainen et al.
D797,653 S 9/2017 Raatikainen et al.
D808,894 S 1/2018 Kossi et al.
D811,990 S 3/2018 Raatikainen et al.
D812,548 S 3/2018 Raatikainen et al.
D816,591 S 5/2018 Kossi et al.
D817,262 S 5/2018 Raatikainen et al.
D824,840 S * 8/2018 Thieman D12/564
D825,444 S * 8/2018 Hiser D12/564
D830,287 S * 10/2018 Proietti D12/564
D845,881 S 4/2019 Kossi et al.
D847,084 S 4/2019 Kossi et al.

(Continued)

(21) Appl. No.: **29/722,162**

(22) Filed: **Jan. 27, 2020**

(30) **Foreign Application Priority Data**

Nov. 21, 2019 (EM) 007273248-0001

(51) **LOC (13) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/545**; D12/565

(58) **Field of Classification Search**
USPC D12/533-567
CPC B60C 11/0302; B60C 2011/0339-0355;
B60C 2011/0358-0372; B60C
2011/0374-0379; B60C 2011/0381-0383;
B60C 2011/0386-0397

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D702,627 S 4/2014 Raatikainen et al.
D721,322 S 1/2015 Raatikainen et al.
D733,038 S 6/2015 Raatikainen et al.
D769,800 S 10/2016 Raatikainen et al.
D780,668 S 3/2017 Raatikainen et al.
D783,506 S 4/2017 Kossi et al.
D783,507 S 4/2017 Raatikainen et al.

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/530,655, filed Jun. 18, 2015, entitled Tire Tread, Inventors: Raatikainen et al.

(Continued)

Primary Examiner — George D. Kirschbaum
Assistant Examiner — Joseph J Kukella
(74) *Attorney, Agent, or Firm* — Thompson Hine LLP


(57) **CLAIM**

The ornamental design for tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the design;
FIG. 2 is a front view of the design of FIG. 1;
FIG. 3 is a side view of a first side of the design of FIG. 1;
FIG. 4 is a side view of a second side of the design of FIG. 1; and,
FIG. 5 is a detail view of a portion of FIG. 1.
The dash-dot-dash lines show the boundary of the claimed design and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D848,934 S 5/2019 Raatikainen et al.
D848,935 S 5/2019 Kossi et al.
D853,314 S 7/2019 Raatikainen et al.
D853,315 S 7/2019 Raatikainen et al.
D859,290 S 9/2019 Raatikainen et al.
D860,921 S * 9/2019 Yasunaga D12/545
D864,096 S 10/2019 Raatikainen et al.
D864,097 S 10/2019 Kossi et al.
D864,098 S 10/2019 Kossi et al.
D866,453 S * 11/2019 van't Hul D12/563
D868,677 S 12/2019 Kossi et al.
D868,681 S * 12/2019 Koog D12/588
D896,162 S * 9/2020 Bosse D12/564
D900,715 S * 11/2020 van't Hul D12/545

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/530,662, filed Jun. 18, 2015, entitled Tire Tread, Inventors: Raatikainen et al.
Design U.S. Appl. No. 29/557,624, filed Mar. 10, 2016, entitled Tire Tread, Inventors: Raatikainen et al.
Design U.S. Appl. No. 29/592,409, filed Jan. 30, 2017, entitled Tire Tread, Inventors: Kossi et al.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5