



US00D933002S

(12) **United States Design Patent** (10) **Patent No.:** **US D933,002 S**
Lockenwitz (45) **Date of Patent:** **** Oct. 12, 2021**

(54) **BATTERY CHARGER**

(71) Applicant: **Oticon A/S, Smørum (DK)**

(72) Inventor: **Christian Lockenwitz, Allerød (DK)**

(73) Assignee: **OTICON A/S, Smørum (DK)**

(**) Term: **15 Years**

(21) Appl. No.: **29/692,263**

(22) Filed: **May 23, 2019**

(30) **Foreign Application Priority Data**

Nov. 26, 2018 (EM) 005834587-0001
Nov. 26, 2018 (EM) 005834587-0002

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/103, 107-110, 118-119, 184, 199;
D14/251, 253, 432, 434
CPC H02J 7/0026; H02J 7/0042; H02J 7/0044;
H02J 7/0045; H02J 7/0013; H02J 7/0003;
H02J 50/00; H02J 50/10; H02J 50/12;
H02J 50/80

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D300,678 S * 4/1989 Barrault D13/108
D360,723 S * 7/1995 Kasai D13/108
D459,299 S * 6/2002 Hughes D13/108
D504,868 S * 5/2005 Lodato D13/107
D596,561 S * 7/2009 Chon D13/108
D645,818 S * 9/2011 Guccione D13/108
D661,930 S * 6/2012 Gebski D6/534
D675,154 S * 1/2013 Nam D13/108
D706,212 S * 6/2014 Zwierstra D13/107
D745,477 S * 12/2015 Nitz D13/184

D746,807 S * 1/2016 McGarry D14/253
D749,504 S * 2/2016 Jeong D13/108
D841,578 S * 2/2019 Kim D13/108
D853,326 S * 7/2019 Jun D13/108
D855,567 S * 8/2019 Cai D13/108
D884,614 S * 5/2020 Natsume D13/108
D892,043 S * 8/2020 Raghunathan D13/108
2007/0135157 A1 * 6/2007 Kuo H01Q 3/04
455/550.1
2014/0097793 A1 * 4/2014 Wurtz H02J 7/0044
320/108

* cited by examiner

Primary Examiner — Rosemary K Tarca

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP


(57) **CLAIM**

The ornamental design for an battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the battery charger; FIG. 2 is a front view of the battery charger; FIG. 3 is a rear view of the battery charger; FIG. 4 is a right side view of the battery charger; FIG. 5 is a left view of the battery charger; FIG. 6 is a top view of the battery charger; FIG. 7 is a bottom view of the battery charger; FIG. 8 is a perspective view of the battery charger; FIG. 9 is a front view of the battery charger; FIG. 10 is a rear view of the battery charger; FIG. 11 is a right side view of the battery charger; FIG. 12 is a left view of the battery charger; FIG. 13 is a top view of the battery charger; and, FIG. 14 is a bottom view of the battery charger. The broken lines shown in the drawings are included for the purpose of illustrating portions of the battery charger that form no part of the claimed design.

1 Claim, 14 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14