



US00D933308S

(12) **United States Design Patent** (10) **Patent No.:** **US D933,308 S**
Dickson (45) **Date of Patent:** **** Oct. 12, 2021**

(54) **HEAT RESISTANT SLEEVE FOR A
DESCENT CONTROLLER**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Tech Safety Lines, Inc.**, Carrollton, TX
(US)

CN 203631161 U 6/2014

(72) Inventor: **Johnny Dickson**, Van Alstyne, TX (US)

OTHER PUBLICATIONS

(73) Assignee: **Tech Safety Lines, Inc.**, Carrollton, TX
(US)

Youtube, "Tech Safety Lines' Aerial Platform (MEWP) Rescue
Solutions", first available Apr. 18, 2019. ([https://www.youtube.com/
watch?v=PFYbeU3DBXw&feature=emb_title](https://www.youtube.com/watch?v=PFYbeU3DBXw&feature=emb_title)) (Year: 2019).*

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/709,729**

Primary Examiner — April Rivas

(22) Filed: **Oct. 16, 2019**

Assistant Examiner — Justin A Johnson

(51) **LOC (13) Cl.** **29-02**

(74) *Attorney, Agent, or Firm* — Vincent J. Allen; J.

(52) **U.S. Cl.**

Andrew Reed; Carstens & Cahoon, LLP

USPC **D29/122**

(58) **Field of Classification Search**

(57) **CLAIM**

USPC D3/201, 203.1, 203.6, 203.7, 203.8, 247,
D3/248, 249, 303; D8/2, 21, 22, 23, 24,
D8/25, 26, 27, 28, 29, 71, 72, 107, 30,
D8/303, 306, 349, 354, 355, 356, 382,
D8/394, 395, 396, 397, 398, 499;
D29/124, 125, 126, 128, 129, 130, 122;
D10/104.1, 109.1, 109.2, 121
CPC .. A61F 17/00; A62B 1/00; A62B 1/08; A62B
1/10; A62B 1/12; A62B 1/14; A62B 1/16;
A62B 1/18; A62B 1/20; A62B 17/00;
A62B

The ornamental design for a heat resistant sleeve for a
descent controller, as shown and described herein.

DESCRIPTION

(Continued)

(56) **References Cited**


U.S. PATENT DOCUMENTS

263,775 A * 9/1882 Emmert A62B 1/14
188/65.1
300,857 A * 6/1884 Evans A62B 1/14
182/192

FIG. 1 is a front perspective view of the heat resistant sleeve;
FIG. 2 is a bottom perspective view of the heat resistant
sleeve;
FIG. 3 is a top view of the heat resistant sleeve;
FIG. 4 is a bottom view of the heat resistant sleeve;
FIG. 5 is a front elevation view of the heat resistant sleeve;
FIG. 6 is a rear elevation view of the heat resistant sleeve;
FIG. 7 is a left side elevation view of the heat resistant
sleeve;
FIG. 8 is a right side elevation view of the heat resistant
sleeve; and,
FIG. 9 is a front perspective view of the heat resistance
sleeve with descent controller.

The various components shown in broken lines illustrate
portions of the environment and form no part of the claimed
design.

1 Claim, 4 Drawing Sheets



(58) **Field of Classification Search**

CPC 25/00; A62B 25/005; A62B 1/06; A62C 2/00; A62C 3/00; A62C 3/07; A62C 8/00; A62C 11/00; A62C 11/005; A62C 13/00; A62C 13/003; A62C 13/006; A62C 13/02; A62C 13/04; A62C 13/06; A62C 13/08; A62C 13/10; A62C 13/12; A62C 13/14; A62C 13/16; A62C 13/18; A62C 13/20; A62C 13/22; A62C 13/62; A62C 13/64; A62C 13/66; A62C 13/68; A62C 13/70; A62C 13/72; A62C 13/74; A62C 13/76; A62C 13/78; A62C 35/20; A62C 99/00; A62C 99/0009; A62C 99/0018; A62C 99/0027; A62C 99/0036; A62C 99/0045; A62C 99/0063; A62C 99/0054; A62C 99/0072; A62C 99/0081; A62C 99/009; B60R 2011/0071; F23N 5/18; F23N 2005/181; F23N 2005/182; F23N 5/184; F23N 2005/185; F23N 5/187; F23N 5/188; G08B 5/00; G08B 5/002; B63G 8/40

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D28,992 S * 7/1898 Eldon D8/303
3,335,469 A 8/1967 Shand et al.
3,949,832 A 4/1976 Hunter
4,040,627 A 8/1977 Useldinger
4,474,262 A 10/1984 Himmelrich
4,508,193 A * 4/1985 Forrest A62B 1/06
182/5
4,651,351 A * 3/1987 Endo A62B 1/14
182/129
4,883,146 A 11/1989 Varner et al.
5,038,888 A * 8/1991 Varner A62B 1/06
182/5
5,090,503 A 2/1992 Bell

5,131,491 A 7/1992 Varner et al.
D385,936 S * 11/1997 Nakazaki A62B 1/14
D21/756
5,738,046 A 4/1998 Williams et al.
5,848,667 A 12/1998 Davidson
D422,200 S * 4/2000 Maruyama A62B 1/14
D8/382
6,800,007 B2 10/2004 Calkin
6,814,185 B1 11/2004 Ostrobrod
7,036,628 B2 5/2006 Wilcox et al.
7,131,515 B2 11/2006 Gartsbeyn et al.
D533,813 S * 12/2006 Fujiwara B62J 33/00
D12/114
7,650,717 B2 1/2010 Drayer
D616,950 S * 6/2010 Hersee B62J 33/00
D21/682
7,942,241 B2 5/2011 Botti
8,353,386 B2 1/2013 Helms
9,320,925 B2 4/2016 Wise
9,643,034 B2 5/2017 Wise
D854,395 S * 7/2019 Meyer D8/303
2003/0057018 A1 3/2003 Dodson et al.
2003/0057023 A1 3/2003 Gartsbeyn et al.
2005/0230184 A1 10/2005 Ansaldo
2006/0113147 A1 6/2006 Harris, Jr.
2007/0007266 A1 * 1/2007 Sasaki B62J 33/00
219/202
2007/0272484 A1 11/2007 Helms
2010/0051381 A1 3/2010 Wydner et al.
2020/0330799 A1 * 10/2020 Dickson F16D 65/0979

OTHER PUBLICATIONS

Open Tip, "Sky Genie DS-L Descender Sky Genie", First accessed Feb. 23, 2021. (https://www.opentip.com/Sky-Genie-DS-L-Descender-Sky-Genie-p-4180457.html?ad=rc_related) (Year: 2021).*
Instagram, "Highnovate", first available Jan. 1, 2021. (https://www.instagram.com/p/CJgf5BJhKi_/) (Year: 2021).*
Tech Safety Lines, "SRK-15", first accessed Feb. 23, 2021. (https://www.techsafetylines.com/app/uploads/2019/12/TSL_SRK-15_Global-Kit.pdf) (Year: 2021).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9