



US00D933368S

(12) **United States Design Patent**
Albay et al.

(10) **Patent No.:** **US D933,368 S**
(45) **Date of Patent:** **** Oct. 19, 2021**

(54) **HEAD FOR ELECTRIC TOOTHBRUSH**

6,751,823 B2 * 6/2004 Biro A46B 13/008

(71) Applicant: **Braun GmbH**, Kronberg (DE)

7,788,756 B2 * 9/2010 Kraemer A46B 9/025

(72) Inventors: **Devran Albay**, Frankfurt (DE); **Moritz Carlo Honisch**, Frankfurt (DE); **Dominik Langhammer**, Frankfurt (DE); **Niclas Altmann**, Schöneck (DE); **Siegfried Bauernfeind**, Frankfurt am Main (DE); **Bianka Becker-Salzsäuler**, Kronberg (DE); **Ulrich Störkel**, Bad Nauheim (DE)

D734,614 S * 7/2015 Driesen D4/101

(Continued)

FOREIGN PATENT DOCUMENTS

CN 302898215 S 8/2014
RU 93878 S 6/2015
WO DM093043 6/2017

OTHER PUBLICATIONS

U.S. Appl. No. 29/758,249, filed Nov. 13, 2020, Devran Albay et al.
(Continued)

Primary Examiner — Karen E Eldridge Powers
(74) *Attorney, Agent, or Firm* — Vladimir Vitenberg

(57) **CLAIM**

The ornamental design for a head for electric toothbrush, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a head for electric toothbrush;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a right-side elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left-side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is an enlarged fragmental view of the design shown in FIG. 1; and,
FIG. 9 is an enlarged fragmental view of a second embodiment of a head for electric toothbrush, wherein the design shown in FIG. 1 discloses tufts having individual bristles. Broken lines are used in the drawings to designate environmental structures or parts of the head of the electric toothbrush that form no part of the claim.

1 Claim, 3 Drawing Sheets

(73) Assignee: **Braun GmbH**, Kronberg (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/646,252**

(22) Filed: **May 2, 2018**

(30) **Foreign Application Priority Data**

Nov. 2, 2017 (WO) IB5250601

(51) **LOC (13) Cl.** **28-03**


(52) **U.S. Cl.**
USPC **D4/101; D4/113**

(58) **Field of Classification Search**
USPC D4/100, 101, 102, 104, 105, 106, 107, D4/108; 15/167.1
CPC . A46B 2200/1066; A46B 9/04; A61C 17/222; A61C 17/24; A61C 17/26
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,242,743 A * 5/1941 Brown A46B 9/04
15/167.1
D465,655 S * 11/2002 Kraemer D4/104



(56)

References Cited

U.S. PATENT DOCUMENTS

9,402,461 B2 * 8/2016 Brik A46B 9/04
9,788,926 B2 * 10/2017 Franke A61C 17/3436
10,376,039 B2 * 8/2019 Jungnickel A46B 9/04
10,667,892 B2 6/2020 Bartschi
2009/0013489 A1 * 1/2009 Binet A46B 9/028
15/167.1
2018/0021116 A1 * 1/2018 Storkel A61C 17/222
15/167.1
2019/0125065 A1 * 5/2019 Altmann A46B 9/025

OTHER PUBLICATIONS

U.S. Appl. No. 29/758,251, filed Nov. 13, 2020, Devran Albay et al.
U.S. Appl. No. 29/758,276, filed Nov. 13, 2020, Devran Albay et al.
U.S. Appl. No. 29/758,274, filed Nov. 13, 2020, Devran Albay et al.
U.S. Appl. No. 29/743,560, filed Jul. 22, 2020, Devran Albay et al.
U.S. Appl. No. 29/758,268, filed Nov. 13, 2020, Devran Albay et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9