

US00D933483S

(12) **United States Design Patent**  
**Korotich**

(10) **Patent No.:** **US D933,483 S**

(45) **Date of Patent:** **\*\* Oct. 19, 2021**

(54) **BOTTLE FOR LIQUIDS**

D762,478 S \* 8/2016 Bayles ..... D9/529  
D784,763 S \* 4/2017 Oshana ..... D7/509  
D906,821 S \* 1/2021 Mandell ..... D9/531

(71) Applicant: **Obshchestvo s ogranichennoy  
otvetstvennoct'yu "BioMicroGeli",**  
Moscow (RU)

\* cited by examiner

(72) Inventor: **Irina Aleksandrovna Korotich,**  
Ekaterinburg (RU)

*Primary Examiner* — Michael A. Pratt

(\*\*) Term: **15 Years**

(57) **CLAIM**

The ornamental design for bottle for liquids, as shown and described.

(21) Appl. No.: **35/509,747**

**DESCRIPTION**

(22) Filed: **Sep. 19, 2019**

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

(80) **Hague Agreement Data**

Int. Filing Date: **Sep. 19, 2019**  
Int. Reg. No.: **DM/208897**  
Int. Reg. Date: **Sep. 19, 2019**  
Int. Reg. Pub. Date: **Jul. 3, 2020**

1.-3. Bottle for liquids

(51) **LOC (13) Cl.** ..... **09-01**

1.1 : Perspective

(52) **U.S. Cl.**

1.2 : Front

USPC ..... **D9/531; D9/543**

1.3 : Side view

(58) **Field of Classification Search**

USPC ..... D9/436, 516, 528, 531, 540-543, 558,  
D9/715, 719  
CPC ..... B65D 1/023; B65D 41/0442  
See application file for complete search history.

1.4 : Top

2.1 : Perspective

2.2 : Front

2.3 : Side view

2.4 : Top

3.1 : Perspective

3.2 : Front

3.3 : Side view

3.4 : Top


The first alternative embodiment of the bottle for liquids is characterized by vertically oriented body tapering to the neck; base and cross section in the shape of an ellipse; and the ellipse hole with a deepening along the perimeter placed in the center of the upper part of the bottle. The second alternative embodiment is characterized by displacement of the hole to the right and a larger base and cross section of the body comparing to the first embodiment. The third alternative embodiment is characterized by smaller hole size comparing to the second embodiment.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D237,253 S \* 10/1975 Schweizer ..... D9/531  
D250,806 S \* 1/1979 Gutkowski ..... D9/529  
D262,777 S \* 1/1982 Britt ..... D9/531  
D292,376 S \* 10/1987 Jacobs ..... D9/520  
D368,660 S \* 4/1996 Terwilleger ..... D9/522  
D453,111 S \* 1/2002 Crawford ..... D9/531  
D453,297 S \* 2/2002 Crawford ..... D9/531  
D493,110 S \* 7/2004 Levesque ..... D9/530  
D758,871 S \* 6/2016 Davis ..... D9/531

**1 Claim, 12 Drawing Sheets**  
**(12 of 12 Drawing Sheet(s) Filed in Color)**






1.1






1.2






1.3





1.4






2.1






2.2






2.3






2.4





3.1






3.2





### 3.3





3.4

