



US00D933505S

(12) **United States Design Patent** (10) **Patent No.:** **US D933,505 S**  
**Darby** (45) **Date of Patent:** **\*\* Oct. 19, 2021**

(54) **MECHANISM FOR FORMING  
ORTHOGONAL JOINTS IN CONDUITS**

(74) *Attorney, Agent, or Firm* — Norton Rose Fulbright  
US LLP

(71) Applicant: **Nation Wide Products LLC**, Abilene,  
TX (US)

(57) **CLAIM**

The ornamental design for a mechanism for forming  
orthogonal joints in conduits, as shown and described.

(72) Inventor: **Jason Darby**, Abilene, TX (US)

(73) Assignee: **Nation Wide Products LLC**, Abilene,  
TX (US)

**DESCRIPTION**

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/707,004**

(22) Filed: **Sep. 25, 2019**

(51) **LOC (13) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/64**

(58) **Field of Classification Search**  
USPC ..... D8/71; D10/61, 62, 64, 65  
(Continued)

FIG. 1 is a front view of a mechanism for forming ortho-  
gonal joints in conduits in a first implementation, the mecha-  
nism in a closed configuration;  
 FIG. 2 is a back view of the mechanism for forming  
orthogonal joints in conduits in a first implementation, the  
mechanism in a closed configuration;  
 FIG. 3 is a first side view of the mechanism for forming  
orthogonal joints in conduits in a first implementation, the  
mechanism in a closed configuration;  
 FIG. 4 is a second side view of the mechanism for forming  
orthogonal joints in conduits in a first implementation, the  
mechanism in a closed configuration;  
 FIG. 5 is a top view of the mechanism for forming orthogo-  
nal joints in conduits in a first implementation, the mecha-  
nism in the closed configuration;  
 FIG. 6 is a bottom view of the mechanism for forming  
orthogonal joints in conduits in a first implementation, the  
mechanism in a closed configuration;  
 FIG. 7 is a perspective view of the mechanism for forming  
orthogonal joints in conduits in a first implementation, the  
mechanism in a closed configuration;  
 FIG. 8 is a front view of the mechanism for forming  
orthogonal joints in conduits in a first implementation, the  
mechanism in an open configuration;  
 FIG. 9 is a back view of the mechanism for forming  
orthogonal joints in conduits in a first implementation, the  
mechanism in an open configuration;  
 FIG. 10 is a first side view of the mechanism for forming  
orthogonal joints in conduits in a first implementation, the  
mechanism in an open configuration;  
 FIG. 11 is a second side view of the mechanism for forming  
orthogonal joints in conduits in a first implementation, the  
mechanism in an open configuration;

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,618,378 A \* 10/1986 Huckaby ..... B23K 7/10  
148/201  
 D319,794 S \* 9/1991 Elkins ..... D10/68  
 (Continued)

**FOREIGN PATENT DOCUMENTS**

CN 304503262 \* 2/2018  
 GB 5001547 \* 3/2016

**OTHER PUBLICATIONS**

Pipe Pro Guide Na MEKIT LG NA Fan Accessories Amazon  
<https://www.amazon.com/Pipe-Pro-Metal-Cutting-Guide/dp/B007QV228Y>  
 First Available Mar. 6, 2012 (Year: 2012).\*  
 (Continued)

*Primary Examiner* — Leanne Was-Englehart




FIG. 12 is a top view of the mechanism for forming orthogonal joints in conduits in a first implementation, the mechanism in an open configuration; and, FIG. 13 is a bottom view of the mechanism for forming orthogonal joints in conduits in a first implementation, the mechanism in an open configuration. Surface shading in the figures is provided to indicate contour or shine. All other surface(s) or portion(s) of the mechanism not shown in the figures or otherwise described in the specification form no part of the claimed designs. The broken lines form no part of the claimed design. For example, the broken lines depict portions of the mechanism for forming orthogonal joints in conduits that form no part of the claimed design.

**1 Claim, 13 Drawing Sheets**

(58) **Field of Classification Search**

CPC ..... B25H 7/005; B25H 7/045; F16L 25/14; F16L 1/06; B43L 13/20  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,450,677 A \* 9/1995 Casey ..... B25H 7/005  
33/373  
D412,673 S \* 8/1999 Koenig, Jr. .... D10/64


6,560,887 B2 \* 5/2003 Byrnes ..... G01B 3/563  
33/529  
7,251,902 B1 \* 8/2007 Mueller ..... F16L 1/06  
33/529  
7,437,828 B1 10/2008 Rozmiarek  
8,296,959 B1 \* 10/2012 Brooks ..... B25H 7/005  
33/21.3  
D795,717 S \* 8/2017 Darby ..... D10/64  
D798,750 S \* 10/2017 Darby ..... D10/64  
D798,751 S \* 10/2017 Darby ..... D10/64  
D799,347 S \* 10/2017 Darby ..... D10/64  
10,035,257 B2 \* 7/2018 Darby ..... B25H 7/005  
10,800,027 B1 \* 10/2020 Christiansen ..... B25H 7/005  
2006/0225291 A1 10/2006 Marks  
2007/0175059 A1 \* 8/2007 Mueller ..... F16L 1/06  
33/562  
2011/0030231 A1 2/2011 Mueller et al.  
2017/0282355 A1 10/2017 Darby et al.  
2017/0355075 A1 \* 12/2017 Martin ..... B25H 7/005  
2021/0086347 A1 \* 3/2021 Darby ..... B25H 7/005

OTHER PUBLICATIONS


Pipe-Pro—Nation Wide Products <https://acclamp.com/collections/pipe-pro> Apr. 28, 2019 (Year: 2019).\*

\* cited by examiner





**FIG. 1**



**FIG. 2**




FIG. 3







FIG. 4



**FIG. 5**





FIG. 6





**FIG. 7**




FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12






FIG. 13