



US00D933505S

(12) **United States Design Patent** (10) **Patent No.:** **US D933,505 S**
Darby (45) **Date of Patent:** **** Oct. 19, 2021**

(54) **MECHANISM FOR FORMING
ORTHOGONAL JOINTS IN CONDUITS**

(74) *Attorney, Agent, or Firm* — Norton Rose Fulbright
US LLP

(71) Applicant: **Nation Wide Products LLC**, Abilene,
TX (US)

(57) **CLAIM**

The ornamental design for a mechanism for forming
orthogonal joints in conduits, as shown and described.

(72) Inventor: **Jason Darby**, Abilene, TX (US)

(73) Assignee: **Nation Wide Products LLC**, Abilene,
TX (US)

DESCRIPTION

(**) Term: **15 Years**

FIG. 1 is a front view of a mechanism for forming orthogo-
nal joints in conduits in a first implementation, the mecha-
nism in a closed configuration;

(21) Appl. No.: **29/707,004**

FIG. 2 is a back view of the mechanism for forming
orthogonal joints in conduits in a first implementation, the
mechanism in a closed configuration;

(22) Filed: **Sep. 25, 2019**

FIG. 3 is a first side view of the mechanism for forming
orthogonal joints in conduits in a first implementation, the
mechanism in a closed configuration;

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/64**

(58) **Field of Classification Search**

USPC D8/71; D10/61, 62, 64, 65

(Continued)

FIG. 4 is a second side view of the mechanism for forming
orthogonal joints in conduits in a first implementation, the
mechanism in a closed configuration;

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,618,378 A * 10/1986 Huckaby B23K 7/10

148/201

D319,794 S * 9/1991 Elkins D10/68

(Continued)

FIG. 5 is a top view of the mechanism for forming orthogo-
nal joints in conduits in a first implementation, the mecha-
nism in the closed configuration;

FIG. 6 is a bottom view of the mechanism for forming
orthogonal joints in conduits in a first implementation, the
mechanism in a closed configuration;

FOREIGN PATENT DOCUMENTS

CN 304503262 * 2/2018

GB 5001547 * 3/2016

FIG. 7 is a perspective view of the mechanism for forming
orthogonal joints in conduits in a first implementation, the
mechanism in a closed configuration;

FIG. 8 is a front view of the mechanism for forming
orthogonal joints in conduits in a first implementation, the
mechanism in an open configuration;

OTHER PUBLICATIONS

Pipe Pro Guide Na MEKIT LG NA Fan Accessories Amazon
[https://www.amazon.com/Pipe-Pro-Metal-Cutting-Guide/dp/
B007QV228Y](https://www.amazon.com/Pipe-Pro-Metal-Cutting-Guide/dp/B007QV228Y) First Available Mar. 6, 2012 (Year: 2012).*

(Continued)

FIG. 9 is a back view of the mechanism for forming
orthogonal joints in conduits in a first implementation, the
mechanism in an open configuration;

FIG. 10 is a first side view of the mechanism for forming
orthogonal joints in conduits in a first implementation, the
mechanism in an open configuration;

FIG. 11 is a second side view of the mechanism for forming
orthogonal joints in conduits in a first implementation, the
mechanism in an open configuration;

(Continued)

Primary Examiner — Leanne Was-Englehart




FIG. 12 is a top view of the mechanism for forming orthogonal joints in conduits in a first implementation, the mechanism in an open configuration; and, FIG. 13 is a bottom view of the mechanism for forming orthogonal joints in conduits in a first implementation, the mechanism in an open configuration. Surface shading in the figures is provided to indicate contour or shine. All other surface(s) or portion(s) of the mechanism not shown in the figures or otherwise described in the specification form no part of the claimed designs. The broken lines form no part of the claimed design. For example, the broken lines depict portions of the mechanism for forming orthogonal joints in conduits that form no part of the claimed design.

1 Claim, 13 Drawing Sheets

(58) **Field of Classification Search**

CPC B25H 7/005; B25H 7/045; F16L 25/14; F16L 1/06; B43L 13/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,450,677 A * 9/1995 Casey B25H 7/005
33/373
D412,673 S * 8/1999 Koenig, Jr. D10/64

6,560,887 B2 * 5/2003 Byrnes G01B 3/563
33/529
7,251,902 B1 * 8/2007 Mueller F16L 1/06
33/529
7,437,828 B1 10/2008 Rozmiarek
8,296,959 B1 * 10/2012 Brooks B25H 7/005
33/21.3
D795,717 S * 8/2017 Darby D10/64
D798,750 S * 10/2017 Darby D10/64
D798,751 S * 10/2017 Darby D10/64
D799,347 S * 10/2017 Darby D10/64
10,035,257 B2 * 7/2018 Darby B25H 7/005
10,800,027 B1 * 10/2020 Christiansen B25H 7/005
2006/0225291 A1 10/2006 Marks
2007/0175059 A1 * 8/2007 Mueller F16L 1/06
33/562
2011/0030231 A1 2/2011 Mueller et al.
2017/0282355 A1 10/2017 Darby et al.
2017/0355075 A1 * 12/2017 Martin B25H 7/005
2021/0086347 A1 * 3/2021 Darby B25H 7/005

OTHER PUBLICATIONS

Pipe-Pro—Nation Wide Products <https://acclamp.com/collections/pipe-pro> Apr. 28, 2019 (Year: 2019).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13