



US00D934058S

(12) **United States Design Patent** (10) **Patent No.:** **US D934,058 S**
Leitner (45) **Date of Patent:** **** Oct. 26, 2021**

(54) **SPACER FOR BUILDING CONSTRUCTION**

8,181,409 B1 * 5/2012 Jones E04F 21/0092
52/390

(71) Applicant: **Franz Leitner**, Puchenau (AT)

D695,591 S 12/2013 Ackerman et al.
D700,501 S 3/2014 Ackerman et al.

(72) Inventor: **Franz Leitner**, Puchenau (AT)

D702,104 S 4/2014 Butler

(**) Term: **15 Years**

9,410,296 B2 8/2016 Tabibnia

(21) Appl. No.: **29/760,840**

D775,933 S 1/2017 Hill

(22) Filed: **Dec. 4, 2020**

D775,934 S 1/2017 Hill

D791,395 S * 7/2017 Rashidi Doust D26/113

D810,901 S * 2/2018 Matsunaga D23/322

D814,267 S * 4/2018 Verbowski D8/354

D826,906 S 8/2018 Lasnier De Lavalette

D857,482 S 8/2019 Li

D861,197 S 9/2019 Lee et al.

D880,985 S 4/2020 Schlüter

D880,986 S 4/2020 Lee et al.

D880,987 S 4/2020 Lee et al.

D883,070 S 5/2020 Zhang et al.

D889,939 S 7/2020 Bordin

D907,467 S * 1/2021 Leitner D8/354

2002/0121583 A1 * 9/2002 Jones E04F 15/02464
248/346.01

Related U.S. Application Data

(62) Division of application No. 35/507,702, filed on May 21, 2019 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of May 21, 2019, now Pat. No. Des. 907,467.

(51) **LOC (13) Cl.** **08-05**

(52) **U.S. Cl.**

USPC **D8/354**

(58) **Field of Classification Search**

USPC D8/349, 354, 355, 363; D10/61, 64; D25/113, 199

CPC E04F 15/02464; E04F 15/02494; E04F 15/02452; E04F 21/0092

See application file for complete search history.

2009/0199494 A1 8/2009 Lee et al.

2010/0058679 A1 3/2010 Greaves

2011/0192941 A1 8/2011 Lalancette et al.

(Continued)

Primary Examiner — Keli L Hill

Assistant Examiner — Harold E Blackwell, II

(74) *Attorney, Agent, or Firm* — Collard & Roe, P.C.

(57) **CLAIM**

The ornamental design for a spacer for building construction, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D373,070 S * 8/1996 Kriegstein D8/354

5,564,669 A 10/1996 Wu

D435,430 S 12/2000 Valentz et al.

6,363,685 B1 4/2002 Kugler

6,520,471 B2 2/2003 Jones et al.

7,140,156 B1 11/2006 Lowe, Jr. et al.

D557,830 S 12/2007 Lee

D616,725 S * 6/2010 Burns D8/354

D631,326 S * 1/2011 Burns D8/354

D644,404 S 8/2011 Lee et al.

DESCRIPTION


FIG. 1 is a top view of a spacer for building construction, showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a top, rear and right side perspective view thereof; and,

FIG. 4 is a top and front perspective view thereof.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0023766 A1* 2/2012 Hillebrandt E04F 21/22
33/527
2013/0219809 A1 8/2013 Tabibnia
2013/0322797 A1* 12/2013 Barth F16C 17/04
384/420
2014/0308076 A1 10/2014 Tabibnia
2015/0226249 A1* 8/2015 Otto F16B 39/24
29/525.02
2016/0244979 A1 8/2016 Greaves et al.
2017/0152635 A1 6/2017 Tabibnia

* cited by examiner




FIG. 1



FIG. 2




FIG. 3




FIG. 4