



US00D934360S

(12) **United States Design Patent** (10) **Patent No.:** **US D934,360 S**
Ferrari et al. (45) **Date of Patent:** **** Oct. 26, 2021**

(54) **MULTI-CONFIGURATION BATTING TEE ASSEMBLY**

(71) Applicant: **Dick's Sporting Goods, Inc.,**
Coraopolis, PA (US)

(72) Inventors: **Lucas Ferrari**, Clinton, PA (US);
Charles P. Larson, Coraopolis, PA (US)

(73) Assignee: **Dick's Sporting Goods, Inc.,**
Coraopolis, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/689,819**

(22) Filed: **May 2, 2019**

(51) **LOC (13) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/717**

(58) **Field of Classification Search**
USPC D21/698, 715, 717, 719, 780; 473/417,
473/422, 451-454, 499-501
CPC A63B 69/0075; A63B 69/0002; A63B
2069/0008; A63B 2102/18; A63B 71/023;
A63B 2071/026

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,139,282 A * 6/1964 Lande A63B 69/0075
473/417
D199,128 S * 9/1964 Madsen D21/780
4,819,937 A * 4/1989 Gordon A63B 69/0075
473/417
4,938,478 A 7/1990 Lay
4,962,924 A 10/1990 James
5,386,987 A 2/1995 Rodino, Jr.
D373,806 S * 9/1996 Bunnell D21/717

5,556,091 A * 9/1996 Lin A63B 69/0075
473/417
5,967,910 A * 10/1999 Lin A63B 69/0075
473/417
6,099,418 A 8/2000 Owen
6,238,307 B1 5/2001 Owen
D451,566 S * 12/2001 De Chenne D21/717
6,413,175 B1 * 7/2002 Mooney, Jr. A63B 69/0075
473/417
D513,294 S * 12/2005 deGrasse D21/717
D534,232 S * 12/2006 Rathbun D21/780
7,354,360 B1 * 4/2008 Eckstein A63B 69/0002
473/417
7,648,432 B1 1/2010 Hall
7,744,496 B2 6/2010 Chisena
D638,079 S 5/2011 Cheng
8,066,589 B2 11/2011 Chisena
9,358,440 B1 * 6/2016 Burrell A63B 69/0002
2003/0032506 A1 * 2/2003 Chi A63B 69/0073
473/417

(Continued)

Primary Examiner — Catherine A Tuttle

(74) *Attorney, Agent, or Firm* — Fox Rothschild LLP


(57) **CLAIM**

The ornamental design for a multi-configuration batting tee assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the multi-configuration batting tee assembly showing our new design;
FIG. 2 is a right side view thereof;
FIG. 3 is another perspective view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is top view thereof; and,
FIG. 6 is a bottom view thereof.
In the drawings, the broken lines depict portions of the multi-configuration batting tee assembly that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2005/0130771	A1 *	6/2005	Tsai	A63B 69/0002 473/417
2005/0143196	A1	6/2005	Tsai	
2008/0064534	A1 *	3/2008	Lortscher	A63B 69/0075 473/417
2008/0207358	A1 *	8/2008	Chisena	A63B 69/0075 473/417
2009/0093325	A1 *	4/2009	Meltzer	A63B 63/06 473/454
2010/0267493	A1	10/2010	Chisena	
2014/0302948	A1 *	10/2014	Holland	A63B 69/0075 473/417
2015/0283437	A1	10/2015	Liang	
2017/0368436	A1 *	12/2017	Burrell	A63B 69/0002

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6