



US00D934696S

(12) **United States Design Patent** (10) **Patent No.:** **US D934,696 S**  
**Lantz et al.** (45) **Date of Patent:** **\*\* Nov. 2, 2021**

(54) **CHILD-RESISTANT PACKAGING** 3,716,182 A \* 2/1973 Korn ..... B65D 33/165  
383/62  
(71) Applicant: **Norkol Packaging LLC**, Denver, CO 3,865,303 A \* 2/1975 Korn ..... B65D 33/28  
(US) 383/62  
(72) Inventors: **Travis Lantz**, Arvada, CO (US); D766,076 S 9/2016 Yuan  
**Katherine Irwin**, Weston, MA (US) D835,518 S \* 12/2018 Ibarra ..... B65D 33/1608  
D9/705

(Continued)

(73) Assignee: **Norkol Packaging LLC**, Denver, CO (US)

FOREIGN PATENT DOCUMENTS

(\*\*) Term: **15 Years**

CA 186880 5/2020

(21) Appl. No.: **29/666,597**

OTHER PUBLICATIONS

(22) Filed: **Oct. 15, 2018**

Green Tech Packaging, Inc, Mylar Bag Tear Notch All Black 1G—1,000 Count, Website, know at least prior to Oct. 15, 2018, Green Tech Packaging, Inc., www.greentechpackaging.com.

(51) **LOC (13) Cl.** ..... **09-05**

(52) **U.S. Cl.**  
USPC ..... **D9/709**

(58) **Field of Classification Search**

USPC ..... D9/702–714, 414–415, 417–418, 737, D9/424, 430–433, 730–732, 756, 761; D7/549, 553.2, 590, 602; D3/201, 203.1, D3/203.3, 303, 202; 206/527, 4.27, 807, 206/260, 811, 103, 203, 207; 220/23.4, 220/500, 666; 229/120.02, 120.011, 229/87.06; 426/114–115, 119, 120; 222/92, 107, 215, 206  
CPC ..... B65D 85/00; B65D 75/00; B65D 33/00; B65D 33/04; B65D 33/24; B65D 33/16; B65D 33/12; B65D 33/008; B65D 33/02; B65D 33/01; B65D 81/24; B65D 81/34; B65D 81/3415; B65D 81/343; B65D 81/3438; B65D 81/3446; B65D 81/3461; B65D 81/3266

See application file for complete search history.

*Primary Examiner* — Abraham Bahta  
(74) *Attorney, Agent, or Firm* — Schneider IP Law LLC; Laura A. Schneider

(57) **CLAIM**

The ornamental design for a child-resistant packaging, as shown and described.

**DESCRIPTION**


FIG. 1 is a front side view of a child-resistant packaging; FIG. 2 is a rear side view of the child-resistant packaging-in FIG. 1; FIG. 3 is a front side view of the child-resistant packaging-in FIG. 1 in a partially torn state; and, FIG. 4 is a top view of the child-resistant packaging-in FIG. 3, shown with the top portion completely torn off, illustrating the press-on closure mechanism on the interior of the bag.  
The uppermost broken line in each of FIGS. 1-3 is used to indicate a perforation line and forms part of the invention. The remaining broken lines are for illustrative purposes and form no part of the claimed invention.

**1 Claim, 4 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,217,971 A \* 11/1965 Shvetz ..... B65D 33/165  
383/203  
3,426,959 A \* 2/1969 Lemelson ..... B65D 75/66  
383/206



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D882,411 S \* 4/2020 Jacobsson ..... D9/712

\* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4