



US00D934807S

(12) **United States Design Patent** (10) **Patent No.:** **US D934,807 S**
Rehak et al. (45) **Date of Patent:** **** Nov. 2, 2021**

(54) **MULTIPLE CONNECTOR DEVICE**

(71) Applicant: **Crestron Electronics, Inc.**, Rockleigh, NJ (US)

(72) Inventors: **William Rehak**, Oradell, NJ (US);
Albert Pedoeem, West Orange, NJ (US); **Connie Gelsomino**, Mamaroneck, NY (US); **Marc Eric Johnson**, Hoboken, NJ (US)

(73) Assignee: **Crestron Electronics, Inc.**, Rockleigh, NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/619,288**

(22) Filed: **Sep. 28, 2017**

(51) **LOC (13) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/133; D13/146**

(58) **Field of Classification Search**
USPC D13/118, 123, 133, 137.1–139.8, D13/145–147, 154, 173, 177, 184, 199
CPC G02B 6/00; H01R 13/00; H01R 13/66; H01R 13/72; H01R 25/00; H02J 7/00; H02J 9/00; H02J 9/06; H04R 3/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D307,579 S *	5/1990	Layne	D13/137.3
5,019,767 A *	5/1991	Shirai	H01M 2/105 224/902
D367,261 S *	2/1996	Hansen	D13/138.1
D405,049 S *	2/1999	Huang	D13/133
D451,473 S *	12/2001	Goto	D13/147
D465,451 S *	11/2002	Hirano	D13/107
D547,266 S *	7/2007	Wong	D13/110
D575,228 S *	8/2008	So	D13/110
D586,752 S *	2/2009	Diamond	D13/147

D592,597 S *	5/2009	van der Lande	D13/139.8
D646,640 S *	10/2011	Clymer	D13/160
D657,310 S *	4/2012	Fahrendorff	D13/110
D668,610 S *	10/2012	Li	D13/133

(Continued)

OTHER PUBLICATIONS

C2G 4 Outlet Power Cord Splitter, dated Dec. 20, 2002, [online], [site visited Aug. 3, 2020]. Available from Internet, URL: <https://www.amazon.com/Cables-divisor-alimentaci%C3%B3n-entrada-pulgadas/dp/B000083KIH> (Year: 2002).*

(Continued)

Primary Examiner — Shawn T Gingrich

(74) *Attorney, Agent, or Firm* — Crestron Electronics, Inc.

(57) **CLAIM**

The ornamental design for a multiple connector device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a multiple connector device illustrating the new design.

FIG. 2 shows a front view of the multiple connector device illustrated in FIG. 1.

FIG. 3 shows a rear perspective view of an alternative embodiment of the multiple connector device illustrated in FIG. 1.


FIG. 4 shows a top view of the multiple connector device illustrated in FIG. 1; and,

FIG. 5 shows a bottom view of the multiple connector device illustrated in FIG. 1.

The broken lines shown are for the purposes of illustrating the article and form no part of the claimed design.

The article is shown with a symbolic break in its length, represented by a curved break line. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D680,079 S * 4/2013 Richards D13/147
D715,741 S * 10/2014 Dallmeyer D13/146
D731,979 S * 6/2015 Edwards D13/146
D783,544 S * 4/2017 Peng D13/160
D845,892 S * 4/2019 Shum D13/107
D908,092 S * 1/2021 Jiang D13/137.4
2010/0141038 A1* 6/2010 Chapel H01R 25/003
307/64
2016/0112828 A1* 4/2016 Williams H04W 4/029
361/752
2016/0181750 A1* 6/2016 Trinh H01R 13/717
200/51 R

OTHER PUBLICATIONS

FUHAIHE 1 to 3 Outlet Power Splitter Cord , dated Dec. 23, 2018,
[online], [site visited Aug. 3, 2020], Available from Internet, URL:
<https://www.amazon.com/dp/B07MD4DWGZ> (Year: 2018).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5