

US00D934995S

(12) **United States Design Patent** (10) **Patent No.:** **US D934,995 S**
Mita et al. (45) **Date of Patent:** **** Nov. 2, 2021**

(54) **ELECTROMAGNETIC VALVE**

(71) Applicant: **SMC CORPORATION**, Chiyoda-ku
(JP)

(72) Inventors: **Minehiko Mita**, Joso (JP); **Seietsu Sumiyoshi**, Moriya (JP); **Naoyuki Maeda**, Ushiku (JP)

(73) Assignee: **SMC CORPORATION**, Chiyoda-ku
(JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/724,653**

(22) Filed: **Feb. 18, 2020**

(30) **Foreign Application Priority Data**

Sep. 3, 2019 (JP) 2019-019626

(51) **LOC (13) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/233**

(58) **Field of Classification Search**

USPC D23/233, 235, 249
CPC F16K 11/24; F16K 27/003; F16K 27/0263;
F16K 27/029; F16K 27/048; F16K
31/0634; F16K 31/0675; F16K 31/082;
F15B 13/0857; F02M 63/0017; F02M
51/061; H01F 2007/1692; Y10T
137/86614

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,603,355 A * 2/1997 Miyazoe F15B 13/0853
137/625.64
D636,460 S * 4/2011 Hayashi D23/233
D639,393 S * 6/2011 Hayashi D23/233
D653,308 S * 1/2012 Senba D23/233

D665,874 S * 8/2012 Senba D23/233
D693,903 S * 11/2013 Tamura D23/233
D695,380 S * 12/2013 Tamura D23/233
D698,900 S * 2/2014 Narita D23/233
D708,707 S * 7/2014 Matsumura D23/233
D752,714 S * 3/2016 Birke D23/233
D909,536 S * 2/2021 Yoshimura D23/233
D909,537 S * 2/2021 Yoshimura D23/233
D909,538 S * 2/2021 Yoshimura D23/233
D910,147 S * 2/2021 Yoshimura D23/233
D910,148 S * 2/2021 Yoshimura D23/233
D911,491 S * 2/2021 Sumiyoshi D23/233
2006/0283509 A1 * 12/2006 Narita F15B 13/0896
137/596.16
2014/0264106 A1 * 9/2014 Matsumura F16K 1/52
251/73
2018/0135766 A1 * 5/2018 Miyazoe F16K 27/003

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Oblon, McClelland,
Maier & Neustadt, L.L.P.

(57) **CLAIM**

The ornamental design for an electromagnetic valve, as
shown and described.

DESCRIPTION

FIG. 1 is a rear, top, and left side perspective view of an
electromagnetic valve;

FIG. 2 is a front, bottom, and right side perspective view
thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;


FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left side elevational view thereof; and,

FIG. 8 is a right side elevational view thereof.

The broken lines shown in the figures are for the purpose of
illustrating portions of the electromagnetic valve that form
no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7