



US00D935384S

(12) **United States Design Patent** (10) **Patent No.:** **US D935,384 S**
Mayni et al. (45) **Date of Patent:** **** *Nov. 9, 2021**

- (54) **TIRE**
- (71) Applicants: **Compagnie Generale des Etablissements Michelin**, Clermont-Ferrand (FR); **Michelin Recherche et Technique S.A.**, Granges-Paccot (CH)
- (72) Inventors: **Paul Andrew Mayni**, Greenville, SC (US); **Kai Chun Yang**, Greenville, SC (US); **Luz Restrepo**, Taylors, SC (US)
- (73) Assignee: **Compagnie Generale Des Etablissements Michelin**, Clermont-Ferrand (FR)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **15 Years**
- (21) Appl. No.: **29/576,268**
- (22) Filed: **Sep. 1, 2016**
- (51) **LOC (13) Cl.** **12-15**
- (52) **U.S. Cl.**
USPC **D12/588; D12/583**
- (58) **Field of Classification Search**
USPC D12/582, 583, 586, 587, 588, 600, 602
CPC B60C 11/03; B60C 11/0306
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D646,624 S * 10/2011 Yamaguchi D12/584
D652,369 S * 1/2012 Lebreton D12/583
D727,249 S * 4/2015 Rolland D12/583
D727,839 S * 4/2015 Rolland D12/583
D727,840 S * 4/2015 Rolland D12/583
D728,460 S * 5/2015 Sylvino D12/583
D729,152 S * 5/2015 Rolland D12/583

- D736,146 S * 8/2015 Rolland D12/600
- D739,813 S * 9/2015 Moore D12/600
- D739,814 S * 9/2015 Moore D12/600
- D750,552 S * 3/2016 Fabre D12/602
- D751,495 S * 3/2016 Flynn D12/600
- D754,060 S * 4/2016 Wang D12/584
- D758,287 S * 6/2016 Zivkovic D12/549

(Continued)

Primary Examiner — Robert M. Spear
(74) *Attorney, Agent, or Firm* — Neal P. Pierotti

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the tread is repeated throughout the circumference of the tire, the opposite side perspective being identical thereto, it being understood that the sidewall forms no part of the claimed design;

FIG. 2 is a front elevation view thereof, the rear elevation being identical thereto;

FIG. 3 is a side elevation view thereof, the opposite side elevation being identical thereto;

FIG. 4 is a section view of the tire taken along plane A-A shown in FIG. 2;

FIG. 5 is an enlarged view of a portion of the tire of FIG. 2;

FIG. 6 is a perspective view of a second embodiment of a tire including our new tread design, the opposite side perspective being identical thereto;

FIG. 7 is a front elevation view of said tire; the rear elevation being identical thereto;


FIG. 8 is a side elevation view of said tire, the opposite side elevation being identical thereto;

FIG. 9 is a detail view of the tire of FIG. 6; and,

FIG. 10 is a section view of said tire taken along plane A-A shown in FIG. 7.

The broken lines showing portions of a tire depict environment and form no part of the claim.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D758,289	S *	6/2016	Cagneaux	D12/564
D758,296	S *	6/2016	Oraison	D12/602
D767,481	S *	9/2016	Fujioka	D12/602
D778,232	S *	2/2017	Fabre	D12/602
D791,688	S *	7/2017	Trowbridge	D12/588
2015/0107736	A1 *	4/2015	Hong	B60C 11/0041 152/209.5

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10