



US00D935385S

(12) **United States Design Patent** (10) **Patent No.:** **US D935,385 S**
Debordeaux (45) **Date of Patent:** **** Nov. 9, 2021**

(54) **TIRE**

(71) Applicant: **COMPAGNIE GENERALE DES ETABLISSEMENTS MICHELIN**, Clermont-Ferrand (FR)

(72) Inventor: **Héloïse Debordeaux**, Clermont-Ferrand (FR)

(73) Assignee: **COMPAGNIE GENERALE DES ETABLISSEMENTS MICHELIN**, Clermont-Ferrand (FR)

(**) Term: **15 Years**

(21) Appl. No.: **29/697,627**

(22) Filed: **Jul. 10, 2019**

(30) **Foreign Application Priority Data**

D99,981 S 6/1936 Anderson
D104,558 S 5/1937 Carter
D154,950 S 8/1949 Ortner
D222,215 S 10/1971 Munoz
D265,813 S 8/1982 Sladky
D327,810 S 7/1992 Unger
D349,210 S 8/1994 Capella
D362,223 S 9/1995 Attinello et al.
D367,456 S 2/1996 Scarpitti et al.
D367,836 S 3/1996 Scarpitti et al.
D369,769 S 5/1996 Attinello et al.
D378,811 S 4/1997 Attinello
D388,041 S 12/1997 Cross
D451,056 S 11/2001 Webb
D461,643 S 8/2002 Missoni
D472,391 S 4/2003 Femenia
D477,274 S 7/2003 Leynaert et al.
D479,190 S 9/2003 Maxwell
D481,988 S 11/2003 Wachendorf
D483,010 S 12/2003 Maxwell
D500,473 S 1/2005 Boggs
D532,613 S 11/2006 Wu

(Continued)

Jan. 10, 2019 (EM) 005977030

(51) **LOC (13) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/604, 605
CPC B60C 13/00; B60C 1/00
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D44,854 S 11/1913 Morris
D44,855 S 11/1913 Morris
D46,439 S 9/1914 Marshall
D47,892 S 9/1915 Hauvette-Michelin
D47,963 S 10/1915 Mooney et al.
D48,690 S 3/1916 McGraw
D58,018 S 5/1921 Campbell
D63,022 S 9/1923 Black

Primary Examiner — Michelle E. Wilson
Assistant Examiner — Clese Moore, Jr.
(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(57) **CLAIM**


The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a side elevation view of the tire of my design; FIG. 2 is a side elevation view of the tire of my design, taken from the opposite side of that shown in FIG. 1; and, FIG. 3 is an enlarged, partial view of the tire taken along the line 3-3 of FIG. 1.

The dash-dot-dot-dash lines define the peripheral boundaries of the claim. The broken line disclosure in the drawings depicts environmental subject matter forming no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D542,218 S 5/2007 Maxwell
 D553,075 S 10/2007 Miyazaki
 D568,806 S 5/2008 Dixon et al.
 D569,792 S * 5/2008 Holden D12/605
 D585,017 S * 1/2009 Shondel D12/605
 D588,532 S * 3/2009 Shondel D12/605
 D592,591 S * 5/2009 Kuwano D12/605
 D593,486 S * 6/2009 Yonetsu D12/605
 D593,939 S * 6/2009 Maxwell D12/605
 D606,013 S 12/2009 Reese et al.
 D631,262 S 1/2011 Evans
 D647,473 S * 10/2011 Kujime D12/605
 D655,671 S * 3/2012 Yasunaga D12/605
 D669,841 S 10/2012 Kiwaki
 D669,845 S 10/2012 Iwabuchi
 D674,745 S 1/2013 Miyazaki
 D676,805 S 2/2013 Iwabuchi
 D677,217 S 3/2013 Iwabuchi
 D678,832 S * 3/2013 Fontaine D12/605
 D680,490 S * 4/2013 Iwabuchi D12/605
 D700,886 S 3/2014 Matsumoto

D711,816 S * 8/2014 Iwabuchi D12/605
 D740,747 S * 10/2015 Sato D12/605
 D748,045 S 1/2016 Kitamura
 D749,498 S 2/2016 Ropars
 D750,554 S 3/2016 Iwabuchi
 D750,555 S 3/2016 Iwabuchi
 D753,052 S 4/2016 Kato
 D768,067 S * 10/2016 Kuwano D12/605
 D769,807 S 10/2016 Ishikawa
 D773,987 S * 12/2016 Ishikawa D12/605
 D778,813 S 2/2017 Ropars
 D789,879 S * 6/2017 Itoi D12/605
 D790,450 S * 6/2017 Sato D12/605
 D792,337 S * 7/2017 Ishikawa D12/605
 D792,338 S * 7/2017 Itoi D12/605
 D792,340 S * 7/2017 Iwabuchi D12/605
 D800,646 S * 10/2017 Sato D12/605
 D801,263 S * 10/2017 Sato D12/605
 D802,526 S * 11/2017 Ishikawa D12/605
 D806,643 S * 1/2018 Yasunaga D12/605
 D829,644 S * 10/2018 Morita D12/605
 D829,645 S * 10/2018 Morita D12/605
 D830,960 S * 10/2018 Sato D12/605

* cited by examiner




FIG. 1




FIG. 2




FIG. 3