



US00D935432S

(12) **United States Design Patent**  
**Mangum et al.**

(10) **Patent No.:** **US D935,432 S**

(45) **Date of Patent:** **\*\* Nov. 9, 2021**

- (54) **SPEAKER DEVICE**
- (71) Applicant: **Google LLC**, Mountain View, CA (US)
- (72) Inventors: **Kristen Mangum**, San Mateo, CA (US); **Maj Isabelle Olsson**, Sunnyvale, CA (US); **Katherine Morgenroth**, Los Gatos, CA (US); **Livius Dumitru Chebeleu**, San Jose, CA (US); **Carl Ceyress**, Mountain View, CA (US); **Jung Geun Tak**, Millbrae, CA (US)
- (73) Assignee: **GOOGLE LLC**, Mountain View, CA (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/734,356**
- (22) Filed: **May 12, 2020**

D454,429 S *	3/2002	Hussaini	.....	D3/274
D484,853 S	1/2004	Alviar		
D558,977 S	1/2008	Peart		
D575,730 S *	8/2008	Hung	.....	D13/110
D578,105 S	10/2008	Komiyama		
D587,239 S	2/2009	Raisanen et al.		
D590,812 S	4/2009	Muraoka et al.		

(Continued)

**FOREIGN PATENT DOCUMENTS**

CN	304261281 S	8/2017
JP	1575144 S	5/2017
JP	1594394 S	1/2018

**OTHER PUBLICATIONS**

Notice of Grant for Japanese Design Patent Application No. 2017-027443, dated Jul. 10, 2018. 3 pages.

*Primary Examiner* — Janice Patyk

(74) *Attorney, Agent, or Firm* — Leason Ellis LLP

**Related U.S. Application Data**

(63) Continuation of application No. 29/685,757, filed on Mar. 29, 2019, now Pat. No. Des. 886,796, which is a continuation of application No. 29/615,773, filed on Aug. 31, 2017, now abandoned.

(51) **LOC (13) Cl.** ..... **14-01**

(52) **U.S. Cl.**  
USPC ..... **D14/204**

(58) **Field of Classification Search**  
USPC ..... D14/170–172, 188, 203.1, 203.3, 204, D14/348  
CPC . H04R 1/02; H04R 1/023; H04R 5/00; H04R 7/00; H04R 7/02; H04R 9/06; H04R 2400/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D360,417 S	7/1995	Mark		
D379,093 S *	5/1997	Vollum	.....	D14/216

(57)

**CLAIM**


The ornamental design for a speaker device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a speaker device showing our new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right-side elevational view thereof;  
FIG. 5 is a left-side elevational view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.

The subject matter in this patent includes illuminated indicator lights of a speaker device. The evenly-spaced broken radiating lines in FIGS. 1-6 are used to indicate an illuminated state. The broken lines in the figures illustrate the portions of the design that form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D602,019 S 10/2009 Wang et al.  
D639,238 S \* 6/2011 Serrano ..... D13/110  
D660,229 S \* 5/2012 Tseng ..... D13/110  
D702,185 S 4/2014 Yata et al.  
D707,203 S \* 6/2014 Xie ..... D14/214  
D712,830 S \* 9/2014 Zhou ..... D13/110  
D713,788 S 9/2014 Hasegawa et al.  
D714,015 S \* 9/2014 Hyde ..... D99/28  
D735,476 S \* 8/2015 Duvigneau ..... D3/294  
D739,845 S 9/2015 Hwang  
D756,330 S 5/2016 Silvera  
D766,827 S 9/2016 Chen et al.  
D789,326 S \* 6/2017 Hinokio ..... D14/204  
D806,711 S 1/2018 Sakaguchi et al.  
D807,290 S 1/2018 Liao  
D821,983 S \* 7/2018 Shah ..... D13/168  
2012/0062483 A1 3/2012 Ciesla et al.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7