



US00D935502S

(12) **United States Design Patent**
Yamashiro et al.

(10) **Patent No.:** **US D935,502 S**

(45) **Date of Patent:** **** Nov. 9, 2021**

(54) **INDUSTRIAL ROBOT**

(71) Applicant: **FANUC CORPORATION**, Yamanashi (JP)

(72) Inventors: **Hikaru Yamashiro**, Yamanashi (JP); **Kei Watanabe**, Yamanashi (JP); **Keishi Yoneda**, Yamanashi (JP); **Masahide Shinagawa**, Yamanashi (JP); **Harutora Inaba**, Yamanashi (JP)

(73) Assignee: **FANUC CORPORATION**, Yamanashi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/737,916**

(22) Filed: **Jun. 12, 2020**

(30) **Foreign Application Priority Data**

Dec. 13, 2019 (JP) 2019-027772

(51) **LOC (13) Cl.** **15-99**

(52) **U.S. Cl.**
USPC **D15/199**

(58) **Field of Classification Search**
USPC D15/122, 199; D21/578-583; D32/21; D34/34
CPC B25J 9/046; B25J 9/042; B25J 9/06; H01L 21/67766
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D267,883 S * 2/1983 Susnjara D15/122
D269,681 S * 7/1983 Morser D15/122
D279,572 S * 7/1985 Yasuoka D15/122
D287,368 S * 12/1986 Shibayama D15/122
D293,449 S * 12/1987 Kaufmann D15/122

D296,790 S * 7/1988 Tsuburaya D15/122
D300,935 S * 5/1989 Maddock D15/122
D307,282 S * 4/1990 Suica D15/199
D334,581 S * 4/1993 Yoshikawa D15/199
D344,279 S * 2/1994 Koyama D15/199
D344,280 S * 2/1994 Koyama D15/199
D410,477 S * 6/1999 Nihei D15/199
D440,241 S * 4/2001 Kawahara D15/199
D443,287 S * 6/2001 Kawahara D15/199
D444,488 S * 7/2001 Selic D15/199
D449,057 S * 10/2001 Selic D15/199
D615,574 S * 5/2010 Liu D15/199
D616,477 S * 5/2010 Long D15/199
D616,909 S * 6/2010 Long D15/199
D624,104 S * 9/2010 Miyake D15/199
7,810,765 B2 * 10/2010 Burlot H02G 3/0481
248/75
D629,030 S * 12/2010 Long D15/199
D636,803 S * 4/2011 Nakagiri D15/199
D650,820 S * 12/2011 Long D15/199
D651,627 S * 1/2012 Long D15/199

(Continued)

Primary Examiner — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.


(57) **CLAIM**

The ornamental design for an industrial robot, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of an industrial robot showing our new design;
FIG. 2 is a second perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a top plan thereof; and,
FIG. 8 is a bottom plan view thereof.
The broken lines depict subject matter that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D678,378 S * 3/2013 Selic D15/199
D681,708 S * 5/2013 Miyake D15/199
8,434,387 B2 * 5/2013 Nakagiri B25J 9/104
74/665 R
D690,753 S * 10/2013 Liu D15/199
D707,277 S * 6/2014 Olsson D15/199
D713,436 S * 9/2014 Liu D15/199
D766,348 S * 9/2016 Long D15/199
D769,343 S * 10/2016 Bordegnoni D15/199
D769,954 S * 10/2016 Kinoshita D15/199
D778,971 S * 2/2017 Long D15/199
D802,041 S * 11/2017 He D15/199
D837,294 S * 1/2019 Ciniello D19/59
D841,707 S * 2/2019 Yamamoto D15/199
D852,863 S * 7/2019 Dosho D15/199
D865,828 S * 11/2019 Bogart D15/199
D870,169 S * 12/2019 Dosho D15/199
D877,787 S * 3/2020 Kinoshita D15/199
D881,251 S * 4/2020 Abe D15/199
D896,859 S * 9/2020 Naitou D15/199
D905,774 S * 12/2020 Inoue D15/199
D911,408 S * 2/2021 Okada D15/199
2005/0092122 A1 * 5/2005 Markert B25J 19/0075
74/490.01
2005/0126327 A1 * 6/2005 Markert B25J 19/0054
74/490.02
2008/0271561 A1 * 11/2008 Ohara B25J 9/0018
74/490.01

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8