



US00D935917S

(12) **United States Design Patent**
Umair et al.(10) **Patent No.:** US D935,917 S
(45) **Date of Patent:** ** *Nov. 16, 2021(54) **TRACKING DEVICE**(71) Applicant: **Tile, Inc.**, San Mateo, CA (US)(72) Inventors: **Muhammad Umair**, Pleasanton, CA (US); **Matthew Edward Kramer**, Los Gatos, CA (US); **Christopher Sean Wheaton**, San Francisco, CA (US)(73) Assignee: **Tile, Inc.**, San Mateo, CA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**(21) Appl. No.: **29/776,472**(22) Filed: **Mar. 30, 2021****Related U.S. Application Data**

(63) Continuation of application No. 29/693,068, filed on May 30, 2019, now Pat. No. Des. 918,073.

(51) **LOC (13) Cl.** **10-04**(52) **U.S. Cl.**USPC **D10/70; D10/106.6**(58) **Field of Classification Search**USPC **D10/70, 106.9**

CPC G08B 13/126; G08B 13/128; G08B 13/14; G08B 13/1427; G08B 13/1409; G08B 13/1436; G08B 13/1445; G08B 13/1463; G08B 13/1472; G08B 13/1481; G08B 13/149; G08B 13/2428; G08B 13/2434; G08B 13/2437; G08B 21/24; G09F 3/18; G09F 3/185; G09F 3/20; G09F 3/201; G09F 3/202; G09F 3/203; G09F 3/204; G09F 3/205; G09F 3/206; G09F 3/207; G09F 3/208; G09F 3/005; A41D 1/02; A44C 5/0015; A44C 5/02; A44C 5/14; A61B 19/44; A61B 2019/446; A61B 71/00; A61B 71/0686; A61B 5/02416; A61B 5/1118; A61B 2/721; A61B 5/002; A61B 5/112; A61B 5/1122; A61B 5/746; A61B 5/6823; A61B 5/72; A61B 5/7445;

A61B 5/0022; A61B 5/14532; A63B 71/06; A63B 26/00; A63B 24/0075; A63B 2071/0663; A63B 24/0062; A63B 24/0084; A63B 2024/0068; A63B 2024/0078; A63B 2024/0056; A63B 2071/0625; A63B 2071/003; A63B 2071/063; A63B 2071/065; A63B 2071/068; A63B 2071/0675; A63B (Continued)

(56)

References Cited

U.S. PATENT DOCUMENTS

D801,200 S 10/2017 Farley et al.
D817,199 S * 5/2018 Farley D10/70
(Continued)

FOREIGN PATENT DOCUMENTS

JP 1573446 S 3/2017

Primary Examiner — Antoine Duval Davis

(74) Attorney, Agent, or Firm — Fenwick & West LLP

(57) **CLAIM**

The ornamental design for a tracking device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tracking device; FIG. 2 is a rear perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a front elevational view thereof; and,

FIG. 8 is a rear elevational view thereof.

The broken lines in the drawings showing portions of the tracking device are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 8 Drawing Sheets

(58) **Field of Classification Search**

CPC 2220/40; A63B 2220/803; A63B 2220/12;
A63B 2220/20; A63B 2220/22; A63B
2220/30; A63B 2225/50; A63B 2225/02;
A63B 2225/06; A63B 2230/75; A63B
2024/0065; A63B 2024/0081; A63B
2220/51; A63B 2220/62; A63B 2220/836;
G06F 1/163; G06F 3/038; G06F 3/03547;
G04G 17/00; G04G 17/08; G04G 17/04;
G04G 21/02; G04G 21/00; G04G 21/08;
G04B 37/1486; G06Q 10/00; G06Q
50/00; G09B 9/00; G09B 19/00; G04F
10/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D818,386 S	5/2018	Barovic	
D819,468 S *	6/2018	Komoni	D10/70
D819,469 S *	6/2018	Farley	D10/70
D869,301 S *	12/2019	Komoni	D10/70
D918,073 S *	5/2021	Umair	D10/70

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



10.5




FIG. 6




FIG. 7




FIG. 8