



US00D935989S

(12) **United States Design Patent** (10) **Patent No.:** **US D935,989 S**
Cerny (45) **Date of Patent:** **** Nov. 16, 2021**

(54) **TIRE**
(71) Applicant: **Bridgestone Bandag, LLC**, Muscatine, IA (US)
(72) Inventor: **Andrew D. Cerny**, Riverside, IA (US)
(73) Assignee: **Bridgestone Bandag, LLC**, Muscatine, IA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/730,058**
(22) Filed: **Apr. 1, 2020**
(51) **LOC (13) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/600**
(58) **Field of Classification Search**
USPC D12/568-604, 900
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

D766,171 S 9/2016 Fujioka
D768,559 S 10/2016 Fujjoka
D768,563 S 10/2016 Fujioka
D781,224 S 3/2017 De Giacco
D784,251 S * 4/2017 Cerny D12/600
D787,434 S 5/2017 Oji

(Continued)

Primary Examiner — John A Voytek

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION


FIG. 1 is a side perspective view of a first embodiment of a tire showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being the same as that shown;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view of the left side thereof;
FIG. 4 is a side elevational view of the right side thereof;
FIG. 5 is an enlarged fragmentary front elevational view of FIG. 2;
FIG. 6 is a side perspective view of a second embodiment of a tire showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being the same as that shown;
FIG. 7 is a front elevational view thereof;
FIG. 8 is a side elevational view of the left side thereof;
FIG. 9 is a side elevational view of the right side thereof;
and,
FIG. 10 is an enlarged fragmentary front elevational view of FIG. 7.
In the drawings, the shaded surfaces comprise the claim. The broken lines defining the sidewall, inner bead, tread groove walls, tread groove bottoms and the peripheral boundary between the claimed tire tread and the sidewall depict environmental subject matter that forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D569,334 S	5/2008	Maziarka	
D592,589 S	5/2009	Dixon	
D609,165 S	2/2010	Fujioka	
D615,921 S *	5/2010	Cerny	D12/583
D616,357 S *	5/2010	Cerny	D12/600
D637,141 S	5/2011	Fujioka	
D647,468 S *	10/2011	Weaver	D12/588
D676,800 S *	2/2013	Buchinger-Barnstorf	D12/580
8,776,847 B2	7/2014	Benedittis	
D713,783 S	9/2014	Buchinger-Barnstorf	
D722,950 S	2/2015	Compte	
D736,695 S *	8/2015	Dixon	D12/594
D738,815 S	9/2015	Dixon	
D754,590 S	4/2016	Kristen	
D759,582 S	6/2016	Nobunaga	

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D787,436	S *	5/2017	Dixon	D12/600
D791,689	S	7/2017	Schuessler	
D798,226	S	9/2017	Parr	
D805,462	S	12/2017	Dixon	
D807,283	S	1/2018	Oji	
D813,796	S	3/2018	Dixon	
D816,019	S	4/2018	Schimmoeller	
D832,198	S	10/2018	Schultz	
D834,509	S	11/2018	Wang	
D848,937	S *	5/2019	Koog	D12/588
D856,912	S	8/2019	Schultz	
D860,927	S *	9/2019	Dixon	D12/600
D864,103	S *	10/2019	Kong	D12/594
2017/0106701	A1 *	4/2017	Ito	B60C 11/1204
2019/0184760	A1 *	6/2019	Cerny	B60C 11/1259
2020/0070588	A1 *	3/2020	Cerny	B60C 11/1218

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG.8




FIG. 9




FIG.10