



US00D935991S

(12) **United States Design Patent** (10) **Patent No.:** **US D935,991 S**
Ishikawa (45) **Date of Patent:** **** Nov. 16, 2021**

(54) **TIRE SIDEWALL**
(71) Applicant: **BRIDGESTONE CORPORATION**,
Tokyo (JP)
(72) Inventor: **Naoko Ishikawa**, Tokyo (JP)
(73) Assignee: **BRIDGESTONE CORPORATION**,
Tokyo (JP)
(**) Term: **15 Years**

D777,656 S * 1/2017 Maxwell D12/605
D792,337 S * 7/2017 Ishikawa D12/605
D792,340 S * 7/2017 Iwabuchi D12/605
D802,526 S * 11/2017 Ishikawa D12/605
D817,860 S * 5/2018 Maxwell D12/605
D823,785 S * 7/2018 Noel D12/605
D829,163 S * 9/2018 Ishikawa D12/605
D829,643 S * 10/2018 Mita D12/605
D847,735 S * 5/2019 Schoeppner D12/605
D848,356 S * 5/2019 Maxwell D12/605
D851,028 S * 6/2019 Mishima D12/605

(Continued)

(21) Appl. No.: **29/740,854**
(22) Filed: **Jul. 8, 2020**

FOREIGN PATENT DOCUMENTS

JP 1349429 S 1/2009
JP 1379485 S 2/2010

(Continued)

(30) **Foreign Application Priority Data**
Jan. 9, 2020 (JP) 2020-00265

Primary Examiner — Michelle E. Wilson
Assistant Examiner — Clese Moore, Jr.
(74) *Attorney, Agent, or Firm* — Kenja IP Law PC

(51) **LOC (13) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/605**
(58) **Field of Classification Search**
USPC D12/604, 605
CPC B60C 13/00; B60C 1/00
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.


DESCRIPTION

(56) **References Cited**
U.S. PATENT DOCUMENTS

FIG. 1 is a perspective view of a tire sidewall showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof, the bottom view being a same image thereof;
FIG. 4 is a right side view thereof, the left side view being a same image thereof
FIG. 5 is a rear view thereof; and,
FIG. 6 is a fragmentary enlarged cross section view taken along line 6-6 between 6-6 in FIG. 2.
The broken lines shown illustrate portions of the tire sidewall that form no part of the claimed design.

D517,003 S * 3/2006 Shondel D12/605
D543,499 S * 5/2007 Shondel D12/605
D555,583 S * 11/2007 Itoi D12/605
D569,792 S 5/2008 Holden et al.
D588,532 S 3/2009 Shondel
D593,939 S * 6/2009 Maxwell D12/605
D632,641 S * 2/2011 Sato D12/605
D650,323 S 12/2011 Morito
D663,681 S * 7/2012 Corsi D12/605
D711,816 S * 8/2014 Iwabuchi D12/605
D769,182 S * 10/2016 Iwabuchi D12/605
D773,987 S * 12/2016 Ishikawa D12/605
D773,988 S * 12/2016 Itoi D12/605

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D852,734	S	*	7/2019	Tanaka	D12/605
D853,950	S	*	7/2019	Kubota	D12/605
D856,915	S	*	8/2019	Nagase	D12/605
D864,105	S	*	10/2019	Sato	D12/605
D886,729	S	*	6/2020	Schoeppner	D12/605

FOREIGN PATENT DOCUMENTS

JP	1417892	S	7/2011
JP	1417893	S	7/2011
JP	1607228	S	6/2018
KR	300936241	S	12/2017
KR	300936242	S	12/2017

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

