

US00D936242S

(12) **United States Design Patent** (10) **Patent No.:** **US D936,242 S**
Iverson (45) **Date of Patent:** **** Nov. 16, 2021**

(54) **COMPOSITE REINFORCED WOOD STUD FOR BUILDINGS**

(71) Applicant: **Roosevelt Energy, LLC**, Ham Lake, MN (US)

(72) Inventor: **Brian Iverson**, Ham Lake, MN (US)

(73) Assignee: **Roosevelt Energy, Inc.**, Ham Lake, MN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/703,605**

(22) Filed: **Aug. 28, 2019**

(51) **LOC (13) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/126**

(58) **Field of Classification Search**

USPC D25/119, 125, 126, 127, 128, 129, 130, D25/131, 132, 133, 135, 136, 61, 164; D8/45, 71, 394-396, 349, 354, 355; D15/135, 136, 138
CPC E04B 9/068; E04B 1/19; E04B 1/1903; E04B 1/24; E04B 1/2403; E04B 1/40; E04B 2001/2415; E04B 2001/2421; E04B 2001/2451; E04B 1/161; E04B 2002/8694; E04B 2/845; E04B 1/26; E04B 2001/2472; E04B 2001/249; E04B 1/486; E04C 3/07; E04C 2003/046; E04C 3/04; E04C 3/06; E04C 2/34; E04C 2003/0486; E04C 2003/0491; E04H 12/2269; E04H 12/24; E04H 15/34; E04H 17/1421; E04H 12/00; B60K 25/08; C21D 1/42; C21D 1/667; C21D 9/0062; C21D 9/40; F16D 11/14; F16D 15/00; F16D 1/101; F16D 1/12; H05B 6/101; H05B 6/109; H05B 6/36;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,219,840 A * 3/1917 Monrath E04G 11/22 425/213
1,911,018 A * 5/1933 Goeltz E04C 5/06 52/648.1

(Continued)

FOREIGN PATENT DOCUMENTS

EP 1705305 9/2006
RU 86608 U1 9/2009

(Continued)

OTHER PUBLICATIONS

Extended European Search Report for Application No. 16824858.1, dated Apr. 1, 2019, 9 pages.

(Continued)

Primary Examiner — Samantha Q Lawrence

(74) *Attorney, Agent, or Firm* — Taft Stettinius & Hollister LLP; Gerald E. Helget

(57) **CLAIM**


The ornamental design for a composite reinforced wood stud for buildings, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view showing my new design for a composite reinforced wood stud for buildings; FIG. 2 is a right side elevational view; FIG. 3 is a front elevational view; FIG. 4 is a left side elevational view; FIG. 5 is a rear elevational view; FIG. 6 is a top plan view; and, FIG. 7 is a bottom plan view.

The composite reinforced wood stud for buildings is shown with symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



(58) **Field of Classification Search**
 CPC . H05B 6/42; H05B 6/44; Y02B 10/25; H01Q
 1/42
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,559,355 A * 2/1971 Day E04B 1/161
 52/251
 4,224,774 A 9/1980 Petersen
 4,329,827 A 5/1982 Thorn
 4,578,909 A 4/1986 Henley et al.
 4,578,914 A 4/1986 Staples
 4,671,032 A 6/1987 Reynolds
 4,720,948 A 1/1988 Henley et al.
 4,852,310 A 8/1989 Henley et al.
 4,852,322 A 8/1989 McDermid
 4,937,122 A 6/1990 Talbert
 5,209,036 A 5/1993 Cancillari
 5,609,006 A 3/1997 Boyer
 5,617,693 A 4/1997 Hefner
 5,720,144 A 2/1998 Knudson et al.
 6,052,953 A * 4/2000 Jewell E04B 1/24
 52/639
 6,073,413 A * 6/2000 Tongiatama E04B 1/26
 52/693
 6,125,608 A 10/2000 Charlson
 6,314,696 B2 * 11/2001 Fust, III E04B 2/8652
 52/309.8
 6,378,260 B1 * 4/2002 Williamson E04B 2/8617
 52/309.12
 7,185,471 B2 * 3/2007 Schmerber E04C 3/17
 156/331.7
 7,574,837 B2 8/2009 Hagen, Jr. et al.
 7,743,578 B2 6/2010 Edmondson
 7,866,112 B2 1/2011 Edmondson
 8,424,266 B2 4/2013 Edmondson
 8,516,778 B1 8/2013 Wilkens
 8,793,948 B2 8/2014 Beattie
 8,820,034 B1 9/2014 Watts et al.

9,103,113 B2 8/2015 Lockhart
 9,604,428 B2 3/2017 Walker
 9,677,264 B2 6/2017 Iverson
 D796,063 S * 8/2017 Dettbarn D25/61
 9,783,985 B2 10/2017 Iverson
 10,253,499 B2 * 4/2019 Hercus E04C 3/16
 D872,875 S * 1/2020 Dettbarn D25/61
 10,584,475 B1 * 3/2020 Idd E04B 1/165
 10,731,332 B1 * 8/2020 Iverson E04B 2/7412
 D895,157 S * 9/2020 Oldroyd D25/128
 D896,401 S * 9/2020 Oldroyd D25/128
 2005/0050847 A1 3/2005 Lott
 2005/0183367 A1 8/2005 Lembo
 2006/0236652 A1 10/2006 Kismarton
 2006/0254197 A1 11/2006 Tiberi et al.
 2007/0130866 A1 6/2007 Lott
 2007/0227095 A1 10/2007 Hubbe
 2007/0283661 A1 12/2007 Daniels
 2008/0196349 A1 * 8/2008 Gonzalez E04B 2/845
 52/653.1
 2008/0245030 A1 10/2008 Sieber
 2010/0037542 A1 2/2010 Tiberi et al.
 2010/0236172 A1 9/2010 Wirth
 2010/0300037 A1 12/2010 Turner et al.
 2011/0107693 A1 5/2011 Haskell
 2011/0239573 A1 10/2011 Lockhart
 2012/0011793 A1 1/2012 Clark et al.
 2016/0289968 A1 10/2016 De Waal
 2016/0356044 A1 12/2016 Thompson

FOREIGN PATENT DOCUMENTS

WO 2014197972 12/2014
 WO 2017011121 1/2017

OTHER PUBLICATIONS

Betzwood Associated PC, "5 Proven Ways to Optimize Framing,"
<http://www.betzwood.com/2012/08/09/optimize-framing/>, pp. 1-7.
 International Search Report and Written Opinion of PCT/US2016/
 037357, dated Sep. 8, 2016.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6




Fig. 7