



US00D936263S

(12) **United States Design Patent** (10) **Patent No.:** **US D936,263 S**  
**Yang** (45) **Date of Patent:** **\*\* Nov. 16, 2021**

(54) **SENSOR LIGHT**

(71) Applicant: **Yi Yang**, Suizhou (CN)

(72) Inventor: **Yi Yang**, Suizhou (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/773,881**

(22) Filed: **Mar. 12, 2021**

(51) **LOC (13) Cl.** ..... **26-05**

(52) **U.S. Cl.**  
USPC ..... **D26/60**

(58) **Field of Classification Search**  
USPC ..... D26/1, 225, 94, 51, 68, 93, 60, 37, 113,  
D26/26

CPC .... F21S 6/00; F21S 6/002; F21S 6/004; F21S  
4/00; F21S 4/15; F21S 2/00; F21S 8/033;  
F21S 8/036; F21S 8/085; F21S 8/088;  
F21S 8/081; F21S 8/083; F21L 2003/00;  
F21L 4/00; F21L 4/005; F21L 4/02; F21L  
4/025; F21V 21/08; F21V 33/00; F21V  
14/02; F21V 14/025

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D248,593	S	*	7/1978	Oster	.....	D26/3
D473,328	S	*	4/2003	Chelf	.....	D26/3
D476,753	S	*	7/2003	Chelf	.....	D26/3
D530,837	S	*	10/2006	Loughrey	.....	D26/3
8,579,463	B2	*	11/2013	Clough	.....	F21V 29/74 362/217.13
9,004,716	B2	*	4/2015	Ai	.....	F21V 23/06 362/219

9,609,711	B2	*	3/2017	Jiang	.....	B23K 1/0016
9,851,073	B2	*	12/2017	Jiang	.....	F21V 11/00
9,903,537	B2	*	2/2018	Jiang	.....	F21V 7/005
9,945,520	B2	*	4/2018	Jiang	.....	F21V 17/101
10,021,742	B2	*	7/2018	Jiang	.....	F21V 23/023
10,190,749	B2	*	1/2019	Jiang	.....	F21V 3/02
D866,815	S		11/2019	Wang		
D906,569	S		12/2020	Wu		
D917,752	S	*	4/2021	Chien	.....	D26/37
D918,446	S	*	5/2021	Bourne	.....	D26/37
2009/0295311	A1	*	12/2009	Duerr	.....	F21L 4/027 315/313

\* cited by examiner

*Primary Examiner* — Mark A Goodwin  
*Assistant Examiner* — Benjamin M Weeks


(57) **CLAIM**

The ornamental design for a sensor light, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a sensor light showing my new design;  
FIG. 2 is another perspective view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a top plan view thereof; and,  
FIG. 8 is a bottom plan view thereof.  
The broken lines in the drawings depict portions of the sensor light that form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8