

US00D936346S

(12) **United States Design Patent**
Chang

(10) **Patent No.:** **US D936,346 S**

(45) **Date of Patent:** **** Nov. 23, 2021**

- (54) **SHOE MIDSOLE PERIPHERY**
- (71) Applicant: **Skechers U.S.A., Inc. II**, Manhattan Beach, CA (US)
- (72) Inventor: **Glen Chang**, Rancho Palos Verdes, CA (US)
- (73) Assignee: **Skechers U.S.A., Inc. II**, Manhattan Beach, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/776,815**

D378,012 S *	2/1997	Le	D2/964
5,628,128 A *	5/1997	Miller	A43B 7/1495 36/114
D383,593 S *	9/1997	Lozano	D2/947
5,797,199 A *	8/1998	Miller	A43B 7/1495 36/114
D414,922 S *	10/1999	Wright	D2/947
D432,765 S *	10/2000	Hardy	D2/947
D433,789 S *	11/2000	Hardy	D2/947
D507,095 S *	7/2005	Gerber	D2/947
D516,785 S *	3/2006	Lacorazza	D2/947
D611,692 S *	3/2010	Bizzo	D2/960
D640,863 S *	7/2011	Raysse	D2/946
D642,775 S *	8/2011	Raysse	D2/946
D661,879 S *	6/2012	Raysse	D2/947
D677,868 S *	3/2013	Kue	D2/951

(Continued)

- (22) Filed: **Apr. 1, 2021**
- (51) **LOC (13) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/947**; D2/953; D2/954
- (58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946-962, 977; 36/3 B, 22 R, 24.5,
36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D294,537 S *	3/1988	Le	D2/960
D294,653 S *	3/1988	Le	D2/900
5,461,800 A *	10/1995	Luthi	A43B 13/181 36/114
D375,190 S *	11/1996	Lucas	D2/947

FOREIGN PATENT DOCUMENTS

CN	302425770	5/2013
CN	304922549	12/2018

(Continued)

Primary Examiner — T Chase Nelson

(74) *Attorney, Agent, or Firm* — Marshall A. Lerner;
Kleinberg & Lerner, LLP


(57) **CLAIM**

The ornamental design for a shoe midsole periphery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a shoe midsole periphery in accordance with my new design; and, FIG. 2 is a side elevation view thereof. The broken lines shown in the drawings represent portions of the shoe upper, midsole periphery and shoe that form no part of the claimed design. The surfaces devoid of shading lines are not claimed.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D683,937 S * 6/2013 Raysse A43B 7/1495
 D702,424 S * 4/2014 Miner D2/947
 D741,584 S * 10/2015 Christopherson D2/947
 D748,900 S * 2/2016 Weeks D2/947
 D764,786 S * 8/2016 Nascimento D2/977
 D767,862 S * 10/2016 Hurayt D2/947
 D768,367 S * 10/2016 Henderson D2/947
 D773,161 S * 12/2016 Teteriatnikov D2/947
 D779,792 S * 2/2017 Tæstensen D2/907
 D861,299 S * 10/2019 Hernandez D2/947
 D870,428 S * 12/2019 Parker D2/947
 D876,771 S * 3/2020 Aden D2/947
 D878,014 S * 3/2020 Chen D2/919
 D885,019 S * 5/2020 Shyllon D2/947
 D887,689 S * 6/2020 Bove D2/947
 D895,949 S * 9/2020 Simone D2/953
 D901,853 S * 11/2020 Hartmann D2/947
 D920,648 S * 6/2021 Little D2/953
 D923,297 S * 6/2021 Hartmann D2/947
 D923,309 S * 6/2021 Teteriatnikov D2/960

D928,481 S * 8/2021 Teteriatnikov D2/947
 D930,333 S * 9/2021 Miner D2/896
 2008/0256827 A1* 10/2008 Hardy A43B 21/30
 36/27
 2010/0071228 A1* 3/2010 Crowley, II A43B 13/181
 36/28
 2012/0204449 A1* 8/2012 Stockbridge A43B 13/04
 36/103
 2015/0068070 A1* 3/2015 Moss A43B 3/0005
 36/136
 2016/0235166 A1* 8/2016 Bryan A43C 13/00

FOREIGN PATENT DOCUMENTS

CN	304922555	12/2018
CN	306056192	9/2020
CN	306258941	1/2021
CN	306264421	1/2021
CN	306281132	1/2021
EM	008199012 0005	10/2020
EM	008215123 0003	11/2020
EM	008332332 0030	1/2021
EM	008332332 0035	1/2021

* cited by examiner

FIG. 1

