



US00D936446S

(12) **United States Design Patent** (10) **Patent No.:** **US D936,446 S**  
**Bettencourt et al.** (45) **Date of Patent:** **\*\* Nov. 23, 2021**

- (54) **EXIT DEVICE**
- (71) Applicant: **ASSA ABLOY Accessories and Door Controls Group, Inc.**, Monroe, NC (US)
- (72) Inventors: **Luis Bettencourt**, New Haven, CT (US); **Michael Connell**, Rockwood, PA (US); **Doug Thompson**, Rockwood, PA (US)
- (73) Assignee: **ASSA ABLOY Accessories and Door Controls Group, Inc.**, Monroe, NC (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/562,080**
- (22) Filed: **Apr. 22, 2016**
- (51) **LOC (13) Cl.** ..... **08-06**
- (52) **U.S. Cl.**  
USPC ..... **D8/315**
- (58) **Field of Classification Search**  
USPC ..... D8/300, 315-319, 326, 331, 138, 149;  
D25/3, 48

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 1,145,471 A \* 7/1915 Dobrick ..... B25G 1/10  
16/436
- D223,902 S \* 6/1972 Kuniansky ..... D25/48.3

(Continued)

**FOREIGN PATENT DOCUMENTS**

- CN 302728949 S 2/2014
- CN 302847061 S 6/2014

(Continued)

**OTHER PUBLICATIONS**

Rockwood Manufacturing Company, Korean Design Patent Application No. 30-2016-0050580, Notice of Decision of Refusal, dated Aug. 25, 2017.

(Continued)

*Primary Examiner* — Janice Hallmark  
*Assistant Examiner* — Harold E Blackwell, II  
(74) *Attorney, Agent, or Firm* — Moore & Van Allen PLLC; Jeffrey R. Gray

(57) **CLAIM**


The ornamental design for an exit device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of an exit device showing our new design; FIG. 2 is a rear perspective view thereof; FIG. 3 is a front elevation view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a right side elevation view thereof; FIG. 6 is a left side elevation view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a front perspective view of a second embodiment of an exit device showing our new design; FIG. 10 is a rear perspective view thereof; FIG. 11 is a front elevation view thereof; FIG. 12 is a rear elevation view thereof; FIG. 13 is a right side elevation view thereof; FIG. 14 is a left side elevation view thereof; FIG. 15 is a top plan view thereof; FIG. 16 is a bottom plan view thereof; FIG. 17 is a front perspective view of a third embodiment of an exit device showing our new design; FIG. 18 is a rear perspective view thereof; FIG. 19 is a front elevation view thereof; FIG. 20 is a rear elevation view thereof; FIG. 21 is a right side elevation view thereof; FIG. 22 is a left side elevation view thereof; FIG. 23 is a top plan view thereof; and, FIG. 24 is a bottom plan view thereof.

The broken lines illustrate portions of the exit device that form no part of the claimed design.

**1 Claim, 18 Drawing Sheets**



(58) **Field of Classification Search**  
 CPC ..... E05B 1/0015; E05B 65/0025; Y10T  
 292/0908  
 See application file for complete search history.

2005/0060844 A1\* 3/2005 Chiang ..... E05B 1/0015  
 16/412  
 2013/0305490 A1 11/2013 Sprague  
 2017/0218662 A1\* 8/2017 Thompson ..... E05B 1/00  
 2017/0365114 A1\* 12/2017 Bettencourt ..... G07C 9/28

(56) **References Cited**

U.S. PATENT DOCUMENTS

D226,556 S \* 3/1973 Horgan, Jr. .... D25/48.3  
 D226,654 S \* 4/1973 Horgan, Jr. .... D25/48.3  
 D229,551 S \* 12/1973 Horgan, Jr. .... D25/48.3  
 4,225,163 A 9/1980 Hubbard et al.  
 4,272,923 A 6/1981 Anderson  
 D267,274 S \* 12/1982 Horgan, Jr. .... D25/48.3  
 D267,275 S 12/1982 Horgan, Jr.  
 D267,276 S 12/1982 Horgan, Jr.  
 4,366,974 A \* 1/1983 Horgan, Jr. .... E05B 65/106  
 292/336.3  
 4,382,620 A \* 5/1983 Horgan, Jr. .... E05B 65/106  
 292/336.3  
 4,418,949 A \* 12/1983 Horgan, Jr. .... E05B 65/106  
 292/336.3  
 4,506,922 A \* 3/1985 Horgan, Jr. .... E05B 65/106  
 292/336.3  
 4,711,480 A 12/1987 Horgan, Jr.  
 RE32,774 E 11/1988 Duff  
 4,895,399 A 1/1990 Horgan, Jr.  
 D332,905 S \* 2/1993 Dannenberg ..... D8/315  
 D377,596 S \* 1/1997 Simon ..... D8/315  
 5,615,918 A 4/1997 Ferrell  
 D384,569 S \* 10/1997 Simon ..... D8/305  
 6,152,636 A 11/2000 Nass  
 D444,241 S 6/2001 Horgan, Jr.  
 6,463,628 B1 \* 10/2002 Yeh ..... E05B 1/0015  
 16/412  
 6,511,104 B1 \* 1/2003 Horgan, Jr. .... E05B 3/00  
 292/336.3  
 6,639,760 B2 10/2003 Dyer et al.  
 7,347,461 B2 \* 3/2008 Sprague ..... E05B 1/00  
 200/61.62  
 7,849,718 B2 \* 12/2010 Ambrass ..... E05B 1/0015  
 70/92  
 8,702,762 B2 4/2014 Jacene et al.  
 8,944,414 B2 2/2015 Sprague  
 D725,457 S \* 3/2015 Sprague ..... D8/315  
 9,074,413 B1 \* 7/2015 Sprague ..... E06B 3/5878  
 D779,304 S \* 2/2017 Hardy ..... D8/319

FOREIGN PATENT DOCUMENTS

DE 102010015720 10/2011  
 EM 000490198-0006 4/2006  
 EM 000490198-0009 4/2006  
 EM 000490198-0013 4/2006  
 EP 1269888 A1 1/2003  
 EP 2284338 A1 2/2011  
 KR 20020034405 5/2002  
 TW 431801 4/2001

OTHER PUBLICATIONS

Rockwood Manufacturing Company, Taiwan Patent Application No. 106304514, Notice of Allowance, dated Nov. 20, 2017.  
 Rockwood Manufacturing Company., Canadian Design Patent Application No. 171133, Office Action, dated Feb. 23, 2017.  
 Rockwood Manufacturing Company., Korean Design Patent Application No. 30-2016-0050590, Office Action, dated Feb. 2017 28.  
 Rockwood Manufacturing Company., Korean Design Patent Application No. 30-2016-0050596, Office Action, dated Mar. 9, 2017.  
 Rockwood Manufacturing Company., Korean Design Patent Application No. 30-2016-0050599, Office Action, dated Mar. 9, 2017.  
 Rockwood Manufacturing Company., South Korean Design Patent Application No. 30-2016-0050580, Office Action, dated Apr. 21, 2017.  
 Rockwood Manufacturing Company., Taiwanese Design Patent Application No. 105306371, Office Action, dated May 5, 2017.  
 C.R. Laurence Co., Inc. US Aluminum, Door Manual: All Glass Door with CRLPanic Handle, PA100F Series, 2003, pp. 1-22.  
 C.R. Laurence, CRL Access Control Handles for "All-Glass" Doors. Doorware.com, Alarm Rim Device, DETEX V40EB62836.  
 Starhardwaresupply.com, Jackson Model 3185 Mid-Panel Concealed Vertical Rod Exit Device with Top Latch "PUSH" Engraved on Push Pad Aluminum Finish Left Hand Reverse Bevel Discount.  
 PRL Glass Systems, PL-100 Panic Handle Configurations.  
 PRL Glass Systems, Door Manual, PL100 Panic Handle, PL100-A Series, pp. 1-22.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7



FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17




FIG. 18






FIG. 19




FIG. 20



FIG. 21



FIG. 22




FIG. 23



FIG. 24