

US00D936503S

(12) **United States Design Patent** (10) **Patent No.:** **US D936,503 S**
Wojciechowski et al. (45) **Date of Patent:** **** Nov. 23, 2021**

(54) **BOX BEAM LEVEL**

(71) Applicant: **Johnson Level & Tool Mfg. Co., Inc.**,
Mequon, WI (US)

(72) Inventors: **Timothy J. Wojciechowski**, Hubertus,
WI (US); **David Mencil**, Menomonee
Falls, WI (US)

(73) Assignee: **Johnson Level & Tool Mfg. Co., Inc.**,
Mequon, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/707,036**

(22) Filed: **Sep. 25, 2019**

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/69**

(58) **Field of Classification Search**

USPC D10/69

CPC . G01C 9/00; G01C 9/005; G01C 9/02; G01C
9/04; G01C 9/06; G01C 9/08; G01C
9/10; G01C 9/12; G01C 9/14; G01C
9/16; G01C 9/18; G01C 9/20; G01C
9/22; G01C 9/24; G01C 9/26; G01C
9/28; G01C 9/30; G01C 9/32; G01C
9/34; G01C 9/36; G01C 2009/005; G01C
2009/062; G01C 2009/064; G01C
2009/066; G01C 2009/068; G01C
2009/102; G01C 2009/105; G01C
2009/107; G01C 2009/182; G01C
2009/185; G01C 2009/187

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D364,104 S 11/1995 Johnson
D459,251 S 6/2002 Scheyer

D469,370 S 1/2003 Gruetzmacher et al.
D493,737 S 8/2004 Nickel
D498,132 S 11/2004 Lai
D513,391 S 1/2006 Kim
D521,399 S 5/2006 Johnson et al.
7,073,270 B2 7/2006 Kim
D555,523 S 11/2007 Nickel et al.
D573,908 S 7/2008 Levinson
D582,808 S 12/2008 Cook
7,509,749 B1 3/2009 Stefanko
D598,308 S 8/2009 Gofer
D598,309 S 8/2009 Gofer
7,797,848 B2 9/2010 Cobb et al.
D633,400 S 3/2011 Wojciechowski et al.
D634,221 S 3/2011 Wojciechowski et al.
D643,320 S 8/2011 Lewis et al.
D646,594 S 10/2011 Allemand
D646,595 S 10/2011 Allemand
D646,596 S 10/2011 Allemand
D656,425 S 3/2012 Wojciechowski et al.
8,925,212 B2 1/2015 Allemand
D730,207 S 5/2015 Ben Josef et al.
D735,064 S 7/2015 Wojciechowski et al.

(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Boyle Fredrickson, S.C.


(57) **CLAIM**

The ornamental design of a box beam level, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a box beam level incorporating our new design, wherein the portions illustrated in phantom form no part of the claimed design;
FIG. 2 is a first side elevation view thereof;
FIG. 3 is a second, opposite side elevation view thereof;
FIG. 4 is a first end elevation view thereof;
FIG. 5 is a second, opposite end elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D735,065	S	7/2015	Wojciechowski et al.	
D743,281	S	11/2015	Wojciechowski et al.	
D750,511	S *	3/2016	Wojciechowski	 G01C 9/36 D10/69
D751,430	S	3/2016	Johnson et al.	
D753,281	S *	4/2016	Baston	 G01C 25/00 D23/382
D813,060	S *	3/2018	Wojciechowski	 D10/69
D825,353	S *	8/2018	Wojciechowski	 D10/69
10,731,982	B2 *	8/2020	Neitzell	 G01C 9/36
10,928,197	B2 *	2/2021	Wojciechowski	 G01C 9/34
2006/0248738	A1	11/2006	Tran et al.	
2016/0138918	A1 *	5/2016	Neitzell	 G01C 25/00 33/381

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 5




FIG. 4



FIG. 6



FIG. 7