

US00D936784S

(12) **United States Design Patent** (10) **Patent No.:** **US D936,784 S**
Mercnik et al. (45) **Date of Patent:** **** *Nov. 23, 2021**

(54) **SPRAY HEAD**

(71) Applicant: **SNOW LUTIONS INC.**, Niagara Falls (CA)

(72) Inventors: **Gery Hansy Mercnik**, Niagara Falls (CA); **Cyrille Desrosiers**, Niagara-on-the-Lake (CA)

(73) Assignee: **SNOW LUTIONS INC.**, Niagara Falls (CA)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/659,940**

(22) Filed: **Aug. 14, 2018**

(51) **LOC (13) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/213**

(58) **Field of Classification Search**
USPC D23/213, 214, 218, 227, 229, 254, 261;
D8/350, 352, 399; D21/443, 444;
D30/119, 121, 123, 124, 131, 132, 160;
D24/130; D15/144, 144.1, 144.2
CPC B05B 15/70; B05B 15/74; B05B 15/00;
A01G 3/06; A63F 13/10; A62C 37/08;
A62C 31/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,432,108 A * 3/1969 Enright B02C 23/00
241/46.016
D256,948 S * 9/1980 Boersma D23/261

D288,698 S * 3/1987 Finnamore D21/341
4,774,730 A * 10/1988 Ho E03D 9/00
210/131
D326,743 S * 6/1992 Haynes D30/130
D374,150 S * 10/1996 Lillelund D7/387
D410,731 S * 6/1999 Bowman D23/227
D421,295 S * 2/2000 Barnett D23/261
D430,262 S * 8/2000 Morrison D23/202
D439,957 S * 4/2001 Barnett D23/261
D460,897 S * 7/2002 Leuenberger D7/546
D539,078 S * 3/2007 Anderson D7/375
D597,181 S * 7/2009 Jones D23/260
D654,152 S * 2/2012 Schulz D23/260
D665,953 S * 8/2012 Leary A01K 13/001
D30/158
8,408,418 B2 * 4/2013 Kuzelka B01F 15/00006
220/600
D799,889 S * 10/2017 McClory D7/375
D830,105 S * 10/2018 Mirchandani D7/357

* cited by examiner

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — Eugene J. A. Gierczak;
Miller Thomson LLP

(57) **CLAIM**

The ornamental design for the “spray head”, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the spray head


FIG. 2 is a side view of the spray head

FIG. 3 is a top view; and,

FIG. 4 is a bottom perspective view.

The design consists of the features of shape, pattern and configuration of a spray head as shown in the drawings, the broken lines do not form part of the design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4