



US00D936883S

(12) **United States Design Patent** (10) **Patent No.:** **US D936,883 S**  
**Vargas et al.** (45) **Date of Patent:** **\*\* Nov. 23, 2021**

(54) **CIRCULAR HALO LIGHT FIXTURE**  
(71) Applicants: **John Vargas**, West New York, NJ (US);  
**Anabel Vargas**, West New York, NJ  
(US)  
(72) Inventors: **John Vargas**, West New York, NJ (US);  
**Anabel Vargas**, West New York, NJ  
(US)

D509,618 S \* 9/2005 Baarman ..... D26/106  
D549,859 S \* 8/2007 Kovacik ..... D26/37  
D597,238 S \* 7/2009 Lu ..... D16/135  
D619,287 S \* 7/2010 Liu ..... D26/62  
D623,331 S \* 9/2010 Rotwitt ..... D26/63  
D636,513 S \* 4/2011 Furtsch ..... D26/51  
D675,366 S \* 1/2013 Alessandro ..... D26/107  
D773,105 S \* 11/2016 Feit ..... D26/106  
D827,180 S \* 8/2018 Mou ..... D26/72  
D835,317 S \* 12/2018 Edgar ..... D26/51  
D838,397 S \* 1/2019 Calisi ..... D26/51

(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/698,690**  
(22) Filed: **Jul. 18, 2019**

(Continued)  
*Primary Examiner* — Michelle E. Wilson

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 15/331,740,  
filed on Oct. 21, 2016, now Pat. No. 10,398,213.  
(60) Provisional application No. 62/244,551, filed on Oct.  
21, 2015.  
(51) **LOC (13) Cl.** ..... **26-05**  
(52) **U.S. Cl.**  
USPC ..... **D26/56**  
(58) **Field of Classification Search**  
USPC ..... D26/37–51  
CPC ..... F21L 2003/00; F21L 4/00; F21L 4/005;  
F21L 4/02; F21L 4/025; F21L 4/027;  
F21L 4/04; F21L 4/08; F21L 2005/00;  
F21L 7/00; F21L 11/00; F21L 13/00;  
F21L 13/04; F21L 13/08; F21L 14/02;  
F21L 17/00; F21L 19/00; F21L 25/00  
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a circular halo light fixture, as  
shown and described.

**DESCRIPTION**


FIG. 1 is a top-front-left perspective view of a circular halo  
light fixture showing my new design;  
FIG. 2 is a bottom-rear-right perspective view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a left elevational view thereof;  
FIG. 8 is a right elevational view thereof;  
FIG. 9 is a top-front-left perspective view thereof, wherein  
the circular halo light fixture has been outfitted with periph-  
eral equipment; and,  
FIG. 10 is a bottom-rear-right perspective view thereof,  
wherein the circular halo light fixture has been outfitted with  
peripheral equipment.  
The dashed line showing a perforation in FIGS. 1, 3, and 9;  
vents and compartments in FIGS. 2, 4, and 10; a stand in  
FIGS. 9 and 10; a mounting point in FIG. 5; and a phone,  
phone support, operator controls, and outlets in FIG. 10 is  
included for the purpose of illustrating environmental struc-  
ture and forms no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D342,801 S \* 12/1993 Poon ..... D26/45  
D397,234 S \* 8/1998 Huang ..... D26/63  
D477,889 S \* 7/2003 Coles ..... D26/47  
D505,219 S \* 5/2005 Jacquelin ..... D26/51

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D853,613	S	*	7/2019	Lien	.....	D26/63
D854,227	S	*	7/2019	Yu	.....	D26/106
D854,605	S	*	7/2019	Fook	.....	D16/244
D855,242	S	*	7/2019	Chen	.....	D26/106
D855,871	S	*	8/2019	Ma	.....	D26/107
D860,485	S	*	9/2019	Yu	.....	D26/24
D860,495	S	*	9/2019	Waldmann	.....	D26/65
D868,139	S	*	11/2019	Zhou	.....	D16/239
D869,719	S	*	12/2019	Liu	.....	D26/61
D872,348	S	*	1/2020	Liu	.....	D26/106
D873,328	S	*	1/2020	Shen	.....	D16/239
D877,392	S	*	3/2020	Yu	.....	D26/79
D880,048	S	*	3/2020	Zhu	.....	D26/106
D885,769	S	*	6/2020	Wang	.....	D6/309
D887,052	S	*	6/2020	Xu	.....	D26/39

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10