



US00D937067S

(12) **United States Design Patent** (10) **Patent No.:** **US D937,067 S**  
**Kukucka et al.** (45) **Date of Patent:** **\*\* Nov. 30, 2021**

- (54) **HEAD OF A FASTENER DRIVER**
- (71) Applicant: **GRIP HOLDINGS LLC**, Brandon, FL (US)
- (72) Inventors: **Paul Kukucka**, Brandon, FL (US);  
**Thomas Stefan Kukucka**, Brandon, FL (US)
- (73) Assignee: **GRIP HOLDINGS LLC**, Brandon, FL (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/731,368**
- (22) Filed: **Apr. 14, 2020**

D614,931 S \* 5/2010 Su ..... D8/86  
 D668,697 S 10/2012 Hsu  
 8,291,795 B2 \* 10/2012 Hughes ..... F16B 23/0038  
 81/460  
 8,448,547 B2 \* 5/2013 Whitehead ..... B25B 15/005  
 81/53.2  
 8,607,670 B2 12/2013 Stawarski  
 D704,022 S 5/2014 Hsu  
 D714,122 S 9/2014 Lin  
 9,038,506 B1 5/2015 Huang  
 D764,250 S 8/2016 Hsu  
 D769,690 S \* 10/2016 Campbell, II ..... B21K 1/463  
 D8/86  
 D776,505 S 1/2017 Doroslovac  
 D778,137 S 2/2017 Tao  
 D784,106 S 4/2017 Doroslovac  
 (Continued)

**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 29/698,391, filed on Jul. 16, 2019, now Pat. No. Des. 880,968, and a continuation-in-part of application No. 16/107,842, filed on Aug. 21, 2018, now Pat. No. 10,780,556, said application No. 29/698,391 is a continuation-in-part of application No. 16/107,842, filed on Aug. 21, 2018, now Pat. No. 10,780,556.

- (51) **LOC (13) Cl.** ..... **08-04**
- (52) **U.S. Cl.**  
USPC ..... **D8/86**
- (58) **Field of Classification Search**  
USPC ..... D8/82, 83, 84, 85, 86  
CPC ... B25B 15/001; B25B 15/002; B25B 15/004;  
B25B 15/005; B25B 15/007  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 5,291,811 A \* 3/1994 Goss ..... B25B 13/065  
411/404
- 7,225,710 B2 \* 6/2007 Pacheco, Jr. .... B25B 13/065  
411/403

**FOREIGN PATENT DOCUMENTS**

WO DM/090809 9/2018

*Primary Examiner* — Philip S Hyder


(57) **CLAIM**

The ornamental design for a head of a fastener driver, as shown and described.

**DESCRIPTION**

FIG. 1 is a top-front-left perspective view of a head of a fastener driver showing my new design;  
 FIG. 2 is a bottom-rear-right perspective view thereof;  
 FIG. 3 is a front elevational view thereof, the rear elevational view being a mirror image thereof;  
 FIG. 4 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof;  
 FIG. 5 is an enlarged top plan view thereof; and,  
 FIG. 6 is an enlarged bottom plan view thereof.  
 The broken lines depict portions of the head of a fastener driver in which the design is embodied that are not considered part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D787,909 S 5/2017 Hsu  
D829,069 S 9/2018 Doroslovac  
10,081,094 B2 9/2018 Doroslovac  
D833,547 S \* 11/2018 Weber ..... D21/699  
D859,944 S \* 9/2019 Kukucka ..... D8/29  
2015/0314429 A1 11/2015 Doroslovac  
2016/0059391 A1 \* 3/2016 Hettich ..... B25B 23/108  
81/460  
2016/0236332 A1 \* 8/2016 Huang ..... B25B 23/108  
2016/0305462 A1 \* 10/2016 Wunderlich ..... B25B 21/00  
2017/0095909 A1 \* 4/2017 Chen ..... F16B 23/0038  
2017/0252905 A1 9/2017 Doroslovac  
2018/0354102 A1 12/2018 Kukucka

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6